

ADAPTATION FUND BOARD SECRETARIAT TECHNICAL REVIEW OF PROJECT/PROGRAMME PROPOSAL

PROJECT/PROGRAMME CATEGORY: Regional Project

Countries/Region:	Antigua and Barbuda and Saint Lucia		
Project Title:	Increasing the Resilience of the Education System to Climate Change Impacts in the Eastern		
	Caribbean		
Thematic Focal Area:	Disaster risk reduction and early warning systems		
Implementing Entity:	UN-Habitat		
Executing Entities:	Antigua and Barbuda: Department of Environment; St Lucia: Ministry of Education, Innovation, Gender		
-	Relations and Sustainable Development; Regional: The Organisation of Eastern Caribbean States		
	(OECS), and The Caribbean Disaster Emergency Management Agency (CDEMA)		
AF Project ID:	AF00000192		
IE Project ID:	Requested Financing from Adaptation Fund (US Dollars): 13,996,500		
•	erson: Claudia Lasprilla Pina Co-reviewer(s): Imèn Meliane		

Technical Summary	The project "Increasing the Resilience of the Education System to Climate Change Impacts in the Eastern Caribbean" aims to advance climate-resilient sustainable development in Antigua and Barbuda and Saint Lucia by enhancing the resilience of their respective educational systems to extreme climate events, adopting regional tools for capacity and policy creation, and applying them to educational programmes. This will be done through the three components below:
	Component 1: Project Knowledge management and replication, and development of regional urban risks and vulnerabilities management approach model (USD 380,000);
	<u>Component 2:</u> Improve awareness, ownership and capacities to respond to climate change impacts, including to operate, maintain and replicate resilient water harvesting, supply and alternative energy systems (USD 979,000);
	Component 3: Schools adaptation and safety improvement (USD 10,315,500).
	Requested financing overview: Project/Programme Execution Cost: USD 1,225,500

	Total Project/Programme Cost: USD 12,900,000 Implementing Fee: USD 1,096,500 Financing Requested: USD 13,996,500
	The initial technical review raises some issues, such as the need for better rationale and justification for the regional approach, cost-effectiveness innovation and the cost of adaptation reasoning, among others, as is discussed in the number of Clarification Requests (CRs) and Corrective Action Requests (CARs) raised in the review.
Date	August 22, 2022

Review Criteria	Questions	Comments	Responses
	 Are all of the participating countries party to the Kyoto Protocol? Are all of the 	Yes. Yes.	-
Country Eligibility	participating countries developing countries particularly vulnerable to the adverse effects of climate change?	Small island states in the Eastern Caribbean region are exposed to a variety of climate change induced hazards, including hurricanes, floods, landslides, droughts and fires. Important economic sectors are being negatively impacted, including educational systems, which are the main focus of the submitted proposal. Buildings and supporting infrastructure in the region need to be enhanced to withstand climate impacts, such as higher frequency of category 4 and 5 hurricanes, which in recent years has led to greater infrastructure vulnerabilities, causing damage to critical systems such as buildings,	

			1
		electricity, water, sewage and	
		waste systems.	
1.	government authorities for the Adaptation Fund	As per the Endorsement letter	-
	endorsed the	2022	
		Saint Lucia: November 29, 2021	
2.	Does the length of the proposal amount to no	Yes.	CAR1 : Page numbers added for ease of reference and follow-ups.
	more than One	CAR1: Please number all pages	
	hundred (100) pages	for ease of reference and follow-	
	for the fully-developed	ups.	
	project document, and		
	one hundred (100)		
	pages for its annexes?		
3.	Does the regional	Not clear.	CR1: Antigua and Barbuda and St. Lucia were
	project / programme		selected to participate in this project among the
	support concrete	It is well noted that Antigua and	islands in the Eastern Caribbean because they
	adaptation actions to	Barbuda and Saint Lucia were	are leaders in the region in climate action, with
	assist the participating	selected given their proximity to	both countries developing updated ambitious
	countries in addressing	each other, and the fact that they	NDCs with prominent adaptation components
	the adverse effects of	share the same vulnerability and	in 2021 and Medium-Term Development
	climate change and	risks to climate change;	Strategies that incorporate strong climate
	build in climate	additionally, some schools in both	resilience elements, both are founding
	resilience, and do so	countries played a double role as	members of the OECS, and there is a clear
	providing added value	education centers and shelters	aspect of additionality whereas the current
	through the regional	during natural hazards. However,	enabling environment and capacity for
	approach, compared to	further clarification is needed	adaptation planning and implementation, and
	implementing similar	regarding the countries selected	ability to strengthen school building resilience
	activities in each	and the value added of presenting	to Category 5 hurricanes are limited and
	country individually?	the project as a regional proposal	require additional resources to move forward.
		instead of two single country	Further, the implementing entity has a
	2.	 for the Adaptation Fund from each of the participating countries endorsed the project/programme? 2. Does the length of the proposal amount to no more than One hundred (100) pages for the fully-developed project document, and one hundred (100) pages for its annexes? 3. Does the regional project / programme support concrete adaptation actions to assist the participating countries in addressing the adverse effects of climate change and build in climate resilience, and do so providing added value through the regional approach, compared to implementing similar activities in each 	 Have the designated government authorities for the Adaptation Fund from each of the participating countries endorsed the project/programme? Does the length of the proposal amount to no more than One hundred (100) pages for the fully-developed project document, and one hundred (100) pages for its annexes? Does the regional project / programme support concrete adaptation actions to assist the participating countries in addressing the adverse effects of climate change and build in climate resilience, and do so providing added value through the regional approach, compared to implementing similar activities in each country individually? Have the designated government authorities for the Adaptation Fund from each of the participating countries in addressing the adverse effects of climate change and build in climate resilience, and do so providing added value through the regional approach, compared to implementing similar activities in each country individually?

	 CR1: Please clarify the selection criteria of these two countries among the Lesser Antilles countries. The impact of the project at the regional level is unclear and the connection between the project components at the regional level is lacking. Component 1 states how the regional entities will produce a common manual, extracting lessons learned. However, components 2 and 3 seem separate and directed individually for each country. The coherence between components and the regional approach needs to be further reinforced to make evident the impact of the project at a regional level. CR2: Please further elaborate the rationale for the regional approach. Please also articulate how the activities between the two countries complement/feed into each other and lead to an added value and impact at the regional level (beyond a final manual). 	 countries' national governments. A relatively small number of two countries was selected for the project to ensure sufficient resources are directed towards substantial improvements in these two countries, and therefore to sufficiently move the needle as relatively high-profile demonstration projects across the region. CR2: As now stated in activity 1.1.7, OECS and CDEMA produce a joint Lessons Learned Report with data analysis included based on the experiences of the project in Antigua and Barbuda and St. Lucia for use in scaling resiliency across the region's education sectors. Capacity development activities will be shared openly with the OECS and CDEMA for their use but also for sharing with other Eastern Caribbean governments for utilization across the region. Experts from the region will be invited to share knowledge and lessons learned during training events. Furthermore, colleagues from other Eastern Caribbean governments will be contacted to explore opportunities to disseminate materials to key experts throughout the region or to encourage similar country-specific learning materials (e.g., guidance on evaluation of project submissions in Activity 2.1.8, design advice on school educational campaigns in Activity 2.1.11) across the region, both leveraging the credibility and network of OECS and CDEMA. Activities in Component 3 will contribute to regional knowledge and awareness of
--	---	---

CR3 : Please clarify the timeframe of the activities, as Antigua and Barbuda (A&B) will follow a proposal grant approach -different from Saint Lucia (ST), which is a predetermined project management approach.	resilience-building solutions successful in the two countries that are applicable across the Eastern Caribbean region. In addition to regular sharing of updates on social media, key reports, briefs, participating organization newsletters will be shared with select colleagues across the region such as policymakers and administrators who work in
CR4 : Given that the A&B process will be follow a grant-based approach by the government, can you clarify what would be the number of schools that would benefit from the project in A&B,	adaptation-related areas to strategize on maximizing dissemination to relevant experts in other countries, leveraging the partnership with OECS and CDEMA (e.g., through a targeted distribution list or informal network of experts or community of practice).
given that not all of them will receive grants. Please also clarify how this would affect the budget allocated for A&B, given that currently all 15 schools are budgeted for?	CR3 : Both countries have agreed to coordinate activities in Components 1 and 2 so that the grant process can be carried out simultaneously, avoiding delays for Component 3. M&E activities will also ensure that the timeframes are accorded and fulfilled.
CR5 : In Figure 7, please clarify how is the school Average Hazard Rank calculated.	According to A&B partners, the grant making component is expected to not exceed 24 – 28 months, and the time frame includes the implementation of interventions at schools. The DOE's SIRF Fund has the capacity to programme 15 – 22 grants per annum using the grant making approach without having to hire new staff. The timing will include a three month pre-phase that involves publishing a call for proposals, evaluating the submitted
	proposals, as well as selection and awarding of grants. Then this follows an 18 month period of grant making, activity implementation, grant closure and evaluation. The timing of the grant

	process may be impacted by schools being in session.
	CR4: A total between 15-20 schools will benefit from the project according to country officials, the current budgeted schools won't necessarily apply for the full grant or apply at all, however, the government of A&B wanted to make sure that a short-list was already considered to fast- track activities in Component 3, and that other schools that are not in the short-list could also apply by following the grant process.
	The DOE will allocate up to 300,000 USD per school, however, small schools will incur less costs for interventions than larger schools. The grant-based approach will take this into consideration when evaluating proposal submissions. The final selection of schools will not exceed the total budget allocation for 15-20 schools.
	CR5: As mentioned on Annex 6, The relative vulnerability of the twelve schools was established using the five stipulated hazards, namely: Landslides; Fluvial flooding; Coastal flooding and sea level rise; Droughts; and Wind speed/Hurricanes. Hazard mapping was obtained from the Caribbean Handbook on Risk and Information Management (CHARIM) GeoNode in the case of landslides and fluvial flooding. Hazard mapping for high winds and coastal flooding was obtained from the Department of Physical Planning. However, in the case of the drought hazard, there was a

		less than timely responses from the sole producer of water in Saint Lucia. In that regard, the consulting team decided to undertake a qualitative assessment based on information from senior officers of the Water and Sewerage Company Inc and the knowledge of the Senior Advisor on the team.
		Hazard risk scores were derived for each school and a summary table developed providing an overview of the hazard sensitivity associated with each school. The combined relative climate change vulnerability of each of the schools, resulted in an average score, giving rise to the eventual ranking of the schools. See table 3 for reference on values.
4. Does the project / programme provide economic, social and environmental benefits, particularly to vulnerable communities, including gender considerations, while avoiding or mitigating negative impacts, in compliance with the Environmental and Social Policy of the Fund?	Not clear. The proposal outlines a number of economic, social and environmental benefits (Section D of Part II). However, these are states in general terms and most of them are rather assumptions that these benefits would happen. No quantitative estimates are provided, and these are required for a fully-developed proposal. For example, the proponents state that employment opportunities will be created through the implementation of the project, but no estimates of how many jobs would be created, and how these would actually stimulate the	 CR6: Both countries have agreed to provide quantitative estimates of the economic, social and environmental benefits of the project before the inception of the project. CR7: Tables containing beneficiaries for both countries have been added to Section D of Part II. CR8: Similar to response of The Federal Emergency Management Agency to the Puerto Rico events, a Pre-Storm Solar PV Checklist will be developed and shared during the workshops of Component 2. For reference, FEMA's checklist can be found in this link. The most affected systems in San Juan were solar farms. These will be secured on the roof

economy and what lasting economic benefits would the project generates.	of the schools. There is technology that allows for solar panels to remain in place on the roof in as high as a category 3 – 4 hurricane. They
CR6 : Please provide quantitative estimates of the economic, social and environmental benefits of the project. Please also make explicit	will stay in place as long as the roof remains. In the case of category 4 and above, it is best to remove the panels and store inside the school. This was done with the panels in private homes in hurricane Irma.
the assumptions behind some of the statement made (see above) and focus on the lasting benefits of the project (not only during the project life span).	The schools will have a contract with the Defense Force to assist the schools in this area. The DOE is working to ensure that there are maintenance contracts for the systems. Renewable energy installers will also be
CR7 : Please include detailed information on the project's expected beneficiaries (direct and indirect), disaggregated by sex, youth, and vulnerable groups, when possible. Please indicate the	engaged to provide training for additional volunteers or renewable energy officers to learn how to install and remove panels. A list of limited volunteers or renewable energy officers will be created and disseminated to reduce the risk of persons.
gender balance of the beneficiaries.	CR9: Both countries have agreed to provide system specifications before the inception of the project.
The project assumes solar panel systems will remain functional after a storm/hurricane. However, previous experiences in the Caribbean show that they have not withstood such events, e.g., the photovoltaic systems in Puerto Rico after hurricanes Irma and Maria in 2017.	C10: Flooding protection activities related to the safeguarding of energy-generation equipment's and water catchment systems - including consideration of flood barriers, building codes, and waterproofing construction - will be clarified before the inception of the project to ensure sustainability, It is important to note that this impact is currently not a priority
CR8 : How will the proponents mitigate these risks and secure the	and will be placed last given the cost of this type of intervention.

	functioning of the systems installed? CR9 : To avoid maladaptation practice, please clarify the system and size of solar panels and rainwater harvesting to be used - which will also affect their costs. The project addresses mainly the case of high winds due to storms/hurricanes or water storage systems during droughts. CR10 : Please clarify the measures for risks of floodings and how the systems will be sustained in those events. CR11 : Please clarify why only a draft Gender Assessment and Gender Action Plan are available	CR11: It is shared as a draft due to a pending final approval from St. Lucia's authorities. The final version will be made available to Adaptation Fund upon completion if requested.
	for Saint Lucia.	
5. Is the project / programme cost- effective and does the regional approach support cost- effectiveness?	Not clear. This section needs to be more detailed at this stage of the project development. Specifically, it is required to provide a full cost- effectiveness analysis, including a benchmark with alternative adaptation solutions and a baseline scenario for each outcome/component. The activities proposed in each component need to be compared to alternative	 CR12: Government partners with both countries are in the process of completing the cost effectiveness analysis, including the benchmarking of proposed activities with alternative adaptation solutions and a baseline scenario. The analysis will be completed prior to project inception. CR13: As stated in CR3, both countries have agreed to coordinate activities in Components 1 and 2 so that the A&B grant-based implementation process can be carried out simultaneously during this stage, avoiding


solutions and existing approaches	delays for Component 3. M&E activities will
in the region/countries with	also ensure that the timeframes are accorded
quantifiable cost/benefits. The	and fulfilled.
rational for the selected approach	
and the proposed activities (instead	CR14: As mentioned on Part II Section E, by
of others) need to be clearly	taking a regional approach, cost and
articulated.	operational efficiencies will be realized through
	efficiencies in planning, managing, and
CR12 : Please amend accordingly,	implementing the project. Both countries,
providing information on	recognize that their capacity, local technologies
alternative options, including options with rationale and benefits	and economies share traits that favor collaboration and looking towards neighboring
for each proposed investment and	island nations in the region for inspiration and
solution.	sharing knowledge. Further, given the lack of
	specificity of local resilience school standards
The proponents, in their response	in both countries and others in the region, the
sheet, stated that by taking a	partner countries rely on OECS standards with
regional approach, cost and	the intention of adding them to local legislation,
operational efficiencies will be	and strengthening future projects.
realized through efficiencies in	
planning, managing, and implementing the project, and	
better prices due to collective	
sourcing will be obtained.	
CR13: Given the above statement	
and the CR3 above, please further	
clarify if the 'grant-based	
approach' in A&B would result in a	
delay in the work carried out in SL.	
CR14 : Please further elaborate on	
'how' a regional approach	
supports the project's cost-	
effectiveness. Refer to CR2	
above.	

	To evaluate the cost-effectiveness of the approach, we encourage the project team to detail specific design aspects for the renewable energy system, water harvesting, water storage systems, and retrofitting of buildings, where appropriate. Please refer to CR9 above .	
6. Is the project / programme consistent with national or sub- national sustainable development strategies, national or sub-national development plans, poverty reduction strategies, national communications and adaptation programs of action and other relevant instruments? If applicable, it is also possible to refer to regional plans and strategies where they exist.	Not clear. Although the proposal enumerates different national and regional plans, it does not describe how the project's components and activities align with them. CR15 : Please elaborate on each plan's specificities and articulate how the project contributes to the attainment of each plan's goals or priorities.	 CR15: <u>Antigua & Barbuda:</u> Antigua and Barbuda's Medium-Term Development Strategy (MTDS): The technical and institutional capacity of the local workforce, as well as private sector consumers and producers¹ will be built through developing and delivering training programmes under Component 2 of the project. The Nationally Determined Contribution (NDC) of 2021: Considering the climate impacts over the first five years of the INDC, the next 10 years may result in over USD 0.5 billion of climate damage in the country. The NDC mitigation targets focus upon scaling up renewable energy generation and adaptative capacity to resist climate change-enhanced natural disasters,

¹ Private sector consumers include business owners and homeowners, while private sector consumers refer to architects, engineers and private contractors.

	therefore, the project approach – in particular Component 3's installation of new resilience structures is an urgency to facilitate increased resilience as quickly as possible while strengthening related institutional structures through Components 1 and 2.
	- Antigua and Barbuda's Green Climate Fund (GCF) Country Programme: The proposed project is strongly aligned with GCF Country Programme priorities in that it focuses on increasing the resilience of priority buildings to extreme climate events, and decentralizing power and water supply to ensure continued provision of power and water during and immediately after an extreme event. Moreover, project interventions have been designed to be scalable and replicable both nationally and regionally, therefore, enhancing the adaptation impact of the interventions, through Component 1 and 3.
	- National Comprehensive Disaster Management (CDM) Policy and Strategy for Antigua and Barbuda: This policy calls for the modification of the Disaster Management Act (2002) to link and promote the coordination of all related national environmental policy and secondary legislation into a legislative framework that supports and promotes the implementation of the

collaboration with OECS in Component 1 will strengthen local policies.
 Sustainable Island Resource Management Zoning Plan 2012 (SIRMZP): This land use and zoning plan presents a development framework
that will inform enhancement and construction of school building components, e.g., SIRMZP classifies
the northwest coast of Antigua as a "settlement expansion zone" and several school sites are located inside this zone.
 National Poverty Strategy 2011-2015: The National Poverty Strategy 2011- 2015 has as one of its strategies,
"Building Resilience through Environmental Sustainability – by making disaster risk reduction a feature
of the planning process in the light of the high environmental risks that the country faces from hurricanes,
earthquakes, and now sea rise, as a result of global warming". The project's Component 1 will embed further considerations into planning policies,
while Components 2 and 3 build-up resilience.
 National Youth Policy, 2007: This project directly impacts five of the eight focus areas listed within the National Youth Policy - strengthening social



	Lucia. The project proposal aligns with the MTDS by promoting inclusion in Component 2, building resilience with Component 3, and selecting schools in a way that promotes equity. - The National Land Policy: The Policy
	guides risk-informed land use planning and seeks to minimize the risk of loss of life, degradation of land resources and other assets from the impacts of hazards and disasters. The strategic objectives of the National Land Policy
	that relate to the proposal are: (i) Facilitate the provision of adequate public services to all, notably in health, education, public utilities, recreation, and transportation. (ii) Provide opportunities for all to access adequate
	 shelter (iii) Minimize the risk of loss of life, degradation of land resources, etc., from the impacts of disasters. The Nationally Determined Contribution (NDC) 2020 updated
	version: St. Lucia has committed in its NDC to prioritizing cross-sectoral and sectoral adaptation measures for eight key sectors/thematic areas and a segment on the 'limits to adaptation'.
	The NDC highlights adaptation-related targets are incorporated in the NAP. Priority sectors for adaptation action include: water; infrastructure and spatial planning; resilient ecosystems;

		 education; and health, which align with the proposal's Components 2 and 3. The Climate Change Adaptation Policy (CCAP): The CCAP includes activities geared towards building the resilience of households, communities, vulnerable groups, enterprises, sectors and ultimately, the nation, with efforts directed towards achieving the following objectives by 2022: a) Priority adaptation measures to the adverse effects of climate change developed and implemented at all levels; b) Identification of vulnerable priority areas and sectors and appropriate adaptation measures using available and appropriate information, recognizing that such information may be incomplete; c) Adaptation measures in vulnerable priority areas; and d) Appropriate adaptation measures integrated into national and sectoral development strategies and linked as far as national circumstances will allow, to the national budgeting process. The implementation of this project would align with all the aforementioned CCAP objectives in addition to providing risk assessment data and adding to the body of national knowledge on climate-proofing school buildings.
--	--	---

		Regional The following regional programmes are directly related to policies, guidelines, and objectives reflected in the proposed project: (i) The project will inform and provide strategic data and support to OECS through the OECS Eastern Caribbean Regional Climate Change Implementation Plan and it will inform the development of the OECS Climate Change Adaptation Strategy and Action Plan for the region; (ii) the project will use the Model Safe School Programme of CDEMA as a tool for practitioners to consider regarding safe school policies; (iii) the Caribbean Safe School Initiative gave rise to multiple effective tools to enhance school safety - including the Caribbean Road Map for School Safety - and notably will be useful for the project to raise awareness; (iv) best practices from the OECS Building Code will inform the design of climate-proofing interventions to be implemented under the proposed concept; and (v) The design and installation of renewable energy systems of this project, as well as capacity development activities, will be conducted to align with CARICOM Renewable Energy Building Code (CREEBC) standards.
 Does the project / programme meet the relevant national technical standards, where applicable, in compliance with the Environmental and 	Not clear. Antigua and Barbuda's new building code is referred to as a technical standard for water piles, tanks or cisterns. However, this is not included in the proposal.	CR16: The practice of rainwater harvesting is supported by the A&B Building Code and Physical Planning Act (2003). These national policies serve as integral parts of the planning process for the proposed project. In addition, when it comes to quality of the harvested rainwater, environmental standards in terms of

Social Policy of the Fund?	Similarly, no national standards are included to maintain the quality of the harvested rainwater, environmental standards in terms of daily capacity, plumbing codes, size of water tanks, fire safety, and sewage systems (this should be identified for both countries). CR16 : The proposal should describe all the relevant national technical standards for all project activities, and how exactly it will comply with them. Please revise this section accordingly.	
-------------------------------	---	--

			Section 6 Sanitation and Water Supply paragraph 620 C): Grey water re-use and rainwater harvesting shall contribute to non-potable water supplies on site. Special precautions shall be taken to prevent the breeding of mosquitoes and cross contamination between potable and non-potable water supplies. A rainwater first flush device shall be installed on rainwater harvesting systems providing clean water. Where water closets and sinks are installed, low flow specifications shall be chosen.
ε	3. Is there duplication of project / programme with other funding sources?	Yes. The potential for duplication with other projects in the countries and in the region is high. In addition, there were no changes made to this section as requested in previous reviews and in Board Decision B. 38/29. Regarding the recently awarded project in Antigua and Barbuda by the GCF the proponent only expresses its alignment but does not specify how it avoids/will avoid duplication—considering that the GCF project also supports the education sector and includes two schools that are part of this proposal.	 CR17: According to country partners, the team that is providing oversight for the GCF programme, and existing the Adaptation Fund projects will be providing technical, civil engineering and renewable energy oversight for this project. The GCF will be working on similar areas as this project. Priority will be provided to schools that have not received any assistance. In this case these schools will be assessed by the Board for a final decision. CR18: Both schools have been removed from the shortlist. However, it is important to note that schools awarded through different funding processes may still require adaptation interventions. In the case of the Princess Margaret school this is a large school in one of the poorest and most densely populated area of the country the

	 CR17: Please clarify how the project will avoid duplicating efforts with the above mentioned GCF project. Are there any lessons that can be already gathered from its implementation? Can there be synergies created, especially when providing trainings on the new solar panels or RHW systems and DRR. Similarly, are there differences in the approaches taken by this project and the GCF project? CR18: The proposal mentions that the schools within the GCF project would not be part of the AF schools' selection. Please clarify this as Jennings Primary School and Princess Margaret Secondary School are recipients in both proposals. In addition, other projects in the region present similar activities and components. The proponent will benefit from reviewing best practices and gathering lessons learned. 	funds from the GCF Build are not likely to address all of the resilience requirements of this school. Resilience measures are really very expensive and in general the aim to build as much resilience as possible in as many schools based on the budget but in the case where the schools are in densely populated areas such as green bay, grays farm, point and villa where the homes are low income and the need for support will be greater in an event of extreme weather event. CR19: A list will be shared with the Adaptation Fund before the inception of the project. CR20: Previous manuals will be used as direct reference, and a new manual will include information on local realities and the interventions made possible by this project. A&B will be partnering with internal agencies to provide courses for resilience in schools. The DOE is about to sign an agreement with The National Renewable Energy Laboratory (NREL) to provide training via one of technical schools.
	CR19 : Please include a full list of <u>all</u> projects, clearly stating how it will avoid overlap and duplication and how the project will ensure synergies, complementariness and	

	 integrate best practices and lessons learned. The project plans to incorporate DRR into the school curriculum and develop a handbook to guide its delivery. The proponents are encouraged to also consider partnerships with UNESCO and USAID/OFDA, which have already produced similar courses/handbooks: UNESCO Handbook for teachers on DRR USAID/OFDA course on School Safety (used in St Lucia) CR20: Please clarify how the proposal will use previous manuals, and what is the value- added of the proposed manual in the project. 	
9. Does the project / programme have a learning and knowledge management component to capture and feedback lessons?	Not clear. Component 2 of the proposal contains awareness campaigns, and knowledge products, and has a local approach to training communities on DRR aspects and a regional one through a manual of lessons learned by the end of the project.	As mentioned on Part II Section B, both countries will perform the following activities related to the learning and knowledge management: - Develop annual capacity-building workshops to educate communities on the risks of climate change-related hazards and how to react in case of a disaster (Activity 2.1.1)

However, although lessons learned will be taken from both countries, the training and capacity-building aspects are focused mainly on Antigua and Barbuda. Given that the work in Antigua an Barbuda will be [also] focused on developing a learning component while in Saint Lucia, it is mainly about physical measures, please clarify the value added of this regional approach. As requested CR 2 above.	 programme. (Activity 2.1.5) Design and conduct educational campaigns for participating schools (Activity 2.1.11)
---	---

		participating organizations will be shared with select colleagues across the region such as policymakers and administrators who work in adaptation-related areas as a means to capture and share lessons with relevant experts across the region, leveraging the partnership with OECS and CDEMA.
10. Has a consultative process taken place, and has it involved all key stakeholders, and vulnerable groups, including gender considerations?	Yes. As per section J and Annex 3. However, further clarification is needed on the two elements below. CR21: Please clarify if A&B stakeholders in the two meetings carried out were only consulted regarding "Views on Approaches for including DRRE in Schools". What are their perspectives regarding the other two elements presented for SL: "Specific Needs and Potential Concerns Related to Potential Risks and Impacts" and "Gaps in Capacities of Key Stakeholders, Communities, and Vulnerable Groups". CR22: Please explain how gender considerations were integrated into the consultation process.	 CR21: The stakeholders listed in Appendix 2 of Annex 3 were consulted during the development and brainstorming process for all elements in the proposal. Extensive consultations were conducted on issues related to the three aspects noted in CR21 (i.e., DRRE in schools, needs and concerns related to risks and impacts, and capacity gaps) as noted the following list of consultative sessions that was not added to Annex 3 due to page limits: please refer to this link. CR22: Given that there is already a balance in both countries educational system slightly favoring female population, no major considerations were integrated in the process.
11. Is the requested financing justified on	Not clear.	CR23: A table with full details will be provided to the Adaptation Fund before the inception of the project.

the basis of full cost of adaptation reasoning?	The proponents clearly state the climate rationale behind the proposal; however, all activities must have a clear adaptation reasoning, for this, please describe in detail a 'Baseline scenario' and the 'additionality' with AF resources support. CR23: Please revise this section accordingly.	
12. Is the project / program aligned with AF's results framework?	Yes. The project proposal is aligned with outcomes 1, 2, 3, 4 and 7 of the AF Result framework.	-
13. Has the sustainability of the project/programme outcomes been taken into account when designing the project?	Not clear. CR24: Please amend this section addressing all key areas of sustainability, including but not limited to economic, social, environmental, institutional, and financial. The proposal states that key government institutions will conduct sustainable operation and management of construction- related project interventions to oversee specific project activities, with a commitment from both Governments to finance all ongoing operations and maintenance activities.	 CR24: Part II Section L has been amended. CR25: Both countries have expressed intentions of current authorities to expand budget allocations for school resilience, which would go directly to finance all ongoing operations and maintenance activities. A&B has an education levy. Salaries of each working adult are taxed. This will be incorporated into the budget of the Board of Education.

p	Does the project / programme provide an	CR25 : Please clarify how these activities would be integrated in the government budget. Not adequately.	CR26: Table 4 has been corrected to express the consideration of Natural Habitats Protection, Pollution Prevention and Resource
o e sid c E S G	overview of environmental and social impacts / risks dentified, in compliance with the Environmental and Social Policy and Gender Policy of the Fund?	The proponents provide an overall of the environmental and social impacts and risks; however, this is not at the level of detail required for a fully-developed proposal. For most risk principles, the proposal only includes a simple statement that there are no risks in relation to these principles. Please note that the checklist is to be completed, indicating which <u>environmental</u> <u>and social impacts and risks</u> have been identified and that the screening process considers all potential direct, indirect, transboundary, and cumulative impacts that could result from the proposed project/programme. All risk findings and the conclusions presented in the risk table need to be substantiated.	 Protection, Pollution Prevention and Resource Efficiency and Lands and Soil Conservation, given the location and extension of the physical interventions, no further assessment required for compliance. CAR2: Part II Section M states: The project is categorized as a Category B project (Medium Risk) due to the results envisioned in environmentally and socially vulnerable areas, and potential impacts of policy changes. (See Annexes 1 and 2).
		Further clarification is needed on the below aspects. CR26 : Please also provide a full substantiation of the risk assessment for all ESP principles. Please clarify, in particular, why Protection of Natural Habitats, Pollution Prevention and Resource	

	Efficiency and Lands and Soil	
	Conservation were not considered	
	in the checklist exercise-Table 4.	
	CAR2: Please indicate in section	
	K the category in which the	
	screening process has classified	
	the project (Category A, B, or C).	
15. Does the project	Not clear.	CR27: Currently, none of the schools identified
promote new and		for interventions have any solar PV systems
innovative solutions to	The project defines its innovation	installed. Identifying innovative, decentralized
climate change	by carrying 'proactive' instead of	system available in the market, would allow the
adaptation, such as	'reactive' activities to extreme	schools to reduce their electricity costs and
new approaches,	climate events, by reinforcing the	utilize the savings gained towards the schools'
technologies and	buildings to withstand Category 5	maintenance costs. Traditionally, schools suffer
mechanisms?	hurricanes. This does not in itself	from a lack of regular maintenance due to lack
	constitute innovation as adaptation	of available funding.
	activities are proactive in nature.	
	The main adaptive activities	In both countries Back up energy is normally
	consider technologies that are not	provided by diesel generators. Solar back up
	novel to these countries nor the	grid-interactive systems are innovative, quiet,
	education system.	and do not add to the impacts of climate
		change.
	CR27 : Please further elaborate on	
	the innovation of the technologies	CR28: In the local context, making sure that a
	presented in this project.	resilient non fuel-dependent grid is operating
		would be an innovative approach.
	The proposal expresses that the	
	advancement of adaptation	
	activities at the regional level is	
	innovative in the context of the	
	Eastern Caribbean region,	
	especially in the education sector.	
	However, the region has promoted	
	such advancements in different	
	projects in the past few years.	

Resource	1. Is the requested	CR28 : Please clarify the innovation of this project compared to similar activities in the education section in these countries.	_
Availability	project / programme funding within the funding windows of the programme for regional projects/programmes?	The total amount requested is USD 13,996,500.	
	2. Are the administrative costs (Implementing Entity Management Fee and Project/ Programme Execution Costs) at or below 10 per cent of the project/programme for implementing entity (IE) fees and at or below 10 per cent of the project/programme cost for the execution costs?	Yes. Each of the EC and IEC cost is below 10% of the project's costs.	
Eligibility of IE	 Is the project/programme submitted through an eligible Multilateral or Regional Implementing Entity that has been accredited by the Board? 	Yes. UN-Habitat is a Multilateral Implementing Entity accredited to the Fund.	-

Implementation Arrangements	1.	Is there adequate arrangement for project / programme management at the regional and national level, including coordination arrangements within countries and among them? Has the potential to partner with national institutions, and when possible, national implementing entities (NIEs), been considered, and included in the management arrangements?	Yes. The Department of Environment (DoE) is Antigua and Barbuda NIE for the Fund, and it is acting as one of the executing entities in the project. In addition, the project has included regional partners as executing entities and the Ministry of Education, Innovation, Gender Relations and Sustainable Development in Saint Lucia.	
	2.	Are there measures for financial and project/programme risk management?	Yes. The proposal includes 'Table 5' with the different possible risks and their management/mitigation strategy. However, there are further clarifications needed in some of the presented risks. The proposal states that a bottom- up approach integrating the community into the Adaptation Fund projects' implementation phases— including community contracting - will be followed.	CR29: As stated in Part III section E, by ensuring the targets in the project's educational component (including capacity building and training of communities to improve their awareness and understanding of the benefits of the activities, including infrastructure maintenance) can be involved in project implementation/decision making throughout the project with gender balance. Further, gender- disaggregated data will be collected to gauge female participation in all aspects of the project, including training participation and prioritization of project benefits for women.

		CR29: Please clarify how will gender balanced be assured in this process?	
3.	Are there measures in place for the management of for environmental and social risks, in line with the Environmental and Social Policy of the Fund? Proponents are encouraged to refer to the Guidance document for Implementing Entities on compliance with the Adaptation Fund Environmental and Social Policy, for details.	Yes. As per Section C, reference to a grievance mechanism, the ESMP (Annexes 1 and 2), the evidence- based risk identification (Table 5), the gender assessment and the Gender Action Plan (Annexes 7- 8). CR30 : Please clarify if a similar analysis as the one presented in Table 1 -Annex 2 for A&B is available for SL, and if so, please include it as part of the proposal annexes. Please refer to CR11 above on the gender assessment and a Gender Action Plan for SL.	CR30: A similar analysis has been summarized in Annex 1; a full version would exceed the page limit for annexes. However, the full table can be viewed in this <u>link</u> .
4.	. Is a budget on the Implementing Entity Management Fee use included?	Yes.	-
5.	 Is an explanation and a breakdown of the execution costs included? 	Yes.	-
6.	 Is a detailed budget including budget notes included? 	Yes. As per section F.	-
7.	. Are arrangements for monitoring and	Yes.	-

	evaluation clearly defined, including budgeted M&E plans and sex-disaggregated data, targets and indicators, in compliance with the Gender Policy of the Fund?	As per section D.	
8.	Does the M&E Framework include a break-down of how implementing entity IE fees will be utilized in the supervision of the M&E function?	Yes. As per section D, table 7. CAR3: Please rectify the sum correct of the project execution fees to USD 428,000 (Table 7).	CAR3: Table 7 has been corrected.
	Does the project/programme's results framework align with the AF's results framework? Does it include at least one core outcome indicator from the Fund's results framework?	 Not cleared. A table is presented in section E; however further information is needed. CR31: Please include the source of verification for each target, and their respective risks and assumptions. CR32: Please provide a target number of how many students will be benefited from each school, and how many people will benefit from the trainings/workshops. 	 CR31: Part III Section E table will be expanded and shared with the Adaptation Fund before the inception of the project. CR32: Tables containing beneficiaries for both countries have been added to Section D of Part II.
10	. Is a disbursement schedule with time-	Yes.	-

bound milestones included?	As per section H.	
-------------------------------	-------------------	--



REGIONAL PROJECT/PROGRAMME PROPOSAL

PART I: PROJECT INFORMATION

Title of Project/Programme:Increasing the resilience of the education system to climatechange impacts in the Eastern CaribbeanAntigua and Barbuda, and St. LuciaCountries:Antigua and Barbuda, and St. LuciaThematic Focal Area:Disaster risk reduction and early warning systemsType of Implementing Entity:MultilateralImplementing Entity:United Nations Human Settlements Programme

Executing Entities:

Antigua and Barbuda: Department of Environment.

St. Lucia:

Ministry of Education, Innovation, Gender Relations and Sustainable Development.

Regional:

The Organization of Eastern Caribbean States (OECS), and

The Caribbean Disaster Emergency Management Agency (CDEMA)

Amount of Financing Requested: US\$13,996,500

Project Background and Context:

Problem statement

Climate change is causing an increase in the frequency and intensity of natural disasters, notably the number of high-intensity tropical storms and hurricanes that make landfall on small island developing states (SIDS) such as Antigua and Barbuda and St. Lucia. Historically, most extreme weather events that made landfall in these two nations were of relatively low intensity, generally as tropical storms, or Category 1—3 hurricanes. Given that category 4 and 5 hurricanes were rare occurrences, and considering fiscal and capability constraints, school buildings have not been built to withstand the impacts of category 4 and 5 hurricanes; the design of school buildings set to withstand only up to a Category 3 hurricane was considered sufficient in the past. Considering the trend of increasing storm intensity within the Eastern Caribbean region that is projected to continue for the foreseeable future, adaptation measures for school buildings are needed to address the impacts of climate change in Antigua and Barbuda and St. Lucia, and throughout the region.

Background Context

The Eastern Caribbean region is one of the most disaster-prone areas of the world as over the years, the countries continue to be exposed to several natural hazards such as floods, hurricanes, droughts, fires, coastal erosion, and landslides that hinder economic growth, cause substantial damage and loss, compromise the effectiveness of poverty reduction strategies and disrupts education systems. The long-lasting impact of those hazards is further exacerbated by the effects of climate change, particularly with regard to the increasing intensity and frequency of extreme weather events. Factors such as land degradation, infrastructure development in coastal settlements, high food import bills and reliance on imported fuel also increase the vulnerability of these small island states to climate change. Many of these hazards are being exacerbated by climate change and the associated sea level rise, e.g., warming conditions over the Atlantic Ocean are resulting in an increased intensity of hurricanes in the Eastern Caribbean.

Future climate projections point to rising temperatures and increased evapotranspiration, as well as continued sea level rise, altered precipitation patterns, and increasing hurricane intensity. These projected changes will impact the region's coastal ecosystems and fisheries, water supplies, agriculture, biodiversity, human health, tourism, and critical infrastructure.

The risks posed by high-intensity storms and powerful hurricanes to infrastructure, buildings and operations is further exacerbated by the limited adaptive capacity of Antigua and Barbuda and St. Lucia governments, school systems and communities to prepare for and recover from extreme weather events. Climate vulnerability is exacerbated by long-standing macroeconomic and financial problems in the region, with extreme climate events having significant impacts on the lives and livelihoods of local communities, as well as the local economy. Damage to critical public infrastructure — including schools — leads to disruptions to educational activity and incurs considerable recovery costs after an event. Moreover, it often takes several months for both countries to recover from such disruptions, leading to considerable declines in educational opportunities and economic productivity, as well as impacts on families who must dedicate time and energy to out-of-school children.

Antigua and Barbuda as well as St. Lucia are part of the Leeward Islands in the Eastern Caribbean. Historically, both Antigua and Barbuda and St. Lucia have only been hit by relatively low-intensity tropical storms, with those reaching hurricane status seldom strengthening above Category 3. The return rate of Category 4 hurricanes in the first half of the 20th century was only 1 in 50 years. However, since 1995, these countries have experienced 15 hurricanes and 14

tropical storms, and the only storms above Category 3 were the notable exceptions of Hurricanes Luis in 2005 (Category 4), and Irma and Maria in 2017, which were the only Category 5 hurricanes that have affected the countries and region in recorded history.

The hurricane rating system, the Saffir-Simpson Hurricane Wind Scale, is based on maximum sustained wind speed, and does not take into account such potential hazards as storm surge, flooding and tornadoes. Categories 4 and 5 indicate sustained winds of over 209 and 252 km/hour, respectively.¹ Hurricanes Irma and Maria caused more than 3,191 deaths and a cumulative damage of about US\$12 billion, including major damage to housing and infrastructure – specifically, to school buildings. These two major hurricanes had the additional impact of disrupting education services, amongst other basic services such as health, telecommunication, electricity, water, sewage, and waste systems for long periods. The frequency and intensity of these storms is strongly correlated to: (i) high sea surface temperature (SST); (ii) decreasing vertical wind shear in the mid-troposphere during depression development; and (iii) changes in the La Niña phase of the El Niño Southern Oscillation.

As an example of SST impacts on storm intensity, in the lead up to Hurricane Irma in 2017, the SST anomaly from baseline climatic conditions was shown to be in the order of 1°C in the region to the south-east of Antigua and Barbuda and east of St. Lucia. Hurricane Irma was fluctuating between Category 2 and 3 strengths before being deflected west-southwest by a high-pressure system back over the area of warmer ocean. This increased SST gave energy to the depression, contributing to its development into a Category 5 hurricane.

Due to the historically low frequency of occurrence in extreme weather events, building codes in both countries did not prescribe the construction methods / technologies required to withstand above a Category 3 hurricane. While designing buildings to withstand up to a Category 3 hurricane was sufficient in the past, the increasing intensity of hurricanes hitting the region is having severe impacts on these countries' built environments and population. This trend of increasing intensity and frequency of storms within the Eastern Caribbean region is projected to continue for the foreseeable future. Therefore, urgent adaptation measures for the education sector are therefore needed to address the impacts of climate change in both countries, and throughout the region.

Given their proximity to each other, these two countries share the same vulnerability and risks to climate change. The vulnerability and risks are due to three main conditions: (i) small geographical areas, which results in disasters taking on country-wide proportions; (ii) their location in one of the highest-risk areas in the world with high levels of volcanic and seismic activity and located in the tropical cyclone belts with direct exposure to the forces of the oceans; and (iii) their dependence on relatively few sources of income (the agriculture and tourism sectors) for a substantial part of its GDP or lack of economic diversification.

Antigua and Barbuda and St. Lucia were selected to participate in this project among the islands in the Eastern Caribbean because they are leaders in the region in climate action, with both countries developing updated ambitious NDCs with prominent adaptation components in 2021 and Medium-Term Development Strategies that incorporate strong climate resilience elements, both are founding members of the OECS, and there is a clear aspect of additionality whereas the current enabling environment and capacity for adaptation planning and implementation, and ability to strengthen school building resilience to Category 5 hurricanes are limited and require additional resources to move forward. Further, the implementing entity has a successful history of partnership with both countries' national governments. A relatively small number of two countries was selected for the project to ensure sufficient resources are directed towards

¹ Saffir-Simpson Hurricane Wind Scale. (n.d.). Retrieved July 18, 2022, from https://www.nhc.noaa.gov/aboutsshws.php

substantial improvements in these two countries, and therefore to sufficiently move the needle as relatively high-profile demonstration projects across the region.

A single climate-related disaster can severely reduce these sources of income for months on end. Another critical indicator of each country's vulnerability is their limited capacity to promptly reactivate the development process after a devastating weather event. There are other nonclimatic factors that may contribute to the country's vulnerability and exacerbate the adverse effects of climate change, including, inter alia, issues pertaining to building codes, public awareness, and sensitization, planning and development.

The impact of natural hazards on the countries' education systems is further compounded by the fact that some schools are used as emergency shelters. In St. Lucia, for example, eighty-seven (87) out of one hundred and three (103) public schools are designated emergency shelters. These schools are at the receiving end of disasters both in terms of the damage to their infrastructure and the disruptions in operations for education and shelter capacity which may occur. Widespread disruptions to the education system caused by health-related events such as the Coronavirus (COVID 19) pandemic have placed strain on the country economies, decreasing capacity to cover costs of adaptation planning and implementation by hindering fund and workforce availability, as well as diverting international funding towards other emergency initiatives.

Despite the vulnerability of schools to numerous threats, schools continue to serve as centres of knowledge transfer and human development. Schools, therefore, play a triple role: centres of education for children; beacons of safety in times of disaster; and a community-wide centre of learning where citizens increase their capacity to protect themselves from hazardous events.

Recognizing that urgent actions must be taken to increase the capacity of the education sector tocombat the effects of disasters and climate change, the governments of St. Lucia and Antigua and Barbuda undertook a technical assistance project in 2020 entitled: 'Increasing Resilience of the Education System to Climate Change in Saint Lucia and Antigua and Barbuda'. This assistance was guided by technical expertise from The Climate Technology Centre and Network/United Nations Framework Convention on Climate Change (CTCN/UNFCCC). The findings from those reports guide this proposal and are part of the annexes.



Figure 1: Map of Organization of Eastern Caribbean States Protocol Members.

Formatted: Space After: 6 pt, Line spacing: single, Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)




Figure 2: Satellite View of A&B (Left) and St. Lucia (Right).

Project Objectives

Eastern Caribbean Islands are united in their political will and commitment to building the resilience of their respective education sectors utilizing both a national and a regional approach. This commitment was established and formalized through the Declaration on School Safety and the development of the Caribbean Roadmap on Schools Safety (CRSS)² to which this project is aligned. However, at both the country and regional level, the enabling environment for building resiliency of school systems needs to be enhanced to increase the durability and effectiveness of the interventions.

Furthermore, schools need to be capacitated to continue to operate, or rapidly return to operating, after extreme weather events. Recent extreme weather events have taken schools out of operations, in some cases for as long as a year. This has had a huge negative impact on students' learning and outcomes as well as negative effects more broadly on families and communities who must make accommodations as their children are not in school. In order to be able to continue to operate or to return quickly to operation, schools - in addition to being made climate-resilient - also need to have off grid energy and water access. Increasing the resilience of priority school buildings will lead to critical educational services remaining operational during and after extreme events, as well as a more rapid recovery.

For Antigua and Barbuda and St. Lucia, strengthening the climate resilience of educational systems by improving the strength of the physical infrastructure of existing school buildings, is an adaptive priority of paramount importance in the face of intensifying and increasing extreme weather impacts. Schools in these countries need to be upgraded to be able to withstand the

^{2 1}st Caribbean ministerial forum on school safety. UNISDR - Regional office for the Americas. (n.d.). Retrieved July 18, 2022, from https://www.eird.org/americas/safe-school-caribbean/2019/ministerial-forum.html

impacts of Category 4 and 5 hurricanes, which have sustained wind speeds of 209 km/hr and greater.

In addition to strengthening the climate resilience of school buildings, the enabling environment for building systemic resilience also needs to be improved to support the implementation of the CRSS, which has three pillars:

1. Safe learning facilities (including standardized school safety assessment),

2. School disaster management (incl. multi-hazard school safety plans and guidance documents), and

3. Risk reduction and resilience education (including curricula and training on disaster risk management).

Furthermore, for these school systems to be resilient in the face of the climate crisis, the capacity of students, parents, community members, school administrators and staff, as well government bodies need to be enhanced to improve understanding of climate risks and resiliency measures. Capacity building is also required to improve market conditions for innovative technology solutions.

The project will advance climate-resilient sustainable development in both countries' educational systems in a manner that is proactive rather than reactive to extreme climate events. In contributing to this broad vision, the project has the following three core objectives:

1. Improving the enabling environment for adaptation planning within the educational systems to support national implementation of Safe School Policies.

2. Strengthening the capacity of schools, communities, and households to both understand climate risks and adaptation options, as well as plan and implement adaptation measures.

3. Building the resilience of select existing school buildings to withstand up to Category 5 hurricanes.

This proactive approach will eventually facilitate the upscaling and replicating of these interventions across all school buildings in both countries and serve as a model for scaling these activities across the Eastern Caribbean region.

Project Components and Financing:

Table 1: Project components and financing

Components	Project Outcomes	Project Outputs	Activities	Amount (US\$)
Component 1: Project Knowledge management and replication, and	1. Strengthen the enabling environment for adaptation	1.1 Policies, plans and lessons learned strengthened in	Annual regional meetings with CDEMA, OECS, St. Lucia and Antigua and Barbuda and other key stakeholders Biannual national review meetings in each country to	\$380,000
development of regional urban risks and	planning within the education sector at the	alignment with the Caribbean Disaster	review progress, and closely monitor the project activities.	
vulnerabilities management approach model.	national and regional level.	Emergency Management Agency (CDEMA) Model Safe School	Conduct a gap analysis of the coordination mechanisms and stakeholder engagement in each country to determine areas in need of improvement for implementing the Model Safe School Policy	
	Programme, to incorporate an mainstream	Programme, to incorporate and	Develop an updated toolkit and action plan to guide the integration of climate resilience design and OECS guidelines into the Model Safe School Policy in each country.	
risk and dis manageme	risk and disaster management considerations in	Develop and validate an updated Model Safe School Policy and Toolkit that is relevant for each country.		
		education sector policies, planning and operations	Collect data and capture lessons learned from the project on an ongoing basis and produce a final paper that can be used for scaling up the project across each country.	
			OECS and CDEMA produce a joint Lessons Learned Report with data analysis included based on the experiences of the project for use in scaling resiliency across the region's education sectors.	

Improve awareness, ownership and capacities to change impacts, incl, to operate, replicate resilient supply andcapacity of schools, communities and households to understand climate risks and adaptationcommun househol to increa resilience climate risks and adaptation	communities and households' capacity building	Conduct annual capacity building workshops to educate communities on the risks of climate change- related hazards and how to react in case of a disaster.	\$979,000									
	households to understand climate risks and	resilience to climate change	Develop learning materials relating to climate change adaptation, resilience, and disaster recovery for integration into the Ministry of Education's Social Science Programme.									
		Conduct annual technology expos to improve knowledge-sharing of new and innovative technologies.										
alternative energy systems.	impacts										Sensitize the public on resilience, recovery, and adaptation efforts through awareness campaigns at Arbour month events. (A&B)	
		Integrate disaster risk reduction and resilience education into the school curriculum, particularly social studies programme										
			Demonstrations conducted by schools' industrial arts departments on adaptation and resilience-building benefits, as a part of School Based Assessment projects. (A&B)									
		Conduct capacity building workshops for schools to improve knowledge of Site Environmental Management Plans and call for proposal application capacity (A&B)										
			Provide capacity building for the Ministry of Environment team and technical evaluation committee team to evaluate submissions of proposals and SEMP Reports									
			Develop proposals for climate-proofing school facilities									

	improve resilience to, and recovery from,		Develop site-specific operational procedures for long-term maintenance, and a monitoring framework, of climate-proofing measures for each priority building	
Component 3: Schools adaptation and safety Improvement	3. Climate- proofing interventions implemented in select school buildings to	3.1 Conduct Safe School assessments with adaptation needs and maintenance plans costed.	Conduct baseline audits of school buildings in alignment with and in support of the Model Safe School Programme toolkit and OECS's Guidelines for the Locating and Designing of Disaster Resilient Schools (A&B)	\$10,315,500
			Develop and implement school programme for the enhancement of the resiliency and building of the adaptive capacity of students, parents, teachers, and school personnel to help them cope with the social- emotional impacts caused by exposure to extreme weather events, including hurricanes.	
			Conduct student home climate resiliency self- assessment surveys (A&B)	
			Develop information products for conducting self- assessments for climate resiliency at homes and buildings within target school communities (A&B)	
			Participation of primary, secondary, and tertiary students in Department of Environment's annual Ecozone Summer Camp (A&B)	
			Develop Construction Environmental Management Plans for additional schools if the call for proposal process budget allows it and selection criteria is met. (A&B)	
			Conduct educational campaigns for participating schools	
			Develop Construction Environmental Management Plans reports for 15 participating schools (A&B)	

extreme climate events.	3.2 Improve the resilience of priority buildings through adaptation interventions	Implement climate-proofing measures to improve priority buildings climate resilience including engineering design & supervision (A&B) Implement climate-proofing measures to improve priority buildings climate resilience including engineering design & supervision (St. Lucia)			
		3.2.3 Design, procure and install weather stations at select schools with very high overall hazard rank. (See Part II B.) (A&B)			
4. Total components					
5. Project Execution cost					
7. Total Project Cost					
8. Implementing Fee					
Amount of Finance	Amount of Financing Requested				

Projected Calendar

Table 2: Project calendar.

Milestones	Expected Dates
Start of Project/Programme Implementation	Jan 2023
Project Closing	Dec 2026
Terminal Evaluation	Oct 2026

PART II: PROJECT / PROGRAMME JUSTIFICATION

A. Regional Approach

The project proposes a regional (Eastern Caribbean) approach to develop further evidence on the climate-resilient sustainable development in the region, which requires a holistic understanding of preparation against extreme climate events, but also post-event resilience in the different countries. The adaptation policies, strategies, and projects to be implemented need to be deduced from a regional perspective, with an understanding of the dynamics of the Eastern Caribbean countries and their influence towards the region as a whole. By being adopted steadily and progressively by Eastern Caribbean countries, both at the policy level and at the programme implementation level, the project is designed to result in a higher regional response capacity and overall climate adaptation. The project proposes to start working with two of the Eastern Caribbean countries and the long-term goal is to scale up some of the project findings to other countries in the region. The project also supports the existing knowledge and research institutions focused on the Eastern Caribbean region, such as The Caribbean Disaster Emergency Management Agency (CDEMA), and the Organization of Eastern Caribbean States (OECS).

Infrastructure and ecosystem-based interventions benefit from being designed and modeled at a regional scale to understand the environmental, social and economic implications of the interventions. For example, coastal flooding and storm system dynamics are transboundary and need to be understood both at the regional and at the national scales to be able to propose effective long-term adaptation strategies. Countries in the region benefit from exploring opportunities to share experience and expertise at technical and political levels to build resilience. The regional dimension of the project and the close partnership with institutions like the CDEMA and OECS also facilitate proper uptake and long-term sustainability of the project activities.



Figure 3: Historical Hurricane Tracks for a Polygon that Includes St. Lucia and Antigua and Barbuda – Mapped by the U.S. National Oceanic and Atmospheric Administration, image shows 390 storms in the past 150 years.

B. Project components

The main objective of the proposed project is to advance climate-resilient sustainable development in both countries by enhancing the resilience of their respective educational systems to extreme climate events, adopting regional tools for capacity and policy creation and applying them to educational programmes. **Component 1** seeks to implement project knowledge management, and development of a regional urban risks and vulnerabilities management approach model to scale up the efforts across the region over time. **Component 2** seeks to improve awareness, ownership, and capacities to respond to climate change impacts via operation, maintenance, and replication of practices of resilient water harvesting, water supply and alternative energy systems. **Component 3** entails carrying out school adaptation and safety improvements to make them more resistant to hurricanes and better prepared for post-disaster capacities.

All these Components play key roles in achieving the project outcomes, as they depend on each other to maximize their effect. Outputs from the evidence-based activities (Component 1) will direct the options for resiliency actions over the long term at the systems level and across both countries and the region. Component 2 will enhance capacity to plan and implement resiliency measures at various levels from national down to the local. Component 3 is the heart of this proposal which will result in schools in Saint Lucia and Antigua and Barbuda having their physical infrastructure improved. This project is adaptation-focused with cross-cutting elements including risk mitigation measures, gender-responsive approaches, knowledge management, and enhanced data management which will support engagement with stakeholders and strengthen long-term adaptation and climate resilience of the school systems and the communities they serve.

Each of the project's components corresponds to an outcome as noted below, and each of the components' activities are to be conducted in both countries (unless otherwise specified in parentheses).

Outcome 1. Strengthen the enabling environment for adaptation planning within the education sector at the national and regional level.

This component will contribute to Adaptation Fund Outcomes 1, 2 and 7 by enhancing the national and regional enabling environment for building the climate resiliency of school infrastructure so as to be able to withstand the impacts of Category 4 and 5 hurricanes. While this project is conducted on the ground in two countries, it is expected to serve as a model in which these resiliency measures are duplicated across all schools in both countries and regionally to all the Eastern Caribbean States.

To facilitate the enhancing of this enabling environment the following outputs and activities will be taken in both countries:

Output 1.1 Policies, plans and lessons learned strengthened in alignment with the CDEMA Model Safe School Programme.³

³ Model Safe School Programme in the Caribbean Project. CDEMA. Retrieved July 17, 2022, from <u>https://www.cdema.org/model_safe-school-programme-in-the-caribbean-project#funding-and-implementing-partners</u>



Activities:

Activity 1.1.1 Annual regional meetings with CDEMA, OECS, St. Lucia and Antigua and Barbuda and other key stakeholders will be held. Each country will take turns hosting its own regional meeting and an effort to reflect, discuss lessons learned and forward plan both for each country but also more broadly for the region. In particular, regional meetings will provide venues to discuss challenges related to increasing climate adaptation and resilience, as well as solutions with capacity to be replicated across the region. Representatives from CDEMA and OECS will join these annual meetings

Activity 1.1.2 Biannual (2x per year) national review meetings in each country to review progress, and closely monitor the project activities.

Activity 1.1.3 Conduct a gap analysis of the coordination mechanisms and stakeholder engagement in each country to determine areas in need of improvement for implementing the Model Safe School Policy.

Activity 1.1.4 Develop an updated toolkit and action plan to guide the integration of climate resilience design and OECS guidelines into the Model Safe School Policy in each country.

Activity 1.1.5 Develop and validate an updated Model Safe School Policy and Toolkit that is relevant for each country.

Activity 1.1.6 Collect data and capture lessons learned from the project on an ongoing basis and produce a final paper that can be used for scaling up the project across each country. Provide this info to OECS and CDEMA.

Activity 1.1.7 OECS and CDEMA produce a joint Lessons Learned Report with data analysis included based on the experiences of the project for use in scaling resiliency across the region's education sectors.

<u>Why this is needed:</u> As the climate crisis increases the frequency and intensity of extreme natural events that affect the region, regional-level coordination and national-level planning processes are needed to withstand imminent challenges and to create a proper knowledge exchange, ensuring an amplifying effect for the interventions. However, in both St. Lucia and Antigua and Barbuda, there is limited capacity at the municipal/community level to respond to climate change and to manage mitigation and adaptation practices in an efficient, comprehensive, and forward-looking way.

Outcome 2: Strengthen the capacity of schools, businesses, communities, and households to understand climate risks, adaptation options, and cope with socio-emotional impacts

This component will contribute to Adaptation Fund Outcomes 2 and 3 by building the capacity of stakeholders to adapt to climate change. To ensure the sustainability and upscaling potential of climate-proofing measures implemented under Component 3, various capacity-building programmes will be implemented. These training programmes will be designed for the targeted schools and focus upon a wide range of stakeholders including governmental institution's staff, students, parents, teachers, administrators, and the local community.

Capacity building is an essential component of building the adaptive capacity of the education sector as the stakeholders will benefit from improved knowledge, skills and tools that build adaptive capacity and will go beyond the scope and timeline of the project. An interactive

approach to the capacity building will be taken to allow for incorporating improvements, feedback and learning from participants. Capacity development activities will be shared openly with the OECS and CDEMA for their use but also for sharing with other Eastern Caribbean governments for utilization across the region. Experts from the region will be invited to share knowledge and lessons learned during training events. Furthermore, colleagues from other Eastern Caribbean governments will be contacted to explore opportunities to disseminate materials to key experts throughout the region or to encourage similar country-specific learning materials (e.g., guidance on evaluation of project submissions in Activity 2.1.8, design advice on school educational campaigns in Activity 2.1.11) across the region, both leveraging the credibility and network of OECS and CDEMA. This will lead to the improved adaptive capacity of communities, school systems and government planners, and others. Representatives from OECS, CDEMA and other regional and national organizations will be invited to attend training programs so as to increase capacity more rapidly across the region.

Output 2.1 Schools, communities, and households capacity building to increase resilience to climate change

Activities:

Activity 2.1.1. Annual capacity-building workshops to educate communities on the risks of climate change-related hazards and how to react in case of a disaster.

Activity 2.1.2. Develop learning materials relating to climate change adaptation, resilience, and disaster recovery for integration into Antigua and Barbuda's Ministry of Education's Social Science Programme. (Antigua and Barbuda or A&B)

Activity 2.1.3. Plan and host annual technology expos to improve knowledge-sharing of new and innovative technologies.

Activity 2.1.4. Sensitize the public on resilience, recovery, and adaptation efforts through awareness campaigns at Arbour month events. (Antigua and Barbuda or A&B)

Activity 2.1.5. Integrate disaster risk reduction and resilience education into the school curriculum, particularly social studies programme.

Activity 2.1.6. Demonstrations conducted by schools' industrial arts departments on adaptation and resilience-building benefits, as a part of School-Based Assessment projects. (A&B)

Activity 2.1.7. Conduct capacity-building workshops for schools to improve knowledge of Site Environmental Management Plans and call for proposals (CFP) application capacity (A&B)

Activity 2.1.8. Conduct training of internal Ministry of Environment teams and technical evaluation committee teams to evaluate submissions of call for proposals. (A&B)

Activity 2.1.9. Develop proposals to increase climate-proofing school facilities. (A&B)

Activity 2.1.10. Develop Site Environmental Management Plans Reports for the initial 15 participating schools (A&B)

Activity 2.1.11 Design and conduct educational campaigns for participating schools

Activity 2.1.12 Develop Site Environmental Management Plans Reports for additional schools (A&B)

Activity 2.1.13 Participation of primary, secondary and tertiary students in DoE's annual Ecozone Summer Camp. (A&B)

Activity 2.1.14 Develop information products for conducting self-assessments for climate

resiliency at homes and buildings within target school communities (A&B)

Activity 2.1.15 Student home climate resiliency self-assessment surveys conducted (A&B)

Activity 2.1.16 Design and conduct school program for resiliency and building of the adaptive capacity of students, parents, teachers, and school personnel to help them cope with the socialemotional impacts caused by exposure to extreme weather events, including hurricanes.

<u>Why this is needed:</u> To ensure sustainability of the proposed adaptation measures under Component 3, communities need to 'own' the interventions and this will include awareness of various adaptation options. The project will raise awareness and capacities on how the proposed measures will be operated, maintained, and replicated.

All of the above activities will be conducted by developing operation, maintenance, and replication plans for proposed adaptation actions in a participatory way, including identifying responsibilities and maintenance budgets, making an emphasis to include women and youth in the processes.

Outcome 3: Climate proofing interventions implemented for select school buildings to improve climate resilience.

This component will contribute to Adaptation Fund Outcome 4 by climate-proofing select school buildings in both countries to withstand the adverse impacts of Category 4 and 5 hurricanes. To achieve this, the structural integrity of the selected priority schools will be strengthened through a comprehensive set of interventions as laid out in Annexes 4 and 5. These interventions will physically protect buildings, thereby reducing damages and maintaining the operability of critical services during and directly after an extreme event. Each country has taken their own approach to this component.

An important element of resilience-building measures will focus on equipping the schools to remain open and functional in the event of extreme weather events by equipping each school with decentralized (independent from the grid) power and water supplies. Decentralizing power and water supplies will reduce the dependence of critical services on vulnerable central systems which are often disrupted for a prolonged period both during and after an extreme climate event. This will ensure that school buildings and the important services they provide are uninterrupted when centralized systems are disrupted. Activities in Outcome 3 will contribute to regional knowledge and awareness of resilience-building solutions successful in the two countries that are applicable across the Eastern Caribbean region. In addition to regular sharing of updates on social media, key reports, briefs, participating organization newsletters will be shared with select colleagues to strategize on maximizing dissemination to relevant experts in other countries, leveraging the partnership with OECS and CDEMA (e.g., through a targeted distribution list or informal network of experts or community of practice).

Output 3.1 Conduct Safe School assessments with adaptation needs and maintenance plans costed.

Activities:

Activity 3.1.1. Conduct baseline audits of school buildings in alignment with and in support of the Model Safe School Programme toolkit and OECS's Guidelines for the Locating and Designing of Disaster Resilient Schools (A&B)

Activity 3.1.2. Develop site-specific operational procedures for long-term maintenance, and a monitoring framework, of climate-proofing measures for each priority building

Output 3.2 Improve the resilience of priority buildings through adaptation interventions

Activities:


Activity 3.2.1 Implement climate-proofing measures to improve priority buildings climate resilience including engineering design & supervision (A&B)

Activity 3.2.2 Implement climate-proofing measures to improve priority buildings climate resilience including engineering design & supervision (St. Lucia or SL)

Activity 3.2.3 Design, procure and install weather stations at select schools with very high hazards ranking (A&B)

Why this is needed: This intervention is critical because of the increasing frequency and intensity of storms and the infrastructural challenges in both St. Lucia, and Antigua and Barbuda, exacerbated by climate change and the limited options local governments have to provide shelter and recover from these events.

Project outcomes and outputs are presented below in Figure 4, along with risks, challenges, and assumptions.



School Pre-selection Process

The countries conducted an analysis of potential schools to participate in the project by assessing the following 10 criteria:

1. Risk Category – This is a categorization to assist with the detailed design of retrofit solutions. Depends on the nature of occupancy. There are four risk categories per ASCE 7-16: https://www.asce.org/asce-7/ in the case of St. Lucia; for Antigua and Barbuda the hazard for each school was scored and the final score was averaged. Based on the results, a score to the closest whole number was ranked from 1 – low to 5 -very high.

2. Building Condition – This is an overall physical condition assessment of the buildings on the school compound using a condition index ranging from poor with a value of 1 and excellent with a value of 5.

3. Occupancy Group – A building code relater parameter that would assist in the design of retrofit interventions.

4. Original Design Code – A document that would assist in understanding and assessing the performance of the structural elements of the buildings.

5. Occupancy Group A and B Buildings – This refers to critical institutional buildings (health centers, hospitals, fire stations, and police stations, etc.).

6. Climate Vulnerability – Defines the findings of the Rapid CVA and presents a summary basis for the rating.

7. School Layout - Brief description of what the buildings house.

8. Community type - Rural, Urban or Suburban.

9. Adjacent land uses - Residential, agricultural, recreation, transportation, commercial, and institutional

10. Climate Change Exposure – Brief description about the school's risk to Landslides, Hurricanes, Flooding, Drought, and Sea-Level Rise, understanding that the climate crisis will make these events even more recurrent.

The relative vulnerability of the schools was established using the five hazards stipulated in the 10 assessment criteria, namely: Landslides; Fluvial Flooding; Wind Speed; Droughts; and Sea Level Rise/Coastal Hazards. Where available, established hazard maps were used to identify the location of the schools, thereby assessing relative climate change vulnerability of the schools. An assessment of risk was conducted for both countries, using the color-coded risk scoring table found in Table 3.

Score	Landslide	Fluvial Flooding	Wind Speed	Drought	Sea Level Rise/Coastal Hazards
1	Low susceptibility	Very low flood hazard susceptibility (Predicted to flood less frequently than a 1 in 50-year return period storm event).	Very low wind hazard susceptibility (between 30-35 m/s wind speed; 100- year maximum likelihood event).	Very low (low flows resulting in demand restrictions have never been experienced in this system).	No impact – combined 1.1 metre Sea Level Rise and a 4 metre storm surge will have no impact due to high elevation of school above sea-level.
2	Not applicable	Low flood hazard susceptibility (Predicted to flood for events between 1:20 and 1 in 50 year-return period).	Low wind speed hazard susceptibility (between 35 to 40 m/s; 1 in 100-year maximum likelihood event).	Low (low flows result in demand restrictions implemented less than once in 5 years).	Not applicable.
3	Moderate susceptibility	Moderate flood hazard susceptibility (Predicted to flood for events between 1:10 and 1:20 year return period).	Moderate wind speed hazard (between 40 to 45 m/s; 1 in 100-year maximum likelihood event).	Medium (low flows result in demand restrictions implemented once every 1 to 5 years).	Future impact only – combined 1.1-metre Sea Level Rise and a 4-metre storm surge will have an impact due to low elevation of school above sea-level.
4	Not applicable	High flood hazard susceptibility (Predicted to flood for events between 1:5 and 1:10 year return period).	High wind speed hazard (between 45 to 50 m/s; 1 in 100-year maximum likelihood event).	High (low flows result in demand restrictions implemented typically once per dry season on average).	Not applicable.
5	High susceptibility	Very high flood hazard susceptibility (Predicted to flood for events of 1:5 years or more frequent).	Very high wind speed hazard (50-55m/s; 1 in 100-year maximum likelihood event).	Very high (low flows result in demand restrictions implemented multiple times each dry season).	High impact – a 4-metre storm surge will have an impact due to low elevation of school above sea-level.

Table 3: Color-Coded Climate Hazard Assessment Table.

Antigua and Barbuda

Antigua and Barbuda identified 135 schools (see Figure 5) to participate in the project, and conducted an initial assessment for each that provides a generalized indication of key details included in Annex 2. A&B will take a grant-based approach to approve which measures are taken at each school. That is, each school, in response to a call for proposals, will provide detailed climate change adaptation measures after a prioritization process. This call for proposals/grants-based approach is the model that the government of Antigua and Barbuda (GoAB) typically utilizes when allocating capital (including from international sources) for environmental, and climate change mitigation and adaptation projects.

The GoAB believes that the call for proposals model has many benefits including:

• Reduces the possibility for bias by giving schools the opportunity to share their views on interventions.

• Provides an opportunity for a wider cross-section of the community to be reached, informed of the proposed activities, and take part in the process.

• Supports school ownership of the work that will be conducted and the concept of adaptation more broadly.

- Allows an opportunity for independent stakeholders to be a part of the vetting process.
- Builds ownership as it relates to the chosen interventions and will improve their knowledge of the needs of their facilities.
- Ensures a transparent and competitive award process.




Figure 5: Map illustrating the location of the included schools in Antigua and Barbuda.

To demonstrate the call for proposals (CFP) model, an example of a similar and previous Grant Process Checklist is provided in Annex 9.

Depending on such criteria as site-specific conditions and suitability, stakeholder prioritization, technical capacity required, and cost effectiveness, Antigua and Barbuda is targeting the following climate-proofing measures:

- Building condition upgrades
- Photovoltaics (PV) systems
- Backup battery systems
- Water harvesting systems (water tanks)
- Stormwater drainage solutions
- Flooding protection components
- HVAC systems upgrade (inverter a/c),
- Safety of electrical equipment and HVAC components
- LED lighting systems
- Tents to be stored/managed by the army
- Storm-proof windows and shutters
- Roofing reinforcement for PV systems
- Wastewater management systems
- Storm-proof exit and entrance doors
- Disability accessibility components

From a process perspective, the CFP and selection of schools will be conducted as follows:

- Each of the 135 schools will be invited to respond to a call for proposals.
- Each of the 135 schools will be given a small preparation grant to understand the baseline and develop the solutions.
- The evaluation and selection of schools will be managed by the Department of Environment.

• Grants will be processed and awarded through the Sustainable Island Resources Framework (SIRF) Fund.

The criteria for the initial selection of schools will be determined in collaboration with local partners after the project is initiated, and may include the following:

• The school faces environmental challenges such as droughts and high temperatures that impede learning which will be improved through the project interventions.

• The location of the school serves geographically or socially vulnerable populations.

• The school is geographically vulnerable: prone to flooding, remote or restricted access, at risk to storm surge or sea-level rise, and no other access to education in the area. A ranking was conducted of schools in Antigua and Barbuda based on the level of hazards considering fluvial flooding, wind speed, drought, and sea level rise and the ranking is presented in Figure 6. Please note Landslides was not included in the analysis table as it was deemed not applicable.

• The school is socially vulnerable: densely populated areas, provides services to differently abled students, or to socio-cultural minorities.

Figure 6: Antigua and Barbuda school hazard rating

For Antigua and Barbuda, school selection criteria will include consideration of climate support received through other initiatives of the DoE to ensure complementarity and avoid duplication.

The DoE helped to identify communities that are particularly vulnerable to extreme climate events. The selection of the 135 schools, therefore, took into consideration not only the educational benefits but also the needs of at-risk populations that depend on the school for shelter or other community services, and duplication with other programmes. It is possible that schools will be added or dropped during the grant process as a result of the application

School	Fluvial Flooding	Wind speed	Drought	Sea Level Rise	Average Score	Overall hazard rank
Jennings Primary	5	4	3	4	4.0	High
Ottos Comprehensive	3	2	5	1	2.8	Moderate
Piggots Primary	5	2	5	1	3.3	High
Parham Primary	5	4	4	5	4.5	Very High
Pares Primary	3	2	4	1	2.5	Moderate
Charlesworth T Samuel Primary	1	3	3	1	2.0	Low
Newfield Primary	3	4	2	1	2.5	Moderate
SeaView Farm Primary	1	2	2	1	1.5	Low
Grace Christian Academy	3	2	5	1	2.8	
Pares Secondary School	3	2	4	1	2.5	Moderate
All Saints Secondary	1	2	2	1	1.5	
Adele School	3	2	5	1	2.8	Moderate
Christ the King High School	1	2	5	1	2.3	Low
St. John's Catholic Primary	1	2	5	1	2.3	
St. John's Catholic Pre-School	1	2	5	1	2.3	Low
Sir Luther Wynter Pre-school	1	2	5	1	2.3	Low
Villa pre-school	5	2	5	4	4.0	High
Simon Bolivar	4	2	5	1	3.0	Moderate
Early Learning Centre	4	2	2	3	2.8	
Bright Beginnings Pre-school	5	4	4	5	4.5	Very High
Green Bay Preschool	5	2	2	1	2.5	Moderate
Princess Margaret Secondary	4	2	5	1	3.0	
St. Michael's Primary	3	3	5	1	3.0	Moderate
Kuddles	4	2	2	1	2.3	Low
Salvation Army	4	2	5	4	3.8	High
Beacon Light Nazarene	5	2	5	4	4.0	High
Montessori Preschool	4	2	5	4	3.8	High

process.

I

Figure 6: Antigua and Barbuda school hazard rating

Saint Lucia

The project will execute climate resilience building of eight (8) schools across St. Lucia, allocating direct funding, after identifying and implementing building-appropriate climate-proofing measures. This will include such resilience measures as water harvesting and storage systems, solar energy for emergency power, hurricane shutters and other retrofitting interventions. Detailed school-specific upgrading plans for St Lucia are included in Annex 5.

A vulnerability analysis was conducted for 12 schools using the five stipulated hazards, namely: Landslides; Fluvial Flooding; and Sea Level Rise; Droughts; and Wind Speed. Where available, established hazard maps were used to assess relative climate change vulnerability of the schools. In the case of the drought hazard, there was a paucity of data further exacerbated by

less than timely responses from the sole producer of water in St. Lucia. In that regard, the consulting team decided to undertake a qualitative assessment based on information from senior officers of the Water and Sewerage Company Incorporated and the knowledge of the Senior Advisor on the team.

The summary of hazard sensitivity associated with each of the 12 schools is provided in Figure 7 and their location in Figure 8.

School	Landslide	Fluvial Flooding	Wind Speed	Drought	Sea Level Rise	Average Score	School Average Hazard Rank	Comments (provided by ECMC based on local knowledge)
Ave Maria Infant	1	5	3	1	3	2.6	3	In centre of Castries which is known to flood. Located in fairly open country
Ave Maria Primary	1	5	3	1	3	2.6	3	In centre of Castries which is known to flood, located in a fairly open area
Balata Combined	3	3	2	2	1	2.6	3	Very inland and near a river
Bexon Primary	3	3	1	1	1	2.2	7	Known to be in a flood plain. The hill to the east can be a concern
Corinth Secondary	1	5	3	1	1	1.8	11	In a low-lying area, near a river, and is known to have drainage issues. Located in open country
Desruisseaux Combined	1	1	4	2	1	1.8	11	In the South, elevated and exposed. Water shortage is a known concern
Fond Assau Combined	1	1	4	3	1	2	9	Within an agricultural zone and on the upper slopes of a narrow valley
Micoud Primary	3	1	4	2	1	2.2	7	In the southeast and elevated topography. Supply of water is known to be an issue
Patience Combined	3	1	4	3	1	2.4	6	In the southeast and elevated topography. Supply of water is known to be an issue
Saltibus Combined	5	1	4	4	1	3	2	At a high elevation, with the Saltibus River being a water source
Vieux-Fort Infant	1	1	4	1	1	2	9	In the south of the island which is extremely flat and known to have water problems
Vieux-Fort Primary	1	1	4	3	5	3.6	1	In the south of the Island which is extremely flat and known to have water supply problems

Figure 7: St. Lucia school hazard rating




Figure 8: Map illustrating the location of the analyzed schools in St. Lucia:


To facilitate an appreciation of the approach adopted, Figure 9 presents a summary or Level 1 interventions, the subtask or Level 2 measures and the mitigation measures or Level 3 activities, which are then used for establishing the scope of works and associated costing for specified interventions for each school.

Interventions			Sample Mitigation Measures
No.	Summary – Level 1	Subtask – Level 2	Mitigation Measures – Level 3
1	Structural Retrofitting of both Elements and the Whole Structure		Undertake detailed structural condition assessment of Bexon school before zoning as a disaster shelter
2	Retrofit and Repairs to Roof Structure		Install additional fasteners at every trough at the eaves, hips, ridges, and edges of gable roofs for the resistance of hurricane-force winds
3	Retrofit and Repairs of Door and Window Systems to Withstand Hurricane-force Winds		Install 150 mm concrete surround having minimum cube strength of 21 MPa at 28 days to all windows to ensure adequate anchorage
4	Internal and Superficial Works		Replace all termite infested timber and undertake termite treatment of buildings and compound
5	External Works	Structural	Improve access to school entrance - roadway and gate
5	External Works	Environmental	Improve and introduce drainage of the school compound
		Potable Water	Procurement and installation of additional potable water storage tanks
6	Water Storage, Plumbing, and Accessories	Rainwater Harvesting	Allow for supply and installation of rainwater harvesting system with pump and first flush system
		Plumbing and fixture	Re-plumbing of buildings to facilitate dual water use - potable and rainwater harvesting
		Alternative	Allow for supply and installation of the solar photovoltaic system as an alternative power supply
7	Electrical Energy Improvement	Stand-by Generation	Allow for supply and installation of a generator
		Electrical Wiring & Lighting Systems	Improve electrical systems, inspection, and re-certification
8	Air Conditioning Systems		Increase capacity of system - cooling generating systems
9	Information Technology		Communication & Security - complete rewiring required
		Detection & Alarm	Procure and install smoke detectors
10	Fire Protection	Suppression	Install fire extinguishers at strategic locations throughout school
		Safety	Install illuminated exit signs at strategic points
11	Disability Accessibility		All ground floor classrooms to be made wheel-chair accessible
12	Access to Site		Improve existing ingress and egress to the site

Figure 9: Mitigation Measures and Options

A school profile was developed for each school under consideration. The profiles include site plans and pertinent information as stipulated in the School Pre-selection Process. School profiles are provided below.

Antigua and Barbuda Pre-Selected School's Profiles.



Facility Name:	Beacon Light	Risk Category:	High		
Type of School:	Pre-school	Occupancy Group:	Private building		
School Address:	Hann Street, Villa, St John's	No. of Occupants:	60		
Latitude:	17° 06' 30" N	Year Built:	1985		
Longitude:	61° 46' 49" W	Year(s) Renovated:	3 Years		
Use:	School	Original Design Code:	Uncertain		
Date of Building Condition Assessment Visit:	29th June 2021	Date of Fire Safety Assessment Visit:	Uncertain		
School Description		No. of Buildings:	1		
		Shape of Building:	Rectangular		
		School Layout:	One story building which house a Classroom, Bathroom, Kitchen		
Environmental and Social Fa	ctors	Community Type:	Suburban		
		Adjacent Land Users:	Residential, Commercial		
		Occupancy Group A and B Buildings within 1km:	Restaurants, Religious Building		
Climate Change Exposure*		Landslides:	N/A		
		Wind Speed:	Low		
		Flooding:	Moderate to High		
*Always important to remember how each of		Drought:	High		
these items will be worsened over time by the		Sea-level Rise:	Moderate to High		
Climate Crisis. Overall:			High		
Proposed Adaptation Measures:					


solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c) LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.

Bright Beginnings	Pre-School	>	
Facility Name:	Bright Beginnings Pre- school	Risk Category:	High
Type of School:	Pre-school	Occupancy Group:	Private building
School Address:	Parham Village, St Peter	No. of Occupants:	90
Latitude:	17° 06' 30" N	Year Built:	Uncertain
Longitude:	61° 46' 09" W	Year(s) Renovated:	Uncertain
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	29th June 2021	Date of Fire Safety Assessment Visit:	Uncertain
School Description		No. of Buildings:	1
		Shape of Building:	Rectangular
		School Layout:	One story building which house a
Environmental and Social Fa	ctors	Community Type:	Suburban
		Adjacent Land Users:	Commercial, Residential
		Occupancy Group A and B	Teaching Facility,
		Buildings within 1km:	Religious Building
Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Moderate
		Flooding:	Moderate
*Always important to rememb		Drought:	Moderate to High
these items will be worsened	over time by the	Sea-level Rise:	High
Climate Crisis.		Overall:	High
Dreneged Adaptation	In stall a bate value:	(D) () avetame, head we better verte	

Proposed Adaptation Measures:

26

Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c) LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army, early warning system (weather station).



Facility Name:	Facility Name: Christ the King High School		Moderate		
Type of School:	ype of School: Secondary		Private building		
School Address:	School Address: Old Parham Road, St. John's, Antigua		264		
Latitude:	17°07'27" N	Year Built:	1933		
Longitude:	61°49'57" W	Year(s) Renovated:	2-3 years ago		
Use:	School	Original Design Code:	Uncertain		
Date of Building Condition Assessment Visit:	23rd June 2021 12:00PM	Date of Fire Safety Assessment Visit:	None		
School Description		No. of Buildings:	12		
		Shape of Building:	Rectangular		
		School Layout:	10 rectangular classrooms which house 1 lab, 1 staff room		
Environmental and Social Fa	ctors	Community Type:	Urban		
		Adjacent Land Users:	Residential, Commercial, Recreational		
		Occupancy Group A and B Buildings within 1km:	Restaurants, Religious Building		
Climate Change Exposure*		Landslides:	N/A		
		Wind Speed:	Low		
		Flooding:	No to Low		
*Always important to remem		Drought:	High		
these items will be worsened over time by the		Sea-level Rise:	No to Low		
Climate Crisis.		Overall:	Moderate		
Proposed Adaptation Measures: Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, enhance energy					

solutions, for buildings and stormwater drainage solutions, enhance energy efficiency of existing HVAC systems (inverter a/c) LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.



Environmental	and	Social	Factors

Measures:

Rectangular Rectangle building Suburban Residential Restaurants, Public HealthCenter & Clinics, Gas Stations, Religious Building

Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Low
		Flooding:	Moderate to High
*Always important to rememl		Drought:	Low
these items will be worsened over time by the Climate Crisis.		Sea-level Rise:	Moderate
		Overall:	Moderate
Proposed Adaptation	Install photovoltaics	(PV) systems, backup battery sys	stems, water harvestin

School Layout:

Community Type:

Adjacent Land Users:

Buildings within 1km:

Occupancy Group A and B

Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c) LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.

Grace Christian Ac	ademy	Rowam Henry St	Grace Christian Academy Primary School
Facility Name:	Grace Christian Academy	Risk Category:	Moderate
Type of School:	Primary	Occupancy Group:	Private building
School Address:	Rowan Henry Street, St. John's, Antigua	No. of Occupants:	350
Latitude:	17°07'39" N	Year Built:	1978
Longitude:	61°50'27" W	Year(s) Renovated:	Yearly
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	23rd June 2021	Date of Fire Safety Assessment Visit:	2018
School Description		No. of Buildings:	3
		Shape of Building:	Rectangular
		School Layout:	Two rectangular 2-story building which house classrooms, office, bathroom and a 1-story building which house two classrooms
Environmental and Social Fa	actors	Community Type:	Suburban
		Adjacent Land Users:	Commercial, Residential
		Occupancy Group A and B Buildings within 1km:	Restaurants, Religious Building
Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Low
		Flooding:	Moderate
*Always important to remem		Drought:	High
these items will be worsened	over time by the	Sea-level Rise:	No to low
Climate Crisis.		Overall:	Moderate
Proposed Adaptation Measures:	solutions for building	s and stormwater drainage	ry systems, water harvesting solutions, flooding protection

solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c) LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.

Jennings Prima	ary School	-	Irring: Prinary School	
Facility Name:	Jennings Primary	Risk Category:	High	Formatted: Left
Type of School:	School Primary	Occupancy Group:	Public building	Formatted: Left
School Address:	Jennings Village,	No. of Occupants:	214	Formatted: Left
	St.Mary's Antigua			Formatted: Left
Latitude:	<u>17°04'25" N</u>	Year Built:	1995	Formatted: Left
Longitude: Use:	61°51'47" W School	Year(s) Renovated: Original Design Code:	2019 Uncertain	Formatted: Left
Date of Building	21 June 2021	Date of Fire Safety	Uncertain	Formatted: Left
Condition Assessment	12:00PM	Assessment Visit:		Formatted: Left
Visit: School Description		No. of Buildings:	5	
School Description		Shape of Building:	ə Rectangular	Formatted: Left
		School Layout:	5-Blocks, A: Staffroom, Principa	Formatted: Left
			office, reading room, Bathroom,	Formatted: Left
			Kitchen. B: 2-story with 5 classrooms, storeroom, Compu	Formatted: Left
			room, 3 Classrooms, pump rool	
			C: 2 Classrooms. D: 1 Classroo	Formatted. Lett
Environmental and Soci	al Eactors	Community Type:	E: 2 Bathrooms and Auditorium	Formatted: Left
		Adjacent Land Users:	Residential, Commercial,	Formatted: Left
			Recreational	Formatted: Left
		Occupancy Group A and B Buildings within	Teaching Facility, Recreational Ground	Formatted: Left
		1km:		
Climate Change Exposu	re*	Landslides:	N/A	Formatted: Left
		Wind Speed:	Moderate to High	Formatted: Left
*Always important to ren	nember how each of	Flooding: Drought:	High Moderate	Formatted: Left
these items will be worse		Sea-level Rise:	Moderate to High	Formatted: Left
Climate Crisis.		Overall:	High	Formatted: Left
Dropogod Adoptation	Install photovoltaioa (E		ny overlame, water here eating colut	ional


Proposed Adaptation Measures: Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c) LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.

Formatted: Indent: Left 0 ch, First line: 0 ch

Formatted: Left


Formatted: Left

Formatted: Left




Facility Name:	Montessori Preschool	Risk Category:	Moderate
Type of School:	Pre-school	Occupancy Group:	Private building
School Address:	Lower Gambles, St John's, Antigua	No. of Occupants:	35
Latitude:	17°07'46" N	Year Built:	1921
Longitude:	61°50'30" W	Year(s) Renovated:	2019
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	29th June 2021	Date of Fire Safety Assessment Visit:	2021
School Description		No. of Buildings:	1
		Shape of Building:	Rectangular
		School Layout:	1-story building which houses classroom, bathroom
Environmental and Social Factors		Community Type:	Suburban
		Adjacent Land Users:	Commercial, Residential
		Occupancy Group A and B Buildings within 1km:	Restaurants, Religious Building
Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Low
		Flooding:	Moderate
*Always important to remem		Drought:	High
these items will be worsened over time by the		Sea-level Rise:	Moderate to High
Climate Crisis.		Overall:	Moderate
Proposed Adaptation Measures:	solutions for building	(PV) systems, backup battery systems and stormwater drainage solution	ns, flooding protection

Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c) LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.




	School		· · · g. ·
Type of School:	Primary	Occupancy Group:	Public building
School Address:	Parham Village, St. Peter's, Antigua	No. of Occupants:	90
Latitude:	17°06'28" N	Year Built:	1970
Longitude:	61° 45'46" W	Year(s) Renovated:	Uncertain
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	22 June 2021 10:00AM	Date of Fire Safety Assessment Visit:	Uncertain
School Description		No. of Buildings:	6
		Shape of Building:	Rectangular
		School Layout:	5 Rectangular building which house classrooms and one building which house 1staff room and a Principal office
Environmental and Social Factors		Community Type:	Suburban
		Adjacent Land Users:	Residential
		Occupancy Group A and B Buildings within 1km:	Restaurants, Religious Building, Parham Fisheries
Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Moderate to High
		Flooding:	High
*Always important to remember how each of		Drought:	Moderate to High
these items will be worsened over time by the Climate Crisis.		Sea-level Rise:	High
		Overall:	High
Proposed Adaptation Measures:	solutions for building	(PV) systems, backup battery sy gs and stormwater drainage solut ce epergy efficiency of existing H	ions, flooding protection

solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c), LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.



Type of School:	Primary	Occupancy Group:	Public building
School Address:	Piggotts Village, St. George's, Antigua	No. of Occupants:	234
Latitude:	17°07'18" N	Year Built:	1974
Longitude:	61°43'13" W	Year(s) Renovated:	Uncertain
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	22 June 2021 9:00AM	Date of Fire Safety Assessment Visit:	2017
School Description		No. of Buildings:	9
		Shape of Building:	Rectangular
		School Layout:	8 Rectangular buildings which house Classrooms, 1 Auditorium and 1 Building which House staffroom and Principal office
Environmental and Social Fa	actors	Community Type:	Suburban
		Adjacent Land Users:	Residential, Recreational, Commercial
		Occupancy Group A and B Buildings within 1km:	Restaurants, Public HealthCenter & Clinics, Gas Stations , Religious Building
Climate Change Exposure*		Landslides:	N/A
5 .		Wind Speed:	Low
		Flooding:	High
*Always important to remember how each of		Drought:	High
these items will be worsened over time by the		Sea-level Rise:	No to Low
Climate Crisis.		Overall:	Moderate
Proposed Adaptation Measures:			ery systems, water harvesting e solutions, flooding protection

Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c), LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.




Facility Name: Princess Margaret Secondary		Risk Category:	Moderate
Type of School:	Type of School: Secondary		Public building
School Address:	St. John's, Antigua	No. of Occupants:	869
Latitude:	17°07'33" N	Year Built:	1955
Longitude:	61°50'31" W	Year(s) Renovated:	2003
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	28th June 2021	Date of Fire Safety Assessment Visit:	2019
School Description		No. of Buildings:	17
		Shape of Building:	Rectangular
		School Layout:	A: 1-story Building Tech, Staff Room,
			Metal Room, Technical Drawing
			Room. B: 2-storry Management
			Room, Staff Room/kitchen and 1 Lab.
			Upstairs Home Economics Room. Music Block
Environmental and Social Fa	actors	Community Type:	Urban
		Adjacent Land	Residential, Commercial,
		Users:	Recreational
		Occupancy Group A	Restaurants, Public HealthCenter &
		and B Buildings	Clinics, Religious Building
		within 1km:	
Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Low
		Flooding:	Moderate to High
*Always important to remem		Drought:	High
these items will be worsened Climate Crisis.	a over time by the	Sea-level Rise:	No to Low
Giimate Ghais.		Overall:	Moderate
Description of Alders to their	the start of a last strategies for the	(D) () as set as a set of a set of the set o	attemption terrestation from the provider of the pro-

Proposed Adaptation Measures: Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c), LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.

Salvation Army	Pre-School	Chu	ch St
and a second	Franking Franking	Western Union AL	Church S alvation Army Preschool Her Subvition Army Army Preschool Raw Taske ernster Here Subvition
acility Name:	Salvation Army	Risk Category:	High
/pe of School:	Pre-school	Occupancy Group:	Private building
chool Address:	Long Street, St Johns Antigua	No. of Occupants:	37
atitude:	17°07'22" N	Year Built:	1976
ongitude:	61°50'31" W	Year(s) Renovated:	2007
se:	School	Original Design Code:	Uncertain


Latitude:	17°07'22" N	Year Built:	1976
Longitude:	61°50'31" W	Year(s) Renovated:	2007
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	23rd June 2021	Date of Fire Safety Assessment Visit:	Uncertain
School Description		No. of Buildings:	1
		Shape of Building:	Rectangular
		School Layout:	2-story building. The first Floor is Utilized by the school which House Bathroom's, Kitchen, Classrooms and Offices
Environmental and Social Fa	actors	Community Type:	Urban
		Adjacent Land Users:	Commercial
		Occupancy Group A and B	Restaurants, Religious
		Buildings within 1km:	Building
Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Low
		Flooding:	High to Moderate
*Always important to remember how each of		Drought:	High
these items will be worsened over time by the		Sea-level Rise:	Moderate to High
Climate Crisis.		Overall:	High
Proposed Adaptation Measures:		s (PV) systems, backup battery sys gs and stormwater drainage soluti	

solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c), LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.




Facility Name:	Simon Bolivar	Risk Category:	Moderate
Type of School:	Pre-school	Occupancy Group:	Private building
School Address:	St Johnson's Village Main Rd Antigua	No. of Occupants:	28
Latitude:	17°07'22" N	Year Built:	Uncertain
Longitude:	61°49'32" W	Year(s) Renovated:	2021
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	July 2021	Date of Fire Safety Assessment Visit:	Uncertain
School Description		No. of Buildings:	3
		Shape of Building:	Each Building is shaped like a pumpkin
		School Layout:	There are 2 1-story buildings which each house a Classroom, Bathroom and Kitchen. 1 1-story building houses an Office, Bathroom and Kitchen
Environmental and Social Factors		Community Type:	Urban
		Adjacent Land Users:	Residential, Recreational, Commercial
		Occupancy Group A and B Buildings within 1km:	Restaurants, Religious Building, Sports ground
Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Low
		Flooding:	High
*Always important to remem		Drought:	High
these items will be worsened	I over time by the	Sea-level Rise:	No to Low
Climate Crisis.		Overall:	Moderate
Proposed Adaptation	Install photovoltaics	(PV) systems, backup batter	v systems, water harvesting

Proposed Adaptation Measures: Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c), LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.



Facility Name:	St. John's Catholic Preschool	Risk Category:	Moderate
Type of School:	Pre-school	Occupancy Group:	Private building
School Address:	Old Parham Road, St. John's, Antigua	No. of Occupants:	39
Latitude:	17°07'28" N	Year Built:	1984
Longitude:	61° 50'05" W	Year(s) Renovated:	6 years ago
Use:	School	Original Design Code:	Uncertain
Date of Building Condition Assessment Visit:	23 June 2021 11:30AM	Date of Fire Safety Assessment Visit:	None
School Description		No. of Buildings:	3
		Shape of Building:	Rectangular
		School Layout:	Three 1-story building connected by a canopy which house classrooms, office, and kitchen
Environmental and Social Fa	actors	Community Type:	Urban
		Adjacent Land Users:	Residential, Commercial, Recreational
		Occupancy Group A and B	Restaurants, Religious
		Buildings within 1km:	Building, Teaching Facility
Climate Change Exposure*		Landslides:	N/A
		Wind Speed:	Low
		Flooding:	High
*Always important to remem		Drought:	High
these items will be worsened	d over time by the	Sea-level Rise:	Low
Climate Crisis.		Overall:	Moderate
Proposed Adaptation Measures:		(PV) systems, backup battery sy is and stormwater drainage solut	

solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c), LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.



Facility Name:	St. John's Catholic Primary School	Risk Category:	Moderate	
Type of School:	Primary	Occupancy Group:	Private building	
School Address:	Old Parham Road, St. John's, Antigua	No. of Occupants:	310	
Latitude:	17°07'28" N	Year Built:	1981	
Longitude:	61° 50'05" W	Year(s) Renovated:	6-7 years ago	
Use:	School	Original Design Code:	Uncertain	
Date of Building Condition Assessment Visit:	23 June 2021 11:00AM	Date of Fire Safety Assessment Visit:	2020	
School Description		No. of Buildings:	9	
		Shape of Building:	Rectangular	
		School Layout:	9 Rectangular buildings which house classrooms, 1 Staffroom, Principal office	
Environmental and Social Fa	actors	Community Type:	Urban	
		Adjacent Land Users:	Residential, Commercial, Recreational	
		Occupancy Group A and B Buildings within 1km:	Restaurants , Religious Building	
Climate Change Exposure*		Landslides:	N/A	
		Wind Speed:	Low	
		Flooding:	No to Low	
*Always important to remem		Drought:	High	
these items will be worsened over time by the Climate Crisis.		Sea-level Rise:	No to Low	
		Overall:	Moderate	
Proposed Adaptation Measures: Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, enhance energy efficiency of existing HVAC systems (inverter a/c)				

LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.



Facility Name: Villa Preschool		Risk Category:	Moderate	
Type of School:	Pre-school	Occupancy Group:	Public building	
School Address: Amy Byers Street, St John's Antigua		No. of Occupants:	18	
Latitude:	17°07'49" N	Year Built:	1969	
Longitude:	61°50'49" W	Year(s) Renovated:	1-3 years ago	
Use:	School	Original Design Code:	Uncertain	
Date of Building Condition Assessment Visit:	June 2021	Date of Fire Safety Assessment Visit:	2018	
School Description		No. of Buildings:	1	
		Shape of Building:	Rectangular	
		School Layout:	A rectangular building which houses two Classroom and bathroom	
Environmental and Social Factors		Community Type:	Suburban	
		Adjacent Land Users:	Residential, Commercial	
		Occupancy Group A and B Buildings within 1km:	Restaurants, Public Health Center & Clinics, Gas Stations, Religious Building	
Climate Change Exposure*		Landslides:	N/A	
		Wind Speed:	Low to Moderate	
		Flooding:	Moderate	
*Always important to remember how each of these items will be worsened over time by the Climate Crisis.		Drought:	High	
		Sea-level Rise:	Moderate to High	
		Overall:	Moderate	
Proposed Adaptation Measures: Install photovoltaics (PV) systems, backup battery systems, water harvesting solutions for buildings and stormwater drainage solutions, flooding protection components, enhance energy efficiency of existing HVAC systems (inverter a/c)				

LED lighting systems, water storage (water tanks), tents (1-4) to be stored/managed by the army.

St. Lucia Pre-Selected School's Profiles.

. .

. .

Ave Maria Infant School

Facility Name:	Ave Maria Infant	Risk Category:	RCIV
Type of School:	Infant	Occupancy Group:	Group A: Public Buildings
School Address:	Corner of Coral & Micoud Street, Castries	No. of Occupants:	402
Latitude:	14°00'31.73" N	Year Built:	1901
Longitude:	60°59'19.39" W	Year(s) Renovated:	2001, within last 10 years
Use:	School & Emergency Shelter	Original Design Code:	Unknown
Date of Building Condition Assessment Visit:	September 9, 2020	Date of Fire Safety Assessment Visit:	December 29, 2020
School Description		No. of Buildings:	2
		Shape of Building:	2 rectangular buildings forming L-shape
		School Layout:	Each building has two floors which house classrooms. A: houses a stage, storage room and principal's office, washrooms, a library, canteen and staff resource.
Environmental and Social Factors		Community Type:	Urban
		Adjacent Land Users:	Commercial, Institutional, Transportation
		Occupancy Group A and B Buildings within 1km:	City and Town Halls, Public Libraries, Religious Buildings, Teaching Facilities, Restaurants, Court Houses, Assembly Buildings, Public Health Centres and Clinics
Climate Change Exposure*		Landslides:	No or low
		Wind Speed:	Moderate
*Always important to remember		Flooding:	High
how each of these items will be		Drought:	No or low
worsened over time by the Climate		Sea-level Rise:	Moderate
Crisis.		Overall:	Low to moderate
Proposed Adaptation	Exterior Doors, Exits and Entrances, Windows and shutters, Safety of roofing, Parapets and other outside Elements (railings, ornaments). Internal walls, Safety of stairways and Ramps		

 Proposed
 Exterior Doors, Exits and Entrances, Windows and shutters, Safety of roofing, Parapets and other outside Elements (railings, ornaments), Internal walls, Safety of stairways and Ramps, Disability Accessibility, Water Reserves, Water Distribution System, Wastewater System, Storm Drainage System, Flooding Protection Components, Alternate Sources of Electricity, Safety of Electrical Equipment, Lighting System, Safety of HVAC Components.

Ave Maria	Ave Maria Primary School				
	Contraction of the second seco				
Facility Name:	Ave Maria Primary	Risk Category:	RCIV		
Type of School:	Primary	Occupancy Group:	Group A: Public Buildings		
School Address:	Corner of Broglie &	No. of Occupants:	529		
	Brazil Street, Castries				
Latitude:	14°00'31.73" N	Year Built:	1901		
Longitude:	60°59'19.39" W	Year(s) Renovated:	Within last 8 years		
Use:	School & Emergency Shelter	Original Design Code:	Unknown		
Date of Building Condition Assessment Visit:	September 9, 2020	Date of Fire Safety Assessment Visit:	December 8, 2020		
School Descriptio	n	No. of Buildings:	3		
		Shape of Building:	Two rectangular buildings forming an L- shape.		
		School Layout:	The L-shaped building has two floors which house classrooms. The ground floor houses a sick bay, office, and home economics room. The rectangular building houses a canteen.		
Environmental an	d Social Factors	Community Type:	Urban		
			Commercial, Institutional, Transportation		
		Occupancy Group A and B Buildings within 1km:	City and Town Halls, Public Libraries, Religious Buildings, Teaching Facilities, Restaurants, Court Houses, Auditoria, Permanent Exhibition Buildings, Passenger Assembly Buildings, Public Health Centres and Clinics		
Climate Change Exposure*		Landslides:	No or low		
		Wind Speed:	Moderate		
		Flooding:	High		
	*Always important to remember how		No or low		
	each of these items will be worsened over time by the Climate Crisis.		Moderate		
over time by the C	Simale Crisis.	Overall:	Low to moderate		
Proposed	Exterior Doors, Exits an	d Entrances, Windows and	shutters, Safety of roofing, Parapets and		

Proposed Adaptation Measures: Exterior Doors, Exits and Entrances, Windows and shutters, Safety of roofing, Parapets and other outside Elements (railings, ornaments), Internal walls, Safety of stairways and Ramps, Disability Accessibility, Water Reserves, Water Distribution System, Wastewater System, Storm Drainage System, Flooding Protection Components, Alternate Sources of Electricity, Safety of Electrical Equipment, Lighting System, Safety of HVAC Components.

Balata C	Combined School		A A A A
	A dest	ernet.	
Facility Name:	Balata Combined	Risk Category:	RCIV
Type of School:	Primary	Occupancy Group:	Group A: Public Buildings
School Address:	Balata, Castries	No. of Occupants:	274
Latitude:	14°00'45.43" N	Year Built:	1978, 1989, 2003
Longitude:	60°57'13.83" W	Year(s) Renovated:	2019
Use:	School & Emergency Shelter	Original Design Code:	Unknown
Date of Building Condition Assessment Visit:	August 27, 2020	Date of Fire Safety Assessment Visit:	December 21, 2020
School Descri	ption	No. of Buildings:	3
		Shape of Building:	L-shaped and rectangular buildings
		School Layout:	One building has two floors and the other has only one. A: classrooms, toilets, a kitchen, staff room and principal's office. B: Library.
Environmental	and Social Factors	Community Type:	Suburban
		Adjacent Land Users:	Residential, Recreation, Transportation, Institutional
		Occupancy Group A and B Buildings within 1km:	Assembly Halls, Restaurants, Religious Buildings
Climate Change Exposure*		Landslides:	Moderate
		Wind Speed: Low to moderate	
		Flooding:	Moderate
* 4 huga in the second	tent to remember here each of	Drought:	Low to
	tant to remember how each of I be worsened over time by the		moderate
Climate Crisis		Sea-level Rise:	No or low
		Overall:	Low to moderate
Proposed		nces, Windows and shutters, Sa	

Adaptation Measures: Disability Accessibility, Water Reserves, Water Distribution System, Wastewater System, Storm Drainage System, Flooding Protection Components, Alternate Sources of Electricity, Safety of Electrical Equipment, Lighting System, Safety of HVAC Components.

Bexon	Primary School		6 the second
		Reserved of the least of the le	School Paran Primary School Paran
acility ame:	Bexon Primary	Risk Category:	RCIV

Name:	Dexon Thindry	Risk Oalegory.	KOW
Type of School:	Primary	Occupancy Group:	Group A: Public Buildings
School Address:	Bexon, Castries	No. of Occupants:	152
Latitude:	13°57'08.70" N	Year Built:	1996
Longitude:	60°58'30.92" W	Year(s) Renovated:	After 2007 earthquake
Use:	School	Original Design Code:	Unknown
Date of	September 14, 2020	Date of Fire Safety	September 14, 2020
Building		Assessment Visit:	January 6, 2021
Condition			
Assessment			
Visit:	- 41	No. of Dudialization	
School Descri	ption	No. of Buildings:	1 De ster muler
		Shape of Building:	Rectangular
		School Layout:	The building has three floors which house classrooms, washrooms, storerooms, panel rooms, a science lab, janitor room, canteen, principal's office, and staff room.
Environmental	l and Social Factors	Community Type:	Suburban
		Adjacent Land Users:	Residential, Agricultural, Recreational, Institutional
		Occupancy Group A	Restaurants, Religious Buildings,
		and B Buildings within 1km:	Teaching Facilities
Climate Chang	ge Exposure*	Landslides:	Moderate
		Wind Speed:	No or low
		Flooding:	High
	tant to remember how each of	Drought:	No or low
Climate Crisis	Il be worsened over time by the	Sea-level Rise:	No or low
Chimate Chisis.		Overall:	Low to moderate
Bronocod	Exterior Deere Exite and Entrop	and Mindows and shuttors	Sofaty of roofing Darapate and

Proposed Adaptation Measures: Exterior Doors, Exits and Entrances, Windows and shutters, Safety of roofing, Parapets and other outside Elements (railings, ornaments), Internal walls, Safety of stairways and Ramps, Disability Accessibility, Water Reserves, Water Distribution System, Wastewater System, Storm Drainage System, Flooding Protection Components, Alternate Sources of Electricity, Safety of Electrical Equipment, Lighting System, Safety of HVAC Components.

Fond Ass	au Combined School		
	A de la de		
Facility Name:	Fond Assau Combined	Risk Category:	RCIV
Type of School:	Primary	Occupancy Group:	Group A: Public Buildings
School Address:	Fond Assau, Babonneau Castries	No. of Occupants:	142
Latitude:	13°59'47.27" N	Year Built:	2006, 2015
Longitude:	60°56'10.83" W	Year(s) Renovated:	Unknown
Use:	School & Emergency Shelter	Original Design Code:	Unknown
Date of	September 4, 2020	Date of Fire Safety	December 21, 2020
Building Condition Assessment Visit:		Assessment Visit:	December 21, 2020
School Descript	ion	No. of Buildings:	3
		Shape of Building:	Rectangular
		School Layout:	Two buildings have three stories and there is one single story building. The two three story buildings house classrooms, toilets, and administrative offices. The single- story building houses a kitchen and a resource/recreational room.
Environmental a	and Social Factors	Community Type:	Suburban
		Adjacent Land Users:	Residential, Agricultural, Transportation
		Occupancy Group A and B Buildings within 1km:	Assembly Halls, Restaurants, Religious Buildings, Teaching Facilities
Climate Change Exposure*		Landslides:	No or low
		Wind Speed:	Moderate to high
		Flooding:	No or low
	int to remember how each of	Drought:	Moderate
	be worsened over time by the	Sea-level Rise:	No or low
Climate Crisis.		Overall:	Low
Proposed	Exterior Doors, Exits and Entran	ces, Windows and shutte	ers, Safety of roofing, Parapets and

Proposed
Adaptation
Measures:Exterior Doors, Exits and Entrances, Windows and shutters, Safety of roofing, Parapets and
other outside Elements (railings, ornaments), Internal walls, Safety of stairways and Ramps,
Disability Accessibility, Water Reserves, Water Distribution System, Wastewater System,
Storm Drainage System, Alternate Sources of Electricity, Safety of Electrical Equipment,
Lighting System, Safety of HVAC Components.

Saltibus Co	mbined School		
Facility Name:	Saltibus Combined	Risk Category:	RCIV
Type of School:	Primary	Occupancy Group:	Group A: Public Buildings
School Address:	Saltibus, Choiseul	No. of Occupants:	126
Latitude:	61°00'47.44" N	Year Built:	Unknown
Longitude:	13°48'16.68" W	Year(s) Renovated:	Unknown
Use:	School & Emergency Shelter	Original Design Code:	Unknown
Date of Building Condition Assessment Visit:	September 14, 2020	Date of Fire Safety Assessment Visit:	November 25, 2020 November 25, 2020
School Description		No. of Buildings:	5
		Shape of Building:	Two rectangular buildings joined to form an L-shape and rectangular
		School Layout:	4 single-story buildings and one two- story building. Two of the single-story buildings house the infant school which have classrooms, a music room and a janitor's room. A single-story building houses toilets and the last one houses a classroom, library, principal's office, and IT lab. Two-story buildings houses classrooms, a stage, storage room, kitchen, canteen, and sick room.
Environmental and	Social Factors	Community Type:	Rural
		Adjacent Land Users:	Residential, Agricultural, Recreation, Transportation, Institutional
		Occupancy Group A and B Buildings within 1km:	Community Centre, Religious Buildings
Climate Change Ex	posure*	Landslides:	High
		Wind Speed:	Moderate to high
* 4 1		Flooding:	No or low
*Always important t each of these items		Drought:	Moderate to high
over time by the Cli		Sea-level Rise:	No or low
		Overall:	Moderate
Proposed	Exterior Doors Exits	and Entrances Windows and	d shutters. Safety of roofing. Parapets

 Overail:
 Moderate

 Proposed
 Exterior Doors, Exits and Entrances, Windows and shutters, Safety of roofing, Parapets, and other outside Elements (railings, ornaments), Internal walls, Water Reserves, Alternate water supply to regular water supply, Water Distribution System, Wastewater System, Alternate Sources of Electricity, Safety of Electrical Equipment, Lighting System, Safety of HVAC Components, Lighting System, Information Technology, Fire Protection, Disability Accessibility, ESIA Recommendations

Vieux Fo	rt Infant School		
Facility Name:	Vieux Fort Infant	Risk Category:	RCIII
Type of School:	Infant	Occupancy Group:	Group A: Public Buildings
School Address:	Clarke Street, Vieux Fort	No. of Occupants:	197
Latitude:	60°57'09.69" N	Year Built:	Unknown
Longitude:	13°43'52.06" W	Year(s) Renovated:	2015, 2020
Use:	School	Original Design Code:	Unknown
Date of Building Condition Assessment Visit:	September 4, 2020	Date of Fire Safety Assessment Visit:	November 25, 2020
School Descrip	tion	No. of Buildings:	4
		Shape of Building:	Rectangular
		School Layout:	There are three single story buildings and one two-story building. A: classroom, B: kitchen, c: storage, D: classrooms, toilets, a sick bay, library, computer lab, staff room, stage, and principal's office.
Environmental	and Social Factors	Community Type:	Urban
		Adjacent Land Users:	Transportation, Commercial, Institutional
		Occupancy Group A and B Buildings within 1km:	Restaurants, Religious Buildings, Teaching Facilities
Climate Change	e Exposure*	Landslides:	No or low
		Wind Speed:	Moderate to high
		Flooding:	Moderate to high
	ant to remember how	Drought:	No or low
	ems will be worsened	Sea-level Rise:	No or low
over time by the	e Climate Crisis.	Overall:	Low to moderate
Dropood	Sofety of Foundations, D	isability Accessibility Exterior Doors	Evite and Entrances Windows

 Proposed Adaptation
 Safety of Foundations, Disability Accessibility, Exterior Doors, Exits and Entrances, Windows and shutters, Safety of roofing, Internal walls, Alternate water supply to regular water supply, Water Distribution System, Wastewater System, Storm Drainage System, Flooding Protection Components, Alternate Sources of Electricity, Safety of Electrical Equipment, Lighting System, Safety of HVAC Components, Information Technology, Fire Protection, ESIA Recommendations

Vieux For	t Primary School		
	A A		
Facility Name:	Vieux Fort Primary	Risk Category:	RCIV
Type of School:	Primary	Occupancy Group:	Group A: Public Buildings
School Address:	Beanfield, Vieux Fort	No. of Occupants:	226
Latitude:	60°56'58.77" N	Year Built:	Between 1984 - 1985
Longitude:	13°43'45.47" W	Year(s) Renovated:	2019, 2018, 2016, 2015, 2008
Use:	School & Emergency Shelter (Blocks A, D, C)	Original Design Code:	Unknown
Date of Building Condition Assessment Visit:	September 4, 2020	Date of Fire Safety Assessment Visit:	November 25, 2020
School Descripti	on	No. of Buildings:	4
		Shape of Building:	Rectangular
		School Layout:	A/B: classrooms, C: special education rooms, toilets and electrical room, D: assembly hall and offices.
Environmental a	nd Social Factors	Community Type:	Urban
		Adjacent Land Users:	Recreation, Transportation, Commercial, Institutional
		Occupancy Group A and B Buildings within 1km:	Passenger Assembly Buildings, Restaurants, Religious Buildings, Teaching Facilities
Climate Change	Exposure*	Landslides:	No or low
		Wind Speed:	Moderate to high
· ·	nt to remember how	Flooding:	High
each of these ite		Drought:	Moderate
Crisis.	me by the Climate	Sea-level Rise:	Moderate
011313.		Overall:	Moderate

Proposed Adaptation Measures: Disability Accessibility, Structural Integrity of Roofs, Exterior Doors, Exits and Entrances, Windows and shutters, Other Elements of the Building Envelope, Safety of roofing, Alternate water supply to regular water supply, Water Distribution System, Wastewater System, Storm Drainage System, Flooding Protection Components, Alternate Sources of Electricity, Safety of Electrical Equipment, Lighting System, Safety of HVAC Components, Lighting System, Information Technology, Fire Protection, ESIA Recommendations

C. Promotion of innovative solutions

This regional proposal focuses on implementing comprehensive solutions for climate change adaptation, based on a community-approach to disaster risk management, promoting institutional, capacity building and technical elements. These components are innovative as they are framed in a multi-level strategic framework, which ultimately functions as a framework for scaling up and replicate similar frameworks in other Eastern Caribbean countries, accelerating regional climate adaptation and increasing resilience in climate-vulnerable communities. In addition, implementing the same strategic framework in two countries - Antigua and Barbuda and St. Lucia - allows us to see how distinct institutions and communities undertake differently the challenges and opportunities for climate change adaptation, gathering experience from diverse contexts which in the long run can improve the adoption and replication of similar frameworks to other Eastern Caribbean countries.

Institutional innovation at a regional level looks forward to strengthening capacities in the country's school systems. The Eastern Caribbean region benefits from some experiences in regional collaboration on adaptation, through regional organizations such as the Caribbean Community Climate Change Centre (CCCCC) and regional bodies such as the Organization of Eastern Caribbean States (OECS) and its Council of Ministers of Environment and CDEMA on disaster risk reduction (DRR). These experiences provide a basis for advancing regional level planning, the setting of joint policies and standards, knowledge sharing and implementation of adaptation measures through this project.

The advancement of adaptation activities at the regional level is innovative in the context of the Eastern Caribbean region, especially in the education sector. On a local level, the innovation would be to ensure that model schools (those that will be supported) are 'green', i.e., use sustainable energy and manage water efficiently, and are safe from hurricanes for children and other users, including teachers and community members. In doing so, school interruptions will be minimized as well as damages from extreme weather events. This is directly linked with the introduction of physical elements for improving school infrastructure resilience as an innovative technical solution in this type of construction. The proposed project aims to develop a practice of conducting regular assessments of schools and increased compliance to standards (i.e., building codes, national and OECS guidelines, etc.).

The proposed project will support an innovative approach to student and community learning with the purpose to increase the resilience of the communities where they live: each beneficiary school/community will develop facility and community climate change resilient / DRR management plans which will be updated annually. This will allow the schools and communities to track their progress on how 'resilient' they are and to identify measures to increase their resilience.

Additionally, the beneficiary schools will develop education campaigns as part of the curriculum that will include ways to reduce risk, increase resilience, and prepare for climate change hazards. To reduce the burden on individual schools and to ensure consistency in education across all schools, the campaign will be designed at the national level and disseminated to each school by designated officers in each country. The campaigns should include both practical and theory-centred activities, sourcing creative expressions from students.

D. Economic, Social, and Environmental Benefits

Economic benefits

Project interventions will increase the resilience of select school buildings and critical services, resulting in improved climate-responsive planning and early action. These factors will lead to reduced economic losses from extreme climate events and provide several significant economic co-benefits, as listed below.

• Employment opportunities will be created through the implementation of innovative climate-proofing technologies on select school buildings. These opportunities include construction work for installing, operating, monitoring, and maintaining climate change adaptation technologies, including decentralized renewable energy, climate-resilient water harvesting solutions and other resiliency measures. The creation of such employment opportunities will enhance the sustainability of project interventions beyond the project lifetime and will help stimulate critical economic activity which covid-19 has severely reduced.

• The cost to repair school infrastructure after extreme climate events such as hurricanes will be reduced as schools included in the project will incur no or less damage from extreme weather events.

• As retrofitting activities will be designed according to regional guidelines, damages and required repairs from Category 4 and 5 hurricanes will inform similar regional wide efforts and therefore support cost-efficiency at regional scale

• Increasing the climate resilience of select school buildings will decrease the time required for some segments of the economy to become operational and for communities to recover quickly following extreme climate events. This will reduce economic inactivity after a storm.

• Using decentralized, on-site renewable energy will reduce energy usage costs, allowing for additional funds to be made available for maintenance of the systems. Additionally, energy efficiency measures related to lighting and cooling will also result in less energy usage and more savings.

Social benefits

Climate-proofing of select school buildings will increase the resilience of vulnerable communities to extreme climate events and provide several social co-benefits, which are described below.

• Climate-proofing of select school buildings will reduce the exposure of these buildings to high-intensity storms. This will contribute significantly to reducing the risk of injuries and loss of life during such events.

• Installing decentralized, on-site renewable energy technologies forselect school buildings will ensure the continued provision of energy during and immediately following extreme climate events. As a result, communication networks will continue to be operational, and businesses will be able to resume operations after an extreme event sooner than would be possible in the absence of decentralized power.

• Installing climate-resilient water storage measures on select school buildings will lead to continued sanitation services as well as the improved provision of and access to clean drinking water during and immediately following extreme climate events. This will have considerable health benefits for all users of these buildings and reduce the risk of waterborne diseases such as hepatitis A, cholera and typhoid fever that often result from storm or flood events.

• Increasing the water storage capacity of select school buildings will increase national water supply during drought events and therefore reduce the adverse impacts of such events on vulnerable communities.

• Strengthening the technical and institutional capacity of the local workforce on how to support the installation, operation and maintenance of climate change adaptation solutions that will be installed on select school buildings will contribute to new technical skills, the growth of the renewable energy and energy efficiency sector, and increased job security. This will, in turn, contribute to improved livelihood security as well as enable these individuals to apply similar interventions at scale in their private capacity, which will further increase national/company/household resilience to the impacts of high-intensity storms and hurricanes.

• Climate change knowledge products disseminated to all user groups will lead to improved preparedness before the onset of extreme climate events.

Environmental benefits

Increasing the climate resilience of the participating school buildings through implementing climate-resilient water harvesting and renewable energy measures will yield several environmental co-benefits. These are listed below.

• Increasing the water harvesting capacity of school buildings will provide an additional source of freshwater for local communities. This will alleviate pressure on natural water resources by reducing the need for extraction from groundwater and surface reserves.

• Improving the water harvesting capacity of school buildings will reduce stormwater runoff from school buildings. This will result in reduced peak flow volume and velocity of stormwater runoff, therefore, contributing to reduced flood impacts and erosion.

• Currently, electricity is supplied by fuel-powered power plants in Antigua and St. Lucia and by diesel generators in Barbuda. The installation of rooftop solar PV systems as an alternative renewable energy source in select school buildings will consequently reduce dependency on fossil fuel energy sources and minimize the overall emission of GHGs.

Gender-sensitive development impact

Climate-proofing of select educational buildings in Antigua and Barbuda, as well as St. Lucia will help to limit the disruptions to education services following extreme climate events. Given the gendered demographics of the employees and users of these institutions, as well as gendered vulnerability to climate impacts, this will induce a gender-sensitive development impact, as described below.

• Although certain institutions are predominantly operated and inhabited by men, women often dominate the users and employees of — or more critically dependent upon — the public buildings targeted for climate-proofing interventions. By reducing the disruptions to the functioning of these buildings and delivery of primary services, the project will ensure both women and men's economic and household activities can resume without unnecessary delay, following an extreme climate event.

• A project gender action plan has been developed that outlines actions to ensure project implementation does not perpetuate or worsen gender inequality, by aiming to: i) promote women's inclusion in all project aspects, including training and employment opportunities; ii) pursue representative participation in all consultations and workshop events; iii) advance gender diversity and challenging negative stereotyping in public awareness activities; and iv) design and implement gender-sensitive training that considers the different learning methods and training

accessibility of men and women. Through these measures, the project disrupts underlying factors contributing to gender inequality in the country, thereby contributing to gender-sensitive sustainability beyond the projects' timeline.

• The Antigua and Barbuda Gender Assessment and Action Plan Report, and St. Lucia Draft Gender Assessment Report can be found in Annexes 7 and 8, respectively.

Both countries have compiled a list of beneficiaries disaggregated by gender and separated by direct and indirect beneficiaries when possible:

Saint Lucia4:

_	Direct	Beneficia	ries	ies Indirect Beneficiaries			
School	Females	Youth	Total	Community	Youth	Females	Total
Ave Maria Infant	<u>99%</u>	<u>95%</u>	<u>394</u>	<u>Castries</u> <u>Central</u>	<u>NA</u>	<u>42%</u>	7,398
<u>Ave Maria</u> <u>Primary</u>	<u>99%</u>	<u>95%</u>	<u>494</u>	<u>Castries</u> <u>Central</u>	<u>NA</u>	<u>42%</u>	7,398
Balata Combined	<u>50%</u>	<u>94%</u>	<u>254</u>	<u>Babonneau</u>	<u>NA</u>	<u>49%</u>	12,723
Bexon Primary	<u>50%</u>	<u>93%</u>	<u>145</u>	<u>Castries</u> South	<u>NA</u>	<u>50%</u>	9,504
Fond Assau Combined	<u>56%</u>	<u>84%</u>	<u>134</u>	<u>Babonneau</u>	<u>NA</u>	<u>49%</u>	12,723
Saltibus Combined	<u>54%</u>	<u>91%</u>	<u>112</u>	<u>Choiseul</u>	<u>NA</u>	<u>50%</u>	6,098
Vieux Fort Infant	<u>51%</u>	<u>93%</u>	<u>175</u>	Vieux Fort	<u>NA</u>	<u>50%</u>	16,284

Formatted: Font color: Black

Formatted: Underline

Formatted: Underline

Formatted: No bullets or numbering

⁴ The data on the schools was obtained from the <u>St. Lucia Education Digest 2020 and the information on the communities, from the</u> Housing and Population Census 2010. Please note that there is no breakdown of data for youth from these sources. Formatted: Font: 8 pt, Font color: Auto

Formatted: Font: 8 pt, Font color: Auto, Border: : (No border)

Antigua & Barbuda:

Schools	Enumeration Districts	Parish	Total Population	Male	Female
	Cotsland Upper Gambles		207 371	96 185	1:
hrist The King, St. John's Catholic Preschool, and St.	Clareball West		202	94	10
John's Catholic Primary	Suther lands North	St. John's	243	107	13
	Holberton		276	130	14
	Christ the King		256	125	13
	Villa West		236	106	13
	Villa Central		264	125	13
Beacon Light Nazarene Academy Preschool	Bennet Street West	St. John's	241	108	13
bacon eight nutarene seatenry reservoir	Piggot Street	54. 50111 5	214	106	10
	Athill Street East		201	92	10
	Fort Road West		272	125	14
	Parham (Byham Wharf)		289	135	1
Bright Beginners Preschool	Parham (Shool 1)	St. Peter's	188	86	10
	Parham (Market)		197	98	9
	Sugar Factory 3		238	119	1
	Tomilsons		371	183	18
	Gunthropes		417	199	2
Early Learning Centre Preschool (Early Childhood	Transport Board	St. Mary's	310	158	1
Development)	Sugar Factory 4		304	144	10
	Old Transport Board		246	101	1
	SF 2 Paynters Paradise		328	143	1
	Sugar Factory 5		188	98	
	Parham School 1		188	86	1
	Vernons 1		311	156	1
	Parham (Byham Wharf)		289	135	1
Parham Primary	Parham School 2	St. Peter's	235	112	1
	Parham (School 3)		235	115	1
	Parham (market)		197	98	
	Parham (Lover's Lane		239	113	12
	Piggots (School)		349	140	20
	Skyline 5 Sunny Side Tuto		184	86	1
	Old Transport Board		246	101	1
Piggots Primary School	Piggots Playground	St. George's	231	112	1
Figgots Filling School	Piggots (St. Marks)	Sr. George's	210	103	1
	Piggots Central		227	99	1
	Piggots (Burma Road)		267	128	1
	Piggots (Morvian)		214	102	1
	Simon Bolivar Park		363	160	20
	St. Johnstons Vill Road		214	100	1
	St. Johnstons East		307	137	1
	Skerrits Pasture South		395	164	23
Simon Bolivar Preschool	Skerrits Pasture North	St. John's	245	135	1
Simon Bonvar Preschool	Clarehall (Central)	St. JOHNS	301	152	14
	Clare hall (Christian Uni)		289	134	1
	Christ the King		256	125	1
	Sutherlands North		243	107	1
	Sutherlands Central		244	105	1
	City Center Down Town		33	13	
	A.G.H Notrh Street		136	77	
Salvation Army	Country Pond	St. John's	61	28	
	Tanner Street		45	19	
	Lower North Street		190	104	
	Villa School		299	161	1
	Bay Street		291	127	1
Villa Pre-School	Villa Central	St. John's	264	125	1
	Bennet Street West		241	108	1
	Dickenson Bay Street West		153	67	
	Cotton lane		296	136	1
	Fort Road West		272	125	1
	Athill Street East		201	92	1
	Princess Margaret School		142	63	1
Montessori Pre-School	Cemetery	St. John's	311	141	1
Wulltesun Fre-School	Upper Fort Road Central	SC JOHNS	340	141	1
	Upper Fort Road North		340	168	2
	Adelin Clinic		115	46	2
	Barrymore		303	46	1
	Cemetery		311	141	1
	Cortsland		207	96	1
	Friars Hill West		226	111	1
Grace Christian Academy	Upper Fort Road East	St. John's	152	72	1
,	Upper Fort Road Central		340	168	1
	Cotton lane		296	136	1
	Princess Margaret School		142	63	

Formatted: Underline

Formatted: Underline

Schools	Enumeration Districts	Enumeration Districts Parish Tota		Male	Female
	Gambles		195	79	11
	Christ the King		256	125	13
	Holberton		276	130	14
	Sutherlands North		243	107	13
St. Johns Catholic Preschool	Simon Bolivar Park	St. John's	363	160	20
St. Johns Catholic Preschool	Clare hall (Christian Uni)	St. John s	289	134	15
	Clare Hall (West)		202	94	10
	Upper Gambles		371	185	18
	Cortsland		207	96	11
	Christ the King		256	125	13
	Holberton		276	130	14
	Sutherlands North	St. John's	243	107	13
St. Johns Catholic Primary	Simon Bolivar Park		363	160	20
Sc. John's Cacholic Primary	Clare hall (Christian Uni)	SC JOHN'S	289	134	15
	Clare Hall (West)		202	94	10
	Upper Gambles		371	185	18
	Cortsland		207	96	11
	TOTAL		22902	10714	1218
				46,8%	53,29

E. Cost-effectiveness

In recent years, Antigua and Barbuda, as well as St. Lucia have experienced several hurricanes, resulting in significant damages to the built infrastructure including schools.

An initial cost-effectiveness analysis that compares the estimated costs of business as usual with the costs of the proposed adaptation measures is presented below, with aims of performing a more in-depth analysis at the inception of the project.

In the <u>business-as-usual scenario</u>, the government responds to damages incurred from extreme weather events in the same manner as it has in the past by making repairs to the same standard. This means buildings are repaired using conventional methods and reliance on centralized energy and water supply is maintained.

In the <u>resiliency building scenario</u> as proposed, the government retrofits select schools to resist Category 5 hurricanes, and water and energy supply is decentralized to allow for multiple supply options. Technical capacity is built in the public and private sector.

While the initial cost of upgrading a school to make it resilient to Category 5 hurricanes is greater than the one-off expense of repairing a school to its previous standard after an extreme weather event, the comparison must take into account that schools will need repeated, and increasingly so, repairs that can safely be assumed to be more significant cumulatively than the cost of the adaptation measures.

Additionally, by installing localized water and energy sources there will be cost savings realized as expenses for water and energy will be reduced.

Furthermore, in the business-as-usual approach there are productivity losses incurred when a school can no longer provide education services to the students and communities.

As such, the comparison makes clear that over the long term it is more cost efficient to build resiliency of the school systems than it is to continue a business-as-usual basis.

The proposed project requests grant finance from the Adaptation Fund to enhance the resilience of Antigua and Barbuda's and St. Lucia's education system to extreme climate events. Grants from the Adaptation Fund will be used to fund the climate-proofing investments that are required to adapt to climate change resulting from extreme climate events. With the support of Adaptation Fund grant funding, the proposed project will deliver several adaptation benefits that will contribute to each country shifting towards a climate-resilient sustainable development pathway. The funds will be used efficiently and effectively to: i) strengthen the enabling environment for adaptation planning in each country and the region to enable the public and private sector to take early action and rapid response to climate threats; ii) mainstream climate change adaptation into the education sector; and iii) increase the climate resilience of school buildings.

Also, by taking a regional approach, cost and operational efficiencies will be realized through efficiencies in planning, managing, and implementing the project. In addition, regional collaboration will improve the knowledge transfer process contributing to the regionally developed guidelines, policies standards, procedures and lessons learned from this project will also lead to efficiencies in upscaling this project across the region.

The procurement of all materials required of the project will be conducted according to the respective guidelines of each country<u>, and OECS resilient school standards</u> to ensure that any procured items and services are done so transparently and at the lowest possible cost.

F. Consistency with national sustainable development strategies.

This project strongly aligns with the national sustainable development strategies of both countries as presented below.

Antigua and Barbuda

Antigua and Barbuda's Medium-Term Development Strategy (MTDS): outlines the strategies and actions to be undertaken to meet the national goal of becoming a developed country. The MTDS is currently being updated ⁵. However, the new strategy will build upon ongoing developmental initiatives laid out in the 2016-2020 strategy and will actively incorporate building resilience to climate change in the nation's development agenda. Seven Flagship Priorities were emphasized in the MTDS, with two of these directly relating to improved buildings and infrastructure. The technical and institutional capacity of the local workforce, as well as private sector consumers and producers ⁶ will be built through developing and delivering training programmes under <u>ComponentQutput</u> 2 of the project. These training programmes will focus on the application of the updated Building Code as well as on effective techniques for implementing, monitoring, and maintaining climate change adaptation measures on infrastructure⁷. This out<u>comeput</u> aligns closely with the MTDS, which focuses on *inter alia* the renewal and maintenance of critical infrastructure.

The Nationally Determined Contribution (NDC) of 2021: The NDC targets included in this submission are based on the 1.5°C mitigation goal and adaptation goals that assume a 3.4°C increase in global temperatures (based on projections from the assessments of the INDCs). The

Formatted: Font: (Default) Arial, 11 pt

⁵ Medium-Term Development Strategy 2016 to 2020 (MTDS). 2015. Government of Antigua and Barbuda.

⁶ Private sector consumers include business owners and homeowners, while private sector consumers refer to architects, engineers and private contractors.

⁷ Such measures include climate-resilient water harvesting and decentralized renewable energy.

targets are aligned with the Government of Antigua and Barbuda's goal of net-zero by 2040. These targets are intended to be met by using relevant technologies, policies such as land use planning and updated building codes, with financial instruments such as catastrophic insurance instruments for extreme weather events. The targets are set to be conditional or unconditional, based on information and assumptions available about technology costs as well as transitional risks. Considering the climate impacts over the first five years of the INDC, the next 10 years may result in over USD 0.5 billion of climate damage in the country. The NDC mitigation targets focus upon scaling up renewable energy generation and adaptative capacity to resist climate change-enhanced natural disasters, therefore, the project approach – in particular Component 3's installation of new resilience and scale up renewables, while strengthening related institutional structures through Components 1 and 2.

The approach is, therefore, an urgency to become resilient as fast as possible to reduce the costof these impacts and reduce the transitional risks related to climate change, goals perfectly aligned with the proposal.

Antigua and Barbuda's Green Climate Fund (GCF) Country Programme: This Country Programme will help the country integrate adaptation into development processes, thereby avoiding lock-in of long-lived, climate-vulnerable infrastructure. Specifically, the Country Programme identifies the building, water and energy sectors as priority sectors to receive GCF support to increase their climate resilience. The proposed project is strongly aligned with GCF Country Programme these-priorities in that it focuses on increasing the resilience of priority buildings to extreme climate events, and decentralizing power and water supply to ensure continued provision of power and water during and immediately after an extreme event. Moreover, these-interventions have been designed to be scalable and replicable both nationally and regionally, therefore, enhancing the adaptation impact of the interventions through Components 1 and 3.

National Comprehensive Disaster Management (CDM) Policy and Strategy for Antigua and Barbuda: This policy calls for the modification of the Disaster Management Act (2002) to link and promote the coordination of all related national environmental policy and secondary legislation into a legislative framework that supports and promotes the implementation of the CDM Policy and Strategy. The governance structure of the national disaster management programme and of NODS will be streamlined to enable more efficient decision making and guidance. The collaboration with OECS in Component 1 will strengthen local policies.

Sustainable Island Resource Management Zoning Plan 2012 (SIRMZP): The Physical Planning Act of 2003 describes the intention for a Development Plan for any part of Antigua and Barbuda. The SIRMZP was commissioned as the national physical development plan and approved in 2012. This land use and zoning plan presents a development framework that will inform enhancement and construction of school building components, e.g., SIRMZP classifies the northwest coast of Antigua as a "settlement expansion zone" and_T several school sites are located inside this zone.

This land use and zoning plan presents a development framework which labels the northwest coast of Antigua as a "settlement expansion zone", several school sites are located inside this zone. Formatted: Font: (Default) Arial, 11 pt

Formatted: Normal, Indent: Hanging: 0", No bullets or numbering

Formatted: Indent: Left 0 ch, First line: 0 ch

Formatted: Font: Bold

-{	Formatted: Font: (Default) Arial, 11 pt				
Formatted: Normal, Indent: Hanging: 0", No bullets or numbering Formatted: Font: Bold					
					Formatted: Font: (Default) Arial, 11 pt
-	Formatted: Font: (Default) Arial 11 nt Not Bold				

National Poverty Strategy 2011-2015: The National Poverty Strategy 2011- 2015 has as one of its strategies, "Building Resilience through Environmental Sustainability – by making disaster risk reduction a feature of the planning process in the light of the high environmental risks that the country faces from hurricanes, earthquakes, and now sea rise, as a result of global warming-". The project's Component 1 will embed further considerations into planning policies, while Components 2 and 3 build-up resilience.

National Youth Policy, 2007: The National Youth Policy identifies factors that are critical to youth empowerment and identifies eight key focus areas; including strengthening social environments, education and training, employment and sustainable livelihoods, health, participation and empowerment, care and protection, crime, violence and rehabilitation and gender equality and gender relations.

By installing resiliency measures and especially solar panels in schools, the project will reach young women and young men, and could build valuable skill sets for young professionals. The National Youth Policy highlights building skill sets, improving education via training, deterring education disruptions due to extreme climate events, and encouraging participatory climate action, which are supported through Components 1-3. This project directly impacts five of the eight focus areas listed within the National Youth Policy: strengthening social environments, education and training, employment and sustainable livelihoeds, health and participation and empowerment.

In support of the aforementioned national plans and policies, the project will notably be aligned with and support: the two MTDS flagship priorities related to enhancing climate resilience of buildings and infrastructure; NDC mitigation targets via scaling up renewable energy generation and adaptative capacity to resist climate change-enhanced natural disasters; the GCF Country Programme and National CDM Policy and Strategy via presenting and informing key actors of a blueprint and lessons learned for climate-proofing school buildings and raising awareness; SIRMZP zoning will inform enhancement and construction of school building components; and multiple focus areas in the National Poverty Strategy and National Youth Policy related to building skill sets, improving education via training and deterring education disruptions due to extreme climate events, and encouraging participatory climate action.

Saint Lucia

The National Adaptation Plan (NAP) 2018-2028: The NAP establishes as goals for the educational sector: (i)4. Enhanced enabling environment for climate adaptation education, (ii) 2. Improved and expanded climate change education as the basis for effective adaptation, (iii) 3. Professional capacities built for leading future climate adaptation planning implementation, and (iv) 4. Strengthened preparedness to climate variability and extremes, which are all goals addressed by Component 2. All these goals are addressed by Component 2.

The Medium-Term Development Strategy (MTDS) for the period 2020-2023 seeks to achieve growth that is Accelerated, Resilient, Inclusive, Sustainable and Equitably shared (A.R.I.S.E.). The MTDS is aligned with the Sustainable Development Goals and the strategic priorities of key development partners. The MTDS serves as the primary policy document that informs the country's Public Sector Investment Programme. The MTDS has six key result areas at its core: 1. Healthcare, 2. Education, 3. Citizen Security, 4. Agriculture, 5. Infrastructure and 6. Tourism; and the iterative process of issue prioritization and the development of solutions based and 56

Formatted: Indent: Left 0 ch, First line: 0 ch

Commented [JV1]: Added for CR15 for A&B Formatted: Indent: Left 0 ch, First line: 0 ch

Formatted: Font: (Default) Arial, 11 pt, Font color: Black Formatted: Normal, Indent: Hanging: 0", No bullets or numbering Formatted: Font: (Default) Arial, 11 pt, Font color: Black

Formatted: Font: (Default) Arial, 11 pt

actionable implementation programmes within these areas. The MTDS will guide the implementation of a strategic long-term vision (via the National Development Plan or NDP) with a goal of delivering a more sustainable and inclusive Saint Lucia-by 2022. The project proposal aligns with the MTDS by promoting inclusion in Component 2, building resilience with Component 3, and selecting schools in a way that promotes equity.

Saint Lucia is also in the process of formulating a longer-term **National Development Plan (NDP)**. The lead phase of the plan's development will be underpinned by the following seven broad pillars: 1. Building Productive Capacity and Expanding Growth Opportunities, 2. Building Strong Institutions, 3. Infrastructure, Connectivity and Energy, 4. Adaptation for Environmental Sustainability and Climate Change, 5. Social Transformation, Building Social Resilience and Social Capital, 6. Enhancing the Labour Force, and 7. Promoting Physical Health and Wellness. All three project components respond to the NDP's pillars, including capacity building and stronger institutions.

Several key policies have recently been developed to facilitate the mainstreaming of disaster and climate risk analysis and consideration in infrastructure design and implementation, as well as decision-making, including in planning and budgetary processes and public investment projects including the following:

The National Land Policy: <u>The Policy</u> guides risk-informed land use planning and <u>seeks to</u> minimise the risk of loss of life, degradation of land resources and other assets from the impacts of hazards and disastersmitigates development in disaster prone locations. The strategic objectives of the National Land Policy that relate to the proposal are:

- Facilitate the provision of adequate public services to all, notably in health, education, public utilities, recreation, and transportation.
- Provide opportunities for all to access adequate shelter.

• Minimize the risk of loss of life, degradation of land resources, etc., from the impacts of disasters.

Develop and promote a positive cultural relationship between people and the land.

The Nationally Determined Contribution (NDC) 2020 updated version: In regard to mitigation, it should be noted that Saint Lucia's greenhouse gas (GHG) emissions are minuscule in global terms, with the country having contributed approximately 0.0015% of global emissions in 2016 at a per capita rate of 3.88 tCO2-eq. Notwithstanding this low contribution to the climate change phenomenon, the country is committed to global efforts to reduce GHG emissions to levels, which will restrict global temperature increase to well below 1.5°C above pre-industrial levels. Saint Lucia's NDC is mitigation-centric and the NDC's target is 7% GHG emissions reduction in the energy sector relative to 2010, by 2030. Saint Lucia's target is a sector-wide emissions reductions target using 2010 as the base, covering Intergovernmental Panel on Climate Change's (IPCC) energy (electricity generation and transportation) sector, and three gasses: Carbon Dioxide, Methane, and Nitrous Oxide.

Formatted: No bullets or numbering

Formatted: Font: Not Bold

The NDC target is a continuation and expansion of efforts listed in the first NDC to meet the targets for 2025 and 2030. Saint Lucia has already begun to implement these targets. It is worth noting that Saint Lucia is in the process of exploring a national REDD+ program and is implementing efforts to maintain its current forest cover, as well as undertaking efforts to protect watersheds through forest protection measures.

In regard to adaptation, the GoSL included an Adaptation component as part of updated NDCwhich is mitigation focused to demonstrate its commitment to achieve the targets of the Paris Agreement as well as having in place better mechanisms for the adaptation to climate change impacts. According to the IPCC, adaptation and mitigation can be understood as complementary components of countries' response to climate change and adaptation generates larger benefits to small islands when delivered in conjunction with other development activities.

Saint_ Lucia has committed in its NDC to prioritizing cross_sectoral and sectoral adaptation measures for eight key sectors/thematic areas and a segment on the 'limits to adaptation'. The NDC highlights adaptation-related targets are incorporated in the NAP. –Priority sectors for adaptation action include: water; infrastructure and spatial planning; resilient ecosystems; education; and health, which align with the proposal's Ceomponents 2 and 3 with the proposal. **St. Lucia Green Climate Fund Country Programme** draws on St Lucia's NDC and National-Adaptation Plan (NAP) processes, among others, to identify the country's priority sectors, consistent with the whole of Government approach. The sectors and areas it touches that relate to the proposal are water, infrastructure and spatial planning, resilient ecosystems, education, health, energy efficiency, and electricity generation.

The Climate Change Adaptation Policy (CCAP): outlines the general strategy for understanding and addressing the risks posed by climate change. It seeks to "ensure that Saint Lucia and its people, their livelihoods, social systems, and environment are resilient to the risks and impacts of climate change." The Policy endorses the principles of a cross sectoral approach to climate adaptation and concretely addresses: 1) adaptation facilitation (appropriate policy, legislative and institutional environment); 2) adaptation financing (measures to ensure adequate and predictable financial flows), and 3) adaptation implementation (concrete actions to prepare for, or respond to, the impacts of climate change).

The CCAP includes activities geared towards building the resilience of households, communities, vulnerable groups, enterprises, sectors and ultimately, the nation, with efforts directed towards achieving the following objectives by 2022: a) Priority adaptation measures to the adverse effects of climate change developed and implemented at all levels; b) Identification of vulnerable priority areas and sectors and appropriate adaptation measures using available and appropriate information, recognizing that such information may be incomplete; c) Adaptation measures in vulnerable priority areas; and d) Appropriate adaptation measures integrated into national and sectoral development strategies and linked as far as national circumstances will allow, to the national budgeting process.

In terms of facilitation, the CCAP proposes actions related to strengthening inter-agency and intersectoral collaboration, for example, identifying a suitable mechanism for strengthening the nexus between climate change adaptation and disaster risk reduction. Importantly, while focused on addressing climate change adaptation, the CCAP recognizes that some mitigation activities provide meaningful adaptation co-benefits and increase resilience. The implementation of this project would align with all the aforementioned CCAP objectives in addition to providing risk Formatted: Font: (Default) Arial, 11 pt

Formatted: Indent: Left 0 ch, First line: 0 ch

Formatted: Space After: 0 pt, Line spacing: At least 0.05 pt, Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)

Formatted: Font: 11 pt

58

Formatted: Font: (Default) Arial, 11 pt

Formatted: Indent: Left 0 ch, First line: 0 ch

assessment data and adding to the body of national knowledge on climate-proofing school buildings.

In summary, the project is aligned with the aforementioned national policies through the following: (i) helps achieve climate adaptation-related goals in the National Adaptation Plan including targets related to climate adaptation education, a rise in professional capacities, and strengthened climate disaster preparedness; (ii) p romoting inclusion, building resilience, and promoting equity; (iii) National Land Policy objectives of adequate education for all, access to adequate shelter, and disaster preparedness are key aspects of the project; (iv) the updated NDC indicates an intended emission reduction in the energy which the project would contribute towards, and the NDC emphasizes adaptation-related targets included in the NAP; and (v) the project is aligned with CCAP by providing risk assessment data and adding to the body of national knowledge on climate-proofing school buildings.

Regional

The following regional programmes are directly related to policies, guidelines, and objectives reflected in the proposed project: (i) The project will inform and provide strategic data and support to OECS through the OECS Eastern Caribbean Regional Climate Change Implementation Plan and it will inform the development of the OECS Climate Change Adaptation Strategy and Action Plan for the region; (ii) the project will use the Model Safe School Programme of CDEMA as a tool for practitioners to consider regarding safe school policies; (iii) the Caribbean Road Map for School Safety - and notably will be useful for the project to raise awareness; (iv) best practices from the OECS Building Code will inform the design of climate-proofing interventions to be implemented under the proposed concept; and (v) The design and installation of renewable energy systems of this project, as well as capacity development activities, will be conducted to align with CARICOM Renewable Energy Building Code (CREEBC) standards.

OECS Climate Change Adaptation Strategy and Action Plan is being developed. Its overarching goal is to provide the regional level of intervention and driving force, within the OECS, on adaptation policies and measures to respond to climate change impacts to support Members States efforts.

OECS Eastern Caribbean Regional Climate Change Implementation Plan. The aim of the project was to provide strategic support to the OECS to help develop, prepare to implement, and finance an Eastern Caribbean Climate Change Implementation Plan. This initial project was seen as the first building block.

The Model School Safety Programme for Caribbean Schools: The goal of the Model Safe School Programme of CDEMA is to create safe, secure/protective and green educational institutions from pre-primary to tertiary levels, including private and public institutions through the development of simple, applicable and adaptable tools. This policy, along with the assessment tools provide the framework for the development of procedures to enhance school safety throughout the region. To address some of the evident vulnerabilities of the education sector, the

Formatted: Border: Top: (No border), Bottom: (No border), Left: (No border), Right: (No border), Between : (No border)

Formatted: Indent: Left 0 ch, First line: 0 ch

toolkit was developed by CDEMA to guide governments on the development of National Safe School Policies, and to offer tools for assessing the level of safety and greening of schools.

The Caribbean Safe School Initiative (CSSI): During the Caribbean Safe Schools Ministerial Forum of 2017, regional commitment to disaster risk management in the education sector was reaffirmed resulting in the Antigua and Barbuda Declaration on School Safety and the Caribbean Road Map on Schools Safety.

The Antigua and Barbuda Declaration on School Safety_{ir}, which was ratified by a group of Caribbean Ministers of Education, guides the CSSI for the upcoming years through specific actions that are presented in the **Caribbean Road Map on School Safety**. The priority areas of the CSSI to be pursued are: 1. Develop enabling policies and national plans and strategies; 2. Secure human and financial resources; 3. Enhance and implement a standardized schools safety assessment; 4. Develop a safe school standard; 5. Review and develop multi-hazard school safety plans and guiding documents; 6. Improve coordination among stakeholders; 7. Review and update disaster risk management components in the curriculum; and 8. Train school staff, families and the community in disaster risk management.

OECS Building Codes: In 2015, the OECS Secretariat, with the assistance of the United Nations Development Programme (UNDP) and through the UNCHS/UNDP Project for Programme Support to the Human Settlements Sector in the OECS (CAR/89/006), updated the standard building codes and guidelines which speak directly to the specific requirement of each OECS country. The codes and guidelines are based on the Caribbean Uniform Building Code (CUBiC) and other regional codes such as the Bahamas Building Code, the draft Jamaica National Building Code and the Turks and Caicos Islands Building Code. Key to these updated codes is the recognition "that the damage caused by these extreme natural events affect the poor to a significant extent and have placed emphasis on the development of building standards which would prevent or mitigate the damage so caused. The Governments are also revising existing planning and building regulations to be more responsive to the current needs, and to ensure to do so that all buildings are constructed in a "safe" manner and resistant to the natural hazards."

CARICOM Renewable Energy Building Codes: The 2018 CARICOM Regional Energy Efficiency Building Code (CREEBC) is an adaptation of the International Energy Conservation Code, 2018 Edition, published by the International Code Council. This CREEBC is meant to specifically meet the needs of the Caribbean and other countries in a tropical environment. It establishes minimum energy efficiency requirements inclusive of those for building envelopes, cooling system, ventilation, pumping, lighting and the service of water-heating systems in buildings. The technical requirements of this code are the product of both regional and international expertise. The government is committed to strengthening the national capacity and capability to implement CDM. This will be done through the elaboration of a series of interlocking complementary policies and strategic actions in areas identified below.

G. Compliance with relevant national technical standards

Regional Technical Standards

1

The Organization of Eastern Caribbean States (OECS) Building Codes: This updated code recognizes that the damage caused by extreme natural events disproportionately affect the poor

and emphasizes the development of building standards that will prevent or mitigate damage. The Governments in the region are also revising existing planning and building regulations to be more responsive to the current needs, and to ensure that all buildings are constructed in a "safe" manner and resistant to the natural hazards.

The design and implementation of retrofitting activities of this project will be conducted to align with the OECS building codes standards. Furthermore, the capacity development activities of the project will be developed to also align with the OECS regional standards to ensure climate change resiliency.

CARICOM Renewable Energy Building Codes (CREEBC): The CREEBC is designed to specifically meet the needs of the Caribbean. It establishes minimum energy efficiency requirements inclusive of those for the building envelope, cooling system, ventilation, pumping, lighting and the service water-heating systems in buildings. The technical requirements of this code are the product of both regional and international expertise.

The design and installation of renewable energy systems of this project will be conducted to align with the CREEBC standards. Furthermore, the capacity development activities of the project will align to CREEBC standards.

OECS Guidelines for the Locating and Designing of Disaster Resilient Schools: This forthcoming document will produce standards for locating and designing schools to be resilient to natural disasters.

H. Duplication with other funding sources

The proposed project will avoid overlap with other projects, use lessons learned where possible and seek to catalyze a paradigm shift within Antigua and Barbuda's, and St. Lucia's approaches to the building and renovating of schools away from conventional development practices to an approach that prioritizes the adoption of innovative climate-resilient solutions and early action.

The project will establish a standard for the adoption of climate-resilient interventions that can be readily scaled up and replicated across the country's public building portfolio⁸ as well as within the private sector.

Through the implementation of these transformative adaptation interventions, the project will facilitate the wide-scale replication of climate-resilient practices nationally and across the Eastern Caribbean region.

Baseline projects in Antigua and Barbuda

⁸ This portfolio identifies 200 public buildings for implementation of climate-resilient measures.

Considerable baseline investments are being made through public expenditure and donor-funded initiatives to increase the resilience of Antigua and Barbuda's built environment to extreme climate events.

Lessons learned and best practices from these investments have been incorporated into the design of the proposed project to replicate successful adaptation techniques and ensure that there is complementarity between the project and existing actions. The most relevant baseline investments that will be complemented by the proposed project interventions are as follows:

• The GoAB is currently implementing a project entitled **Building climate resilience through innovative financing mechanisms for climate change adaptation** which is funded by the Special Climate Change Fund (SCCF). Among its four primary focuses are: i) developing innovative financing mechanisms to fund adaptation interventions through the Sustainable Island Resource Framework Fund (SIRF Fund), including for the building sector; and ii) strengthening national policies and plans to promote adaptation to climate change through *inter alia* updating the national building code, which includes considerations for Category 4 and 5 hurricanes. The proposed project will complement this SCCF-funded project by building the physical resilience of select school buildings, building the capacity of involved and affected stakeholders to understand climate risks and build adaptive capacity, and contributing to policy development at national and regional levels.

• The GoAB is currently implementing the "**Resilience to hurricanes in the building sector in Antigua and Barbuda**" project, submitted to the Green Climate Fund (GCF), presented to the GCF board in 2020 and with a value of 32.7m USD grant in financing and 13.4m USD co-financing (total project cost 46.1m USD). This project seeks to build the climate resilience of Antigua and Barbuda's building sector by: 1. Climate-proofing interventions implemented in critical public service and community buildings to improve resilience to, and recovery from, extreme climate events, 2. Mainstreaming climate change adaptation into the building sector and relevant financial mechanisms, and 3. Strengthening climate events. The project aligns to the first and second aspect of the project, but is focused specifically on the education sector.

• The GoAB is implementing a **Grid-interactive Solar PV Systems for Schools and Clinics** project. The overall goal of this project "is to ensure that during a drought or a hurricane, schools in the country will still be fully functional, better known as climate-resilient. Using clean technology will contribute to the national commitment of reducing our CO2 emissions" (Dept. of the Environment). Reducing electricity usage, while increasing the trainees and trainers' awareness of environmental management and renewable energy both at the Center and in the surrounding communities will be a vital outcome. The proposed project will build off this project by installing climate-resilient Solar PV Systems in select schools.

• Improving Resilience of the Education system to climate change impacts in the Eastern Caribbean region for Saint Lucia and Antigua and Barbuda. The main aim of this Technical Assistance is to enable the GoAB and GoSL to strategically assess the climate risk of school emergency shelters and appraise improvement measures required. This information will enable these governments to seek funding to implement these measures.

Best practices and lessons learned

Best practices from the OECS Building Code and the Caribbean Disaster Mitigation project will inform the design of climate-proofing interventions to be implemented under the proposed concept. Lessons learned from numerous baseline investments into climate change adaptation in both countries will also inform the design of all project interventions. Such lessons include

appropriate mechanisms for ensuring that project activities are implemented in a participatory, gender-inclusive and sustainable way.

Best practices from CDEMA also inform this project as taken from the Model Safe School Programme (MSSP) toolkit. The toolkit guides governments on the development of National Safe School Policies and offers tools for assessing the level of safety and greening of schools.

Moreover, international best practices and lessons learned that have informed the project design include:

using climate-resilient materials for increasing the structural integrity of school buildings.

• ensuring that designs of buildings under future climate change conditions, do not include long overhangs, which are at risk to high-intensity storms.

• incorporating traditional knowledge into training for engineers, architects, draftsmen on how to design and implement climate-resilient solutions in the building sector.

• increasing compliance with the standards and guidelines stipulated in the national building code.

• updating the national and local policy framework for the building sector to ensure that future development adopts changes in international standards regarding the technical specifications required by all buildings under changing climate conditions.

• drawing on regional experiences and resources to increase capacity to respond to the impacts of extreme events.

• developing appropriate strategies for securing financial resources for project development and implementation.

• undertaking regular monitoring and evaluation of climate-adaptive interventions to ensure that the most effective and appropriate solutions are being implemented under future conditions of climate change.

• engaging and collaborating extensively with all relevant project stakeholders will encourage buy-in from national- and local-level decision-makers therefore contributing to the sustainability of proposed adaptation interventions over the long term; and

• implementing effective financial and project management strategies to ensure the efficient use of financial resources and avoid delays during the implementation phase.

I. Learning and Knowledge Management

To support the shift away from the current paradigm of reactive development and recovery, climate change adaptation for the education sector will be mainstreamed broadly into the public and private sectors that are touched by the education sector. The envisioned activities of capacity building and enhancing the enabling environment will foster a proactive approach to climate-resilient planning and development by the GoAB and the GoSL, private sectors and households.

The uptake and sustainability of climate-resilient adaptation solutions beyond the project to other schools, public and private buildings as well as homes will be driven through awareness campaigns that highlight the benefits associated with investing in climate-resilient practices. These benefits include:

• better ability to stay safe (e.g., in terms of school/house design) in the face of climate change impacts,

• reductions in the economic losses caused by extreme climate events as a result of the improved structural integrity of structures (public and private sector buildings and homes),

- continuity of operations of businesses and schools,
- ability to continue living in homes, avoiding being displaced to shelters or otherwise,
- reductions in insurance premiums as a result of reduced risk to climate-proofed buildings.

Efficient and effective knowledge transfer through the aforementioned awareness campaigns will not only improve the uptake of climate-resilient building practices but will also improve the preparedness of schools and other critical public services, local communities, households, business owners, and other private sector stakeholders for the onset of extreme climate events.

In addition to facilitating the uptake of climate-resilient building practices, the project will shift disaster response by the GoAB and GoSL from a reactive approach towards proactive climate-responsive planning. This will be focused on increased preparedness for extreme climate events such as hurricanes and tropical storms.

Knowledge management will be strongly embedded in the project and will take the approach of learning and disseminating information relevant to scaling this project to other schools and other countries. Knowledge products (lessons learned, data, and information on the processes) will be created, made publicly available and widely disseminated via social media, participating organization newsletters, etc., to inform policymakers, administrators and others.

Additionally, a localized approach will be taken to inform local communities and individuals about the importance and value of enhancing the resilience of their physical structures and building their capacity to climate-proof their structures. Information products will be designed specifically for these stakeholders and disseminated providing clear and practical information on how to retrofit structures (or when building new), to be resilient to Category 4 and 5 hurricanes. Included will be lessons and information related to the use and implementation of innovative, low-cost water and renewable energy supply techniques and management.

At a regional level, the OECS will develop a knowledge and management plan to capture knowledge and develop it into actionable information that will be shared with other OECS member states. Lessons learned, especially what worked and what did not, will be captured through monitoring of all project sub-interventions. This information will inform the replication / upscaling guidelines for use in planning and rolling across the region.

J. Consultative process

During the development of this project, due to travel restrictions from both countries and from the UN, UN-Habitat was unable to visit the two countries. Instead, virtual consultations were conducted regularly. Beginning June 2021, recurring weekly calls took place with representatives from each country. Meetings alternated from being focused on each country to then having both countries and regional partners OECS and CDEMA all together on the call every other week. These weekly project planning calls included a range of senior Government stakeholders.

At the community level, thorough consultations were conducted through a Climate Technology Centre and Network (CTCN) - UNIDO Consultancy Project, during the month of June 2021. The CTCN team is located in St. Lucia, and it also traveled to Antigua and Barbuda, where it collected the views, insights and recommendations of identified stakeholders. A Consultation Report, available and may be shared upon request, was used as the base for this section. The purpose of the consultations was to:

• Obtain from beneficiaries (schools and communities) their specific needs and potential concerns

• Identify gaps in capacities of key stakeholders, communities and vulnerable groups to implement project activities

Identify possible concerns related to potential risks and impacts.

• Familiarize stakeholders with the project - its goals, design and expected outcomes.

• Solicit stakeholder views, concerns, and recommendations on how to improve the resilience of schools and their host communities to climate change impacts and

• Introduce stakeholders to Disaster Risk Reduction Education (DRRE) and sensitize them to its importance in promoting school safety.

This was all part of assessing climate risk to the educational system and appraising improvement measures that will allow the governments of Antigua and Barbuda and St. Lucia to submit a funding proposal to potential funding sources to implement these measures. The methodology involved collection of qualitative data and narrative as well as thematic analysis of the data. The main methods for collecting data were interviews - one-on-one conversations, group discussions, and self-administered questionnaires. In-person and virtual modalities facilitated the conversations and the discussions.

The findings from the consultations are captured under the following headings and indicated below, for a detailed list of consultation attendants please see Annex 3:

- Specific Needs and Potential Concerns Related to Potential Risks and Impacts.
- Gaps in Capacities of Key Stakeholders, Communities, and Vulnerable Groups.
- Views on Approaches for including DRRE in Schools.

Specific needs and potential concerns related to potential risks and impacts raised by stakeholders.

A. Principals, staff, and students at Bexon Combined School (BCS) and Vieux Fort Primary School (VFPS), St. Lucia.

- Potential risks and impacts by neighboring constructions. The immediate environments of some schools' compounds contain threats including poor draining which causes stagnant water to accumulate, creating breeding grounds for mosquitoes which infest the school. To worsen the situation, contiguous drainage between the schools and the ongoing construction projects are inadequate, posing a direct threat in rainy seasons.

- In order to reduce the risks, some schools would face in the event of droughts such as the closure due to lack of water to practice proper hygiene, sanitation, and drinking, it was recommended that efforts be made to collaborate with the Water Resource Management Agency and the Ministry of Agriculture in providing technical guidance and support to establish a 20,000-gallon facility at the school.

- Various potential risks and impacts on the school and its users have been identified, with the main one cited as flooding and strong winds. Some schools are easily flooded during heavy rains because its location is below sea level.

- Some schools are also impacted by strong winds as there are no wind barriers within its vicinity. The schools and its users were severely impacted by Hurricane Tomas in 2010 and the tropical wave in 2013. This resulted in the closure of schools for a significant period of time on both occasions.

- Because of their close proximity to the sea, some schools' infrastructures are constantly impacted by sea blast which has resulted in the deterioration of ventilation and other fixtures. This situation exposes the school plants and its users to risk in the event of high winds and rains. In addition, water gets into classrooms due to leaks in the roofing. There is no guttering to capture and dispose of water from the roof. Therefore, it is necessary to introduce appropriate technology to address defects caused by sea blast.

- The school is designated as an emergency shelter; however, its status is compromised due to defects caused by the recent hazards mentioned above. There are no back generators for providing power in the event of loss of power supply. In addition, the emergency plan has not been rehearsed for quite some time. There is a need to enhance the physical image of the school to reflect its status as a designated Emergency Shelter.

- Lack of community cohesion was cited as a main reason for weak community adaptive capacity. It was reported that advocates of climate change and climate resilience face challenges in mobilizing parents and members of the immediate communities to participate in sensitization campaigns. However, it was also noted that community members tend to spring into action after a disaster and provide support to victims as part of the response effort. There is a need to build and sustain community social capital as a climate resilience tool which can be utilized for any community mobilizing effort.

B. Ministry of Education - Policy and Implementation, St. Lucia

- The biggest challenge for future maintenance based on interventions is the availability of finances. Currently, schools are provided with a subsidy for minor maintenance and repair works. However, this has proven inadequate given the nature and extent of defects that have to be addressed. The Ministry of Education, Innovation, Gender Relations and Sustainable Development (MEIGRSD) is limited to works that can be done by funds allocated in its annual

budget. It was felt that interventions by the Ministry may need to be prioritized and better recommendations made to make the most efficient use of limited financial resources.

C. Ministry of Education – School Management – Principals, District Education Officers, St. Lucia.

- Support was unanimous on the recommendation to prepare a handbook for teachers and principals to integrate Disaster Risk Reduction (DRR) informally into regular classroom instruction and co-curricular activities for schools in the project. Stakeholders welcomed the development of a road map through which the introduction of DRR will be incorporated into schools.

- Some schools have a good relationship with some corporate citizens especially in the urban areas like Castries Central and Vieux Fort town, surrounding business places, and constituency councils. In this regard, it was agreed that schools are community assets and play a vital role in enhancing community vitality. Consequently, every effort must be made to make them resilient to climate change.

D. Institutional Stakeholders

- In pursuing rainwater harvesting (RWH) as an option to maintain an adequate supply of water at the schools, it was observed that most RWH plants at schools meet the required environmental standards, that is, they meet the required capacity for the functioning of the school on a daily basis. However, it was pointed out that if the school is to function efficiently as an educational institution and as an emergency shelter, then its water capacity must be augmented in order to meet water requirements after a disaster when the school is in emergency shelter operational mode. This means that days of storage and gallons per person should inform the capacity required to meet the needs of the school as an educational institution in times of drought and as an emergency shelter after a disaster. It was noted that the current storage standard is 8,000 gallons and 12,000 gallons for primary and secondary schools, respectively. The water would need to turn over and should not be simply sitting in the rainwater tanks until a disaster. However, the quantity for minimum reserves has not yet been considered.

Gaps in capacities of key stakeholders, communities, and vulnerable groups.

A. Principals, staff, and students at Bexon Combined School (BCS) and Vieux Fort Primary School (VFPS), St. Lucia.

- An important aspect of resilience is maintenance capacity. All schools have resident security personnel who are also expected to repair minor defects which require basic plumbing and carpentry skills to be accomplished. However, it was noted that as caretakers, they have not received any formal training in the repair of minor defects. In addition, defects are not attended to in a timely and efficient manner due to the unavailability of repair material when it is required. The recommendation put forward is that all security personnel and caretakers at all schools should undergo training in various aspects of defects identification and safety and security skills. The

necessary resources (including material and technology) should be provided to those individuals that would enable them to perform their duties in a timely and efficient manner.

B. Ministry of Education – Policy and Implementation, St. Lucia.

- One of the biggest challenges that the Ministry faces in ensuring successful adaptive capacity is the unavailability of the required quantum of financial resources needed to undertake current and future maintenance requirements. Schools are allocated an annual maintenance subvention to undertake minor defects, but the magnitude and frequency of interventions render the subvention inadequate. It has been observed that minor defects left unattended result in major defects over time and consequently require highly technical assessment and the associated high costs for repair, rehabilitation, or replacement. Additional financial resources need to be secured in order to address the various major school plant defects which pose a risk to users of the facility.

C. Ministry of Education – School Management – Principals, District Education Officers, St. Lucia.

- As it relates to capacity of the school as an institution engaging in adaptive capacity activities, the following were highlighted as critical needs:

i. Maintenance knowledge for principals and all staff (teaching and ancillary – caretakers, security personnel) and parents should be provided to enable early identification of defects in school infrastructure for follow-up assessments by the Ministry of Education's Building Officers.

ii. All teachers and District Education Officers should be trained in conducting basic defects assessments in order to facilitate early warning of situations that require urgent and immediate attention. The training would also include knowledge and application of strategies to identify requirements for maintenance initiatives.

iii. Training for District Education Officers, Principals, and staff in the use of an app which has been developed by CDEMA that provides guidance on maintenance needs, categorizing items and identifying critical ones for necessary and urgent action.

iv. Training for teachers in DRR knowledge and skills so that they can deliver the curriculum effectively.

v. Regarding community adaptive capacity, there are several community-based groups/organizations in the schools' host communities. However, the lack of community cohesion has been identified as a factor which inhibits the ability of the respective communities to engage in collective action. This represents, to some extent, a tragedy of the commons which needs to be addressed through strengthening community social capital-building networks, creating horizontal bridges between groups/organizations, as well as strengthening vertical links between community-based groups/organizations and resource agencies external to the community.

vi. Opportunities should be created for capacity building in community leadership, community mobilization and community organizing, and climate change and resilience knowledge to enable the community to prepare, respond and recover from climate change impacts. A gender transformative approach focused on increasing male participation in the everyday life of the community is critical to enhancing the adaptive capacity of the community. As a "best" practice, Parent Teacher Associations should be engaged before work starts, to ensure they are aware, and disseminate info into the community.

D. Institutional Stakeholders

- Discussions in this group revealed the following gaps in the capacities of stakeholders:

i. non-teaching staff lack maintenance knowledge.

ii. parents and students may not be able to identify and have basic information about physical defects in a school.

iii. some communities do not have strong social capacity – social capital, social networks, collective psychological capacity (individual and household positive adaptation behavior).

iv. inadequate community awareness of climate change and potential for climate resilience.

Views on approaches for including DRRE in schools.

A. Principals, staff, and students at Bexon Combined School (BCS) and Vieux Fort Primary School (VFPS), St. Lucia.

- The staff welcomed the idea of the formal incorporation of DRRE in the primary school curriculum. The idea of a Handbook to guide teachers on the content and methods of instruction was well received. However, they expressed apprehension on how soon this becomes a reality as they have been subjected to many unfulfilled promises in the past. Contributions from a few students provided insights on their understanding of DRRE. Student A said, "learning about disasters and what they can do to us is a good thing because it can help to be prepared when they come".

- The teachers welcomed the idea of a Handbook on DRRE in the schools as an important resource and tool in imparting knowledge on climate change and resilience. To the staff and students, this is a timely initiative given recent experiences with hazards such as high winds and flooding which have negatively impacted the school. More importantly, the teachers viewed this initiative as having a multiplier effect as a result of knowledge and behavior transfer from school to friends, and family/households. This intended outcome was clearly expressed by student A who said, "I want my friends, family, and neighbors to know what I have learnt about climate change".

B. Ministry of Education - Policy and Implementation, St. Lucia

- On the incorporation of DRR into the school curriculum, there was unanimous agreement from the participants who accepted the view that DRRE was critical in building climate change and resilience awareness among students, school staff, parents, and the community. It was further agreed that the MEIGRSD should consider incorporation of DRRE as a new policy initiative which would, inter alia, require a review of the current approaches to the informal approach to instruction in DRR via subjects including Social Studies, Geography and Education for Democratic Citizenship and its subsequent gradual incorporation into the formal school curriculum.

C. Ministry of Education – Heads (Teachers) of School Health and Safety Committees, St.Lucia.

- The teachers indicated that while there is disaster related content in the present school curriculum it is insufficient to prepare children to respond adequately to hazardous threats posed by climate change and other catastrophic events. One of the main justifications for inclusion of DRRE was that children will grow with the knowledge of how climate change affects their lives thus enabling them to become more environmentally aware and, in a position, to be able to make informed decisions and right choices.

D. Antigua and Barbuda Stakeholders

- On the approach to DRRE implementation, there were two contending views. On the one hand, it was felt that a distinct and concentrated attention on DRRE should be pursued while on the other hand it was felt that the integrated approach would be the most effective form of DRRE implementation. Nonetheless, participants agreed on the importance of developing children's awareness, dispositions, knowledge, and skills to build resilience and expressed support for the proposed Framework for the Inclusion of Disaster Risk Reduction Education in the School Curriculum.

E. Institutional Stakeholders

- The idea of teaching DRR in schools was viewed as a step in the right direction. The group felt strongly that the community, students, and principals should be aware of DRR and climate change so that steps can be taken to make themselves safer. The plan to incorporate DRRE in the school curriculum and the development of a handbook to guide its delivery were well received. It was recommended that other stakeholders such as NEMO and Red Cross be involved in such an initiative as they are key actors in the DRR sector and in a position to support an experiential approach in the delivery of the DRRE curriculum.

- The consultations and meetings with stakeholders achieved the objective of highlighting various current and potential climate change risks and impacts which the beneficiary schools face. These range from exposure to natural hazards such as strong wind, floods and climate induced

conditions such as drought, to a lack of adequate knowledge in disaster risk reduction. Several enabling factors that contribute to this situation were identified including human action which generates noise, poor air quality, and access challenges. Weak social and adaptive capacity at the community level constraints community participation in resilience building efforts. However, the views, insights, and recommendations provided by the stakeholders to address the issue and concerns raised provide promise and should be considered as vital input to the preparation of proposals to access funding to undertake climate change resilience building of schools and communities in Saint Lucia and Antigua and Barbuda.

K. Justification for funding requested

As SIDS, both Antigua and Barbuda and St. Lucia are particularly vulnerable to extreme climate events such as tropical storms and hurricanes. Over the period of 1999–2018 Antigua and Barbuda ranked 47th and St. Lucia 51st on the Global Climate Risk Index. Additionally, over that same period, Antigua ranked 6th and St Lucia 17th in terms of Losses per unit GDP in %.⁹

The primary reasons for both country's vulnerability, which is typical of Eastern Caribbean nations, are: i) inefficient planning and management of the built environment; ii) high costs of repairing damage caused by recurrent extreme climate events; iii) the composition of the economies; iv) high population density in the coastal zones; and v) limited availability of freshwater resources. Moreover, both countries have limited financing options due to their high public debt. Existing high budget costs for disaster recovery are grossly inadequate for expected future adaptation investments. Hence, grant financing from the Adaptation Fund is needed to fund this project.

The frequency of high-intensity tropical storms and hurricanes that make landfall in the Eastern Caribbean, including Antigua and Barbuda and St. Lucia, is expected to increase under future climate change conditions. High-intensity storms and hurricanes have severe impacts on the region and countries, including loss of life, economic losses and damage to infrastructure. For example, in 2017, Hurricane Irma resulted in about 129 fatalities across the Caribbean and southeastern region of the United States. The impacts of these extreme climate events are further exacerbated by both countries's economic composition. For example, tourism makes up the largest proportion of each country's GDP (about 60% for Antigua and Barbuda and 42% for St. Lucia) and accounts for the highest overall investment. The onset and aftermath of extreme events, including those events that had regional impacts, but did not directly hit either country, still significantly reduces tourist activity in each country. This not only affects revenue generation, but also leads to increased unemployment in the tourism sector. Such unemployment results from the closure of tourism-driven businesses and a subsequent reduction in employment demand in the sector. In addition, both countries are heavily reliant on imports of basic supplies, including food, medicine and building materials. Extreme climate events have major impacts on these imports as shipping routes become unsafe and insurance premiums for shipping companies increase.

⁹ Germanwatch. 2019. Global Climate Risk Index.

GDP per capita and the Human Development Index (HDI) are both relatively high in each country with Antigua and Barbuda at about US\$16,727¹⁰ and 0.78¹¹, respectively, and St. Lucia at about US\$10,566¹² and 0.75, respectively. However, these countries have small tax and market bases as well as high public debt — constraining each government's ability to allocate funding from the national budget for adaptation. Moreover, limited opportunities exist for the public and private sector to access financial resources for addressing climate change impacts. External investment is therefore critical to increase the resilience of both countries to climate change.

L. Sustainability

The <u>The proposed project is based on the premise that to sustain the project outcomes over the</u> long term requires linking the initiatives and lessons to national and regional policies and <u>strategies as well as institutional frameworks</u>. Sustainability is achieved in several areas of focus, including institutional, economic, environmental/climate, and financial, and social.

proposed project is based on the premise that to sustain the project outcomes over the long term requires linking the initiatives and lessons to national and regional policies and strategies as well as institutional frameworks.

Regarding institutional sustainability, given that there is strong political commitment from the Ministries of Education of both countries and OECS States for building resilience of school infrastructure to climate-induced extreme weather events, there is a pathway for sustaining the adaptation measures beyond the life of the project. The sustainable operation and management of construction-related project interventions will be conducted by key government institutions to oversee specific project activities, with a commitment from both Governments to finance all ongoing operations and maintenance activities.

Improving climate resilience of schoolhouses to withstand Category 5 hurricanes will assist these countries to take a more proactive, impactful and take a sustained approach to climate change adaptation planning in the education sector. Interventions focused on increasing the structural integrity of schools are expected to deliver climate adaptation benefits for 50 years, while the installation of solar PV panels and climate-resilient water harvesting solutions on targeted buildings are expected to deliver adaptation benefits for 20 years.

Given that there is strong political commitment from the Ministries of Education of both countries and OECS States for building resilience of school infrastructure to climate-induced extreme weather events, there is a pathway for sustaining the adaptation measures beyond the life of the project.

The proposed project will assist these countries to take a more proactive, impactful and sustained approach to climate change adaptation planning in the education sector.

The proposed project interventions have been designed to deliver maximum adaptation benefits to vulnerable communities beyond the project lifetime. These benefits are centered around increasing the climate resilience of the educational facilities and system and will be highlighted during numerous workshops that will be conducted during the implementation phase. Uptake of

Formatted: Not Highlight	
Formatted: Not Highlight	
Formatted: Not Highlight	

Formatted: Not Highlight

Formatted: Not Highlight

¹⁰ World Bank. 2018. Available at: https://data.worldbank.org/indicator/NY.GDP.PCAP.CD?locations=AG

¹¹ UNDP. 2017. Inequality-adjusted Human Development Index. Available at: <u>http://hdr.undp.org/en/composite/IHDI</u>

¹² World Bank. 2018. Available at: https://data.worldbank.org/indicator/NY.GDP.PCAP.CD?locations=AG

climate resilience technologies within the education sector requires buy-in and commitment from all project partners to ensure that adaptation solutions continue to provide benefits to the population over the long term.

The project has been developed through a participatory and consultative process, which has allowed relevant stakeholders to contribute to this conceptual design of the project interventions. Undertaking the development of the project in this way has promoted a country-driven approach to the project in both Antigua and Barbuda, and St. Lucia, which will be key to ensuring the sustainability of project interventions over the long term.

Another key design feature of the project to drive sustainability over the long term and encourage scaling up and replication of these innovative solutions within each country and across the Eastern Caribbean is the transfer of knowledge. Additionally, public and private sector stakeholders will be trained on climate-resilient adaptation solutions for the school buildings, incorporating a train-the-trainers approach to ensure that knowledge of these solutions is maintained regardless of staff turnover. Technical staff from the relevant Ministries (e.g., building inspectors and building maintenance teams) will be trained on how to effectively implement, operate, maintain, and monitor climate-adaptive measures installed on buildings.

Consumers and producers within the private sector will be targeted to receive training on the design, use and maintenance of climate resilience measures including: i) private user groups — for example, business owners and homeowners; and ii) private sector service providers — for example, architects, engineers, and private contractors.

The project has been developed through a participatory and consultative process, which has allowed relevant stakeholders to contribute to this conceptual design of the project interventions. Undertaking the development of the project in this way has promoted a country-driven approach to the project in both Antigua and Barbuda, and St. Lucia, which will be key to ensuring the sustainability of project interventions over the long term.

Another key design feature of the project to drive sustainability over the long term and encourage scaling up and replication of these innovative solutions within each country and across the Eastern Caribbean is the efficient and effective transfer of knowledge. Additionally, public and private sector stakeholders will be trained on climate-resilient adaptation solutions for the school buildings, incorporating a train-the-trainers approach to ensure that knowledge of these solutions is maintained regardless of staff turnover. Technical staff from the relevant Ministries (e.g., building inspectors and building maintenance teams) will be trained on how to effectively implement, operate, maintain, and monitor climate-adaptive measures installed on buildings.

Consumers and producers within the private sector will also be targeted to receive training on the design, use and maintenance of climate resilience measures including: i) private user groups — for example, business owners and homeowners; and ii) private sector service providers — for example, architects, engineers, and private contractors.

The sustainable operation and management of construction related project interventions will be conducted by key government institutions to oversee specific project activities, with a commitment from both Governments to finance all ongoing operations and maintenance activities.

Interventions focused on increasing the structural integrity of schools are expected to deliver adaptation benefits for 50 years, while the installation of solar PV panels and climate resilient

water harvesting solutions on targeted buildings are expected to deliver adaptation benefits for 20 years.

<u>Furthermore, site-specific operational procedures will be developed for long-term maintenance of climate-proofing interventions for each school building, and these procedures will be integrated into the project operations and maintenance framework. The maintenance plans and costs for the climate change adaptation measures to be installed on priority buildings are presented below.</u>

For the social aspect of enhancing the sustainability of the climate-resilient adaptation solutions, the project will conduct awareness campaigns that highlight the benefits associated with investing in climate-resilient practices. These benefits include: i) reductions in insurance premiums because of a reduced risk to climate-proofed structures; and ii) reductions in the economic losses caused by extreme climate events as a result of improved structural integrity of critical buildings. Efficient and effective knowledge transfer through the aforementioned awareness campaigns will not only improve the uptake of climate-resilient building practices, but will also improve the preparedness of schools, local communities, business owners and other stakeholders for the onset of extreme climate events. Through awareness raising and capacity building, communities will 'own' the interventions and enhance awareness of various adaptation options as well as how they're operated, maintained, and can be replicated.

In addition to facilitating the uptake of climate-resilient building practices, the project will shift disaster response by the GoAB and the GoSL from a reactive approach towards a proactive climate-responsive planning which has sustained long-term benefits.

Furthermore, site-specific operational procedures will be developed for long-term maintenance of climate-proofing interventions for each school building, and these procedures will be integrated into the project operations and maintenance framework. The maintenance plans and costs for the climate change adaptation measures to be installed on priority buildings are presented below.

The sustainability of the climate-resilient adaptation solutions will be enhanced through awareness campaigns that highlight the benefits associated with investing in climate-resilient practices. These benefits include: i) reductions in insurance premiums because of a reduced risk to climate-proofed structures; and ii) reductions in the economic losses caused by extreme climate events as a result of improved structural integrity of critical buildings. Efficient and effective knowledge transfer through the aforementioned awareness campaigns will not only improve the uptake of climate-resilient building practices, but will also improve the preparedness of schools, local communities, business owners and other stakeholders for the onset of extreme climate events.

In addition to facilitating the uptake of climate-resilient building practices, the project will shift disaster response by the GoAB and the GoSL from a reactive approach towards a proactive climate-responsive planning which has sustained long-term benefits.

M. Environmental and social impacts and risks.

The environmental and social risk associated with this proposed project were evaluated in accordance with Adaptation Fund's Environmental and Social Policy, UN-Habitat's Environmental and Social Safeguards System (ESSS) as well as with the environmental, social, and economic

Formatted: Not Highlight

policies of Antigua and Barbuda, and St Lucia. Environmental and Social Impact Assessments and Management Plans were completed. The project is categorized as a Category B project (Medium Risk) due to the results envisioned in environmentally and socially vulnerable areas, and potential impacts of policy changes. (See Annex 1 and 2)

Overall, the environmental and social impacts and risks assessed to be present in this project are moderate and attributable with activities whereby climate-proofing interventions are implemented in school buildings.

The project is designed to generate positive economic, environmental and social impacts, and will encourage inputs and participation from women, and disabled persons from within the host communities.

Environmental impacts

All potential environmental impacts associated with the project are linked with the renovation of school buildings and public infrastructure and include the generation and subsequent disposal of waste from demolition processes and construction activities as well as concerns regarding the sourcing of materials. Because the majority of construction will focus on upgrading of existing inplace facilities — as opposed to the breaking of new ground — many of the potential environmental impacts that are normally associated with construction activities are not applicable. Additionally, because the required construction activities are relatively small in scale, require limited landscaping and will be implemented within urban or peri-urban vicinities, impacts on biodiversity, critical ecosystems and soils are considered minor and limited in scale.

Social impacts

As previously stated, the main social impacts associated with the project are temporary restrictions on access to school buildings and services. Where services provided by these buildings are critical — construction activities will be implemented in a phased approach to ensure that limited services can still be provided during construction. Additionally, advance notice of closures will be provided to the communities. Also, several minor social risks that have been identified and are associated with construction activities. These include labor practices, construction site safety and social disruptions adjacent to construction sites. These additional minor impacts are all temporary and can be mitigated through regular monitoring and management. No long-term social impacts are associated with the project.

A checklist of environmental and social impacts and risks is provided in Table 4 and elaborated in the text that follows.

Checklist of environmental and social principles	No further assessment required for compliance	Potential impacts and risks – further assessment and management required for compliance
Compliance with the Law	Х	
Access and Equity		Х

Marginalized and Vulnerable Groups	Х	
Human Rights	Х	
Gender Equity and Women's Empowerment		Х
Core Labour Rights		Х
Indigenous Peoples	Х	
Involuntary Resettlement	Х	
Protection of Natural Habitats	<u>X</u>	
Conservation of Biological Diversity	Х	
Climate Change	Х	
Pollution Prevention and Resource Efficiency	X	
Public Health	Х	
Physical and Cultural Heritage	Х	
Lands and Soil Conservation	<u>X</u>	
Table 4: Checklist of Environmental and Social Principles and Risks.		

Compliance with the Law

The proposed project is designed to comply with all relevant regional and national laws, especially those cited under Section G of this document. To ensure that no legal issues arise and that all relevant legal requirements are met, relevant authorities in both countries will be consulted during the development of the full project proposal.

Access and Equity

UN-Habitat promotes equal access to benefits in its projects and programmes and considers that addressing environmental and social risks and impact management plays a key role in seeking spatial justice. Thus, by addressing the principles of "do even better" and "leave no one behind" in the fight against spatial injustice, it is crucial to ensure access to benefits, justice and nondiscrimination across all projects and programmes. The proposed project is designed to ensure that there is equal access to infrastructure and services by: (i) including in the impact assessment analysis the process of allocating and distributing environmental and social project/programme benefits and show how this process ensures fair and impartial access to these benefits; (ii) Explicitly stating that there will be neither environmental or social discrimination nor favoritism in accessing project/programme benefits; and (ii) Defining a Stakeholder Engagement Plan to ensure equal access to the process of participation and consultation for all stakeholders.

Marginalized and vulnerable groups

The design and implementation of the proposed project should not have any negative impacts on marginalized and vulnerable groups.

Human Rights

The proposed project is designed to respect and adhere to the requirements of all relevant

conventions on human rights.

Gender Equity and Women's Empowerment

UN-Habitat aims at mainstreaming gender equality and the empowerment of women, though the integration of gender equality as a cross-cutting issue in all projects, programmes and policies. The proposed project is designed to ensure that gender considerations are included in all project interventions by: (i) Collecting gender-disaggregated data to perform the environmental and social impact assessment; (ii) Identifying potential risks and impacts for women and girls from a project or a programme, with special focus on those that could particularly and/or disproportionally affect this group; (iii) In case impacts and risks cannot be avoided, defining pertinent measures in order to address these risks and impacts; (iv) Promoting and creating conditions for the participation of women and girls in the project/programme activities and stakeholder consultations; and (v) Including in the description of the project/programme how gender equality and women's empowerment have been promoted by the project/programme.

Core Labor Rights

UN-Habitat greatly values its workforce and the workforce employed for projects and programmes, and it is committed to complying with the international conventions of the International Labour Organization (ILO) and the United Nations. UN-Habitat promotes efforts to go beyond protecting workers' fundamental rights, by providing a sound worker management relationship. Activities to retrofit buildings will create employment. The relevant national labor laws guided by the ILO labor standards will be followed throughout project implementation.

Indigenous Peoples

No indigenous groups are expected to be impacted by the implementation of the proposed project concept.

Involuntary Resettlement

No involuntary resettlement is foreseen in any circumstance during project implementation.

Protection of Natural Habitats and Conservation of Biological Diversity

While damage to natural habitats and threats to biological diversity are unlikely, there is a possibility that construction work may temporarily adversely impact local biodiversity. Efforts will be made to prevent damage, and actions will be taken to restore any damaged natural habitats to their original condition. This will be further assessed in the full proposal stage.

Climate Change

No mal-adaptation activities are foreseen as the project will not provide or install infrastructure or appliances that result in increased greenhouse gasses (GHG) emissions. The project will install renewable energy solutions that reduce GHG emissions.

Pollution Prevention and Resource Efficiency

As per above, the installation of localized renewable energy solutions will reduce pollution levels

and will lead to resource efficiencies.

Public Health

No public health issues are foreseen as a risk. The project expects to improve public health by preventing or reducing injuries from climatic events.

Physical and Cultural Heritage

No physical or cultural heritage impacts are foreseen. No heritage sites have been identified during the screening risks of proposed interventions in target areas.

Lands and Soil Conservation

Efforts will be made to minimize the disturbance of land and soil while renovation/retrofitting school buildings. Any damage that is done to land and soil will be restored to its original state. Additionally, the project will seek to protect risk areas and critical natural habitats from damage and protective measures for land erosion control will be conducted as required.

PART III: IMPLEMENTATION ARRANGEMENTS

A. Project implementation

The following mechanisms for project execution, coordination and oversight have been agreed to as per **Antigua and Barbuda's** Department of Environment, Ministry of Health and Environment, and **St. Lucia's Department** of Sustainable Development, Ministry of Education, Innovation, Gender Relations and Sustainable Development. Both organizations serve as the National Designated Authorities to the Adaptation Fund.

PSC - Project Steering Committee – The PSC is an Executive body, made up of eight members, that will include key personnel from the executing entities, government, as well as civil society, representing interests from all levels of society. The PSC will be responsible for policy guidance, and for management decisions of the project, playing a critical role in project by providing technical inputs to ensure smooth implementation of the project from start to completion, including providing advice on how to deliver project outputs and the achievement of project outcomes in a timely matter in line with national and subnational strategies and technical standards. The PSC will also be responsible for evaluations for performance improvement, accountability, lesson learning, coordination with relevant ministries and authorities, approve annual work plans and review key project periodical reports; reviewing any deviations and consider amendments to work plans and contractual arrangements

RPSU - Regional Project Supervision Unit – At the regional level, project implementation will be supported through a RPSU. This Unit will be responsible for project supervision / oversight, including coordination with and between the national **Project Management Committee (PMC)** of each country. The RPSU will also be responsible for ensuring project compliance with Adaptation Fund and UN-Habitat policies and reporting requirements, and for contracting the Project Executing Entities.

NPCU - National Project Coordination Units – At the national level, project implementation will be supported through NPCUs. These Units will be responsible for daily project coordination in both countries, including coordination of execution of the project activities with the Project Execution Entities as well as coordination with the RPSU.

PD - Project Director – The PD is to be appointed by the Project Steering Committee and will serve as the designated Project Executing Entity lead officer and focal point for the project. The PD will report to UN-Habitat and serve as liaison between the Steering Committee and the PC and the RPM, supporting the coordination of the various project components.

RPM - Regional Project Manager – a UN-Habitat liaison project manager for the duration of the project. The Regional Project Manager's primary responsibility will be to ensure the project is run in accordance with Adaptation Fund and UN-Habitat guidelines within specified time constraints and cost.

NPC – National Project Coordinator – at the local level the coordinator will facilitate the drawing up of the scope and standards of the project's components and the production of the expected outputs as specified in the project documentation. Responsible for stakeholder management and for providing guidance and supervision to the Project Implementation team.

MO – Monitoring Officer – Under guidance of the RPM, supported by the NPC, Monitoring Officers will monitor the status of financial and project management risks, including those measures required to avoid, minimize, or mitigate these risks, throughout the project (please see also Section Part III.D).

PEE – Project Execution Entities – Both countries have selected local ministries as Project Executing Entities, which are responsible for carrying out the project's activities and reporting to the NPCU and PSC.

Legal and Financial Arrangements – UN-Habitat will sign a joint Memorandum of Understanding with both countries as a legal commitment to implement the project. UN-Habitat will also enter into an Agreement of Cooperation with both countries. This is the legal basis to transfer funds to be invested under the project. The national entities will authorize the payments against the contractual agreements, upon recommendations from the project manager.

Project Assurance – UN-Habitat, as the Multilateral Implementing Entity (MIE), will provide project management support and oversight, and will act as the secretariat of the PSC. In this role it will provide project oversight, supervision and coordination. It will ensure compliance with the Adaptation Fund and UN-Habitat policies, and reporting/M&E requirements (including safeguarding systems).UN-Habitat will also be part of the team that implements the project, where it will provide technical knowledge and expertise based on its experience implementing other climate change projects in each country, across the Caribbean region, and around the world. UN-Habitat will further oversee compliance with its Environmental and Social Safeguard System and the Environmental and Social Safeguard Policy of the Adaptation Fund.

Management Structure

Regional level: at the regional level, project implementation will be supported through a Regional Project Supervision Unit (RPSU). This Unit will be responsible for project supervision / oversight, including coordination with and between National Project Coordination Units (NPCUs), the Regional-level Project Steering Committee (PSC) and the Project Execution Entities (PEE). The RPSU will be responsible for ensuring project compliance with the Adaptation Fund and UN-Habitat policies and reporting requirements by the PEE and it will chair the RPSU. This RPSU will be responsible for steering the project from start to completion.

National level: at the national level, project implementation will be supported through National Project Coordination Units (NPCUs). These Units will be responsible for daily project coordination, including coordination on execution of the project activities with the Project Execution Entities. The Units will also be members of the national-level Project Steering Committees (PSCs) in Antigua and Barbuda and St. Lucia. These PSCs will be responsible for steering the country-specific project activities from start to completion.

Local level: at the local level, project implementation will be supported through the National Project Coordination Units (NPCUs), and coordinated by the NPCs. NPCUs will be responsible for day-to-day project coordination and execution of project activities in partnership with the PEE and RPSU. The national-level Project Steering Committees (PSCs) will include government representatives from the sub-national level, including from the target municipalities.

Launch of the project

At the launch of the project, UN-Habitat's Regional Office for Latin America and the Caribbean (ROLAC), together with OECS and CDEMA will organize an inception workshop inviting members of the Regional-level Project Steering Committees, Execution Partners and other key

stakeholders. The project approach and the proposed outputs and outcomes of the project will be presented and discussed with the purpose to solicit feedback and inputs in a participatory manner. Comments and feedback will be incorporated in project frameworks and work-plans. The inception workshop aims to: (i) Enhance participants' understanding of the project objectives and activities and take ownership of the project; (ii) Discuss and confirm the organizational structure of the project, including roles and responsibilities; (iii) Confirm / agree upon project monitoring framework and workplan; (iv) Confirm / agree upon project risks management framework; (v) Discuss and agree upon project knowledge management framework and plan; (vi) Confirm / agree upon the project Environmental and social Risks Management Plan; and (vii) Agree on the annual work plan for year one. The inception workshop will be organized within three months after signing the project agreement between the Adaptation Fund and UN-Habitat.

B. Measures for financial and project risk management.

Table 5 provides an overview of potential project management and financial risks, an assessment of the significance of the risks in terms of likelihood and impact, and measures that have been embedded in the project design in order to manage and/or mitigate these risks.

	Category and Risk	Rating: Impact/ Probabilit y 1: Low 5: High	Management/Mitigation Measure	Indicator to verify
1.	Environmental/ social: Climate hazard events result in delays in physical work	Impact: 3 Prob: 1	Current climatic seasonal risks have been considered in the planning and design of project activities	Work plans avoiding critical concrete works being planned in storm season.
2.	Institutional: Loss of government support (including regional) for the project (activities and outputs) may result in lack of prioritization of Adaptation Fund project activities.	Impact: 4 Prob: 1	Establishment of a project management committee and the overall participatory and inclusive project design will improve national, municipal and beneficiary level ownership throughout and thus enhance government support for project implementation. Government staff working on climate change, environment, disaster management, land use, and education will be strongly integrated into the project's structure	Confirming steering committee members and roles and responsibilities during inception workshop Government focal point to coordinate steering committee will be appointed at inception workshop
3.	Institutional: Capacity constraints of local institutions may limit the effective implementation of interventions and maintenance	Impact: 2 Prob: 1	The project has a strong capacity building and training component, designed to promote effectiveness and sustainability.	Capacity building indicators to be established Institutional staff that are part of project staff

4.	Institutional/social Lack of commitment/buy-in from local communities may result in delay at intervention sites.	Impact: 2 Prob: 1	Community stakeholders have been consulted during the full project development phase to ensure their buy- in into the Adaptation Fund project. A bottom-up approach integrating the community into the Adaptation Fund project's implementation phases – including community contracting - will be followed. Where possible, the community will have an active role that ensures ownership of the project, particularly through community participation in project implementation and monitoring	Capacity building indicators to be established Institutional staff that are part of project staff
5.	Institutional/social: Disagreement amongst stakeholders with regards to adaptation measures.	Impact: 3 Prob: 2	Adaptation measures and locations have been selected using extensive and detailed criteria, and through in-depth consultations There will be a participatory approach to all aspects of the project.	The inception workshop was organized within three months of the signed project agreement between UN-Habitat and the Adaptation Fund
6.	Institutional: Local school administrators and communities may not agree on the ongoing maintenance requirements.	Impact: 2 Prob: 2	The maintenance requirements will be institutionalized within the ministries, local government and communities to ensure sustainable delivery of ongoing maintenance activities . Officials will support the participating communities beyond the project implementation ensuring community level governance support as well as support for maintenance.	Institution's staff and community members that are part of project staff

			Capacity building and training of communities will be undertaken to improve their awareness and understanding of the benefits of the activities, including infrastructure maintenance. Communities will be involved in project implementation/decision making throughout the project.	
7.	Institutional: Delays in project implementation, and particularly in the development of infrastructure interventions	Impact: 1 Prob: 2	The ownership by both Governments has been high during the project preparation phase which will reduce this risk. Partnerships with key government agencies and infrastructure and community resilience project planning will start early on – in tandem with the community action planning. Institutional arrangements will be put in place well before the finalization of community action plans.	Execution entities to start the interventions within six months after the inception workshop
8.	Institutional: A lack of coordination between and within national government Ministries and Departments as well as regional partners	Impact: 1 Prob: 2	The Project Management Committee will ensure coordination with support from UN-Habitat.	Confirming steering committee members and roles and responsibilities during inception workshop

Table 5: Overview of potential project management and financial risks

C. Measures for the management of environmental and social risks

The proposed project seeks to fully align with the Adaptation Fund's Environmental and Social Policy (ESP). For that purpose, environmental and social risks and impacts of the project and related activities will be identified and addressed so that the project does not unnecessarily harm the environment, public health or vulnerable communities. Systematic screening and assessment has been done based on broad consultation with national and local government stakeholders, target communities, and a wide range of other concerned stakeholders. The project design has benefitted from this process.

To ensure that risks are well managed, the project management, governance and monitoring and evaluation seek to fully account for the management of environmental and social risks. Additionally, an Environmental and Social Management Plan (ESMP) has been developed to ensure full compliance with the Adaptation Fund's Environmental and Social and Gender Policies. (See Annexes 1 and 2)

The ESMP for this project identifies measures and actions that reduce potentially adverse environmental and social impacts to acceptable levels. Specifically, the ESMP:

(i) Identifies and summarizes all anticipated adverse environmental and social impacts in line with the Adaptation Fund's ESP principles;

(ii) Describes mitigation measures, both from the perspective of mitigating risks at each activity and from the perspective of upholding all ESP principles;

(iii) Describes a process which supports the screening and assessment of all project activities and the conditions under which screening and mitigation action is required;

(iv) Clearly assigns responsibilities for screening, assessment, mitigation actions and approval and monitoring;

(v) Considers, and is consistent with, other technical standards required for the project, in particular, those that relate to national law.

For the activities under the three components of the project, the ESP will be upheld by ensuring that:

(i) All MoUs and Agreements of Cooperation with the Executing Entity will include detailed reference to the ESMP and the 15 ESP Principles.

(ii) The Terms of Reference of Committees and Advisory Groups, project personnel and focal points will include detailed references to the ESMP and the 15 ESP Principles.

(iii) The Executing Entities and other relevant government agencies will receive training/capacity development to understand the 15 ESP Principles, the ESMP and their responsibilities. This will include members of the Project Management Committee, the Local Committees and the Communities.

(iv) A Monitoring and Evaluation Framework will be developed by the project management team and presented for approval to the Project Management Committee.

(v) All project monitoring will have the 15 ESP Principles, and the ESMP Strategy mainstreamed into it. In addition to upholding the ESP of the Adaptation Fund and familiarizing all project stakeholders with the 15 ESP Principles, this will also ensure that all stakeholders fully take ownership of the environmental and social safeguards procedures of the project and that any activity that may have been altered or not yet assessed in detail is captured.

(vi) A grievance mechanism is also part of the plan. This will allow any affected stakeholder to raise concerns, anonymously if they wish, to the community leaders on the local coordinating committee, the project team, or the PMC. The primary means for affected beneficiaries and/or community members to raise grievances will be through a confidential telephone number shared with stakeholders. In addition to this grievance mechanism, local staff will be trained to have an 'open-door' policy with communities, so that communities can discuss any aspect of the project at any time. This less formal mechanism will also enable project staff to listen to communities' concerns or ideas and promote them in the implementation of the project. More formal consultations and workshops held at local and national levels throughout the project implementation will also serve as a means for stakeholders to raise concerns or suggestions with the project's implementation.

D. Arrangements for monitoring, reporting and evaluation

The Monitoring and Evaluation (M&E) arrangements for this regional project will be in compliance with the Adaptation Fund M&E guidelines, ESP and gender policy (GP), and with UN-Habitat M&E policies and guidelines. At a minimum, the following will be monitored and evaluated: (1) baseline data and targets; (2) project milestones; (3) financial data; (4) procurement data; (5) risk assessment; (6) ESP compliance; (7) GP compliance; (8) project indicators; and (9) lessons learnt and project Results. Moreover, it will follow the principles for M&E as outlined in UN-Habitat's Evaluation Policy (2013) and Evaluation Manual (2018), adhering to the UN system standards and norms for evaluation, which are in line with the OECD/DAC criteria for evaluation.

The M&E of progress in achieving project results will be based on targets and indicators (also for gender) established in the Project Results Framework (see Part III.E).

The annual project performance reports (PPRs) will include a section on the status of implementation of any environmental and social management plan, including those measures required to avoid, minimize, or mitigate environmental and social risks. The PPRs shall also include, if necessary, a description of any corrective actions deemed necessary. The terminal project performance report will include an evaluation of the project's performance with respect to environmental and social risks.

UN-Habitat will ensure timely and high-quality M&E by keeping oversight of the process by providing guidance to the Project Execution Entities and national government partners through full briefing of M&E requirements. Where possible, the M&E process will be participatory, involving key stakeholders at national, municipal and community levels. Project activities will be monitored by the Regional Project Supervision Unit (RPSU) and National Project Coordination Units (NPCUs) with dedicated monitoring staff, which will require having expertise of M&E compliance to the Adaptation Fund ESP and GP. The M&E framework and plan will also be endorsed by the Regional-level Project Steering Committee. Audits of the project's financial management will follow Adaptation Fund regulations and rules and applicable audit policies. The M&E plan will be implemented as proposed in Table 6 below.

Type of M&E	Responsible Parties	Time Frame	Reporting
activities Inception workshop	Project Coordinator	Inception workshop	Inception Report,
and Steering	 National Project 	within first 6 months	including confirming of
Committee Meetings	Team	and bi-annual steering	1st year workplan,
Committee meetinge	UN-Habitat ROLAC	committee meetings	monitoring framework
	OECS	committee meetinge	and plan; project risks
	CDMA		management framework
			and plan; environmental
			and social risks
			management framework
			and plan; knowledge
			management strategy
Project Monitoring	 Project Coordinator 	Quarterly, half-yearly	Annual, Mid-term and
and Quality	 National Project 	and annually as	Final Report
Assurance, including	Team	needed	
progress and	UN-Habitat ROLAC		
financial reporting,			
and risk			
management	- Drois et Coordinator	Annually	Annual Mid targe and
Compliance with ESP and GP	 Project Coordinator National Project 	Annually	Annual, Mid-term and Final Report
ESF and GF	Team		гіпаї кероп
	• UN-Habitat		
	• ON Habitat		
Annual and Terminal	Independent	No later than 1 month	Annual and Terminal
Project Performance	evaluator	after end of year or	Project Performance
Reports		project completion	Reports
Mid-term and Final	Project Coordinator	At midpoint and then	Mid-term and Final
evaluations	 Project Team UN-Habitat ROLAC 	no later than 3 months upon termination of	evaluations Report
	 UN-Habitat ROLAC Project EEs 	the project	
	OECS	the project	
	 CDMA 		
Community	Project Coordinator	Quarterly, half-yearly	Documentation
consultations/	Project Team	and annually as	
workshops/ trainings	OECS	needed	
	CDMA		
Visit to field sides	UN-Habitat ROLAC	Quarterly, half-yearly	Field Visit Report
	 Project Coordinator 	and annually as	
	 National Project 	needed	
	Team		

Table 6: Monitoring and Evaluation (M&E) Plan

For the M&E budget and a breakdown of how MIE fees will be utilized in the supervision of the M & E function, please see the detailed budget (Part III.G). For related data, targets, and indicators, please see the project proposal results framework (Part III.E).

M&E Activities

Inception workshop and Project Steering Committee meetings a)

During the first Regional-level Project Steering Committee meeting, which will be organized in conjunction with the project Inception Workshop, the Committee will monitor / review project progress and provide technical guidance. During the first Regional-level Project Steering Committee meeting, the following will be reviewed: the project organizational structure, including roles and responsibilities, the project monitoring framework and workplan, the project risk management framework, the project knowledge management framework and plan, the project Environmental and Social Risks Management Plan and the annual work plan for year one. The Regional-level Project Steering Committee will meet every year, the National Project Steering Committees will meet every six months, and ad-hoc meetings will be held as needed.

Periodic project monitoring and terminal project performance reporting b)

Annual project performance monitoring will be conducted using the Adaptation Fund PPRs template. This will include monitoring of project: milestones; financial data; procurement data; risks assessment; ESP compliance; GP compliance; project indicators; lessons learned; and project results.

c) ESMP and GP implementation monitoring The implementation of the project Environment and Social Management Plan (ESMP) as described in Annexes 1 and 2 will be monitored. The ESMP includes monitoring indicators and responsibilities for identified potential risks, impacts and mitigation measures. A dedicated budget for monitoring the compliance to the Adaptation Fund ESP and GP has been included in Part III.G.

Terminal Project Performance report d)

No later than one month after project completion, a performance report will be conducted following Adaptation Fund and UN-Habitat policies and guidelines. It will be conducted by an independent evaluator.

Mid-term and Final Evaluation e)

No later than three months after project midpoint and completion, evaluations will be conducted following Adaptation Fund and UN-Habitat policies and guidelines. Evaluations will be conducted by an independent team of international and national experts in consultation with executing entities and national stakeholders as a participatory process.

Community Level Participatory Monitoring

Part of the detailed project monitoring framework and plan will be identified through activities to involve Project Execution Entities and beneficiaries at the community level in monitoring activities. This would include community-level monitoring of Gender and Youth responsiveness and impact of the project.

g) Periodic Project Site Visits

Members of the Regional-level Project Steering Committee and representatives of UN-Habitat will visit project sites and hold meetings with the local stakeholders to monitor the implementation of project activities.

Reporting

a) Inception Workshop and Report

One month after the inception workshop, an Inception Report will be submitted to the Adaptation Fund and project steering committees' members. Reports will include: (i) agreement on organizational structure of the project, including roles and responsibilities; (ii) monitoring framework and workplan; (iii) project risks management framework; (iv) knowledge management framework and plan; (v) Environmental and social Risks Management Plan; and (vi) the year one work plan.

b) Annual project performance reports, including final report

The Annual project performance reports, which will be submitted to the Adaptation Fund, will include:

- (1) Milestones
- (2) Financial data
- (3) Procurement data
- (4) Risks assessment
- (5) ESP Compliance
- (6) GP Compliance
- (7) Project indicators
- (8) Lessons learned
- (9) Project Results

c) Community Level Meeting /Workshop / Training Reports and site visit

Reports on all community-level meetings, workshops, and training will be prepared by Project Execution Entities within one month of the event. Photo documented site visit reports, also to monitor women participation, will also be prepared by Project Execution Entities.

d) Final Evaluation Report

Independent consultants will prepare the Final Evaluation report in line with Adaptation Fund and UN-Habitat evaluation policies and guidelines and norms and standards for evaluation in the UN system.

M&E Budget

The allocated budget for M&E activities, and entities responsible, are summarized in Table 7 below, for full budget of implementation, execution and monitoring and evaluation, please see section G.

Type of M&E Activity	Activity	Entity	Total (USD)	Y1	Y2	Y3	¥4
Measurements of verification (baseline assessment and M&E plans) as part	inception workshop	UN-H National Office	12,000	12,000			
f inception -	Report preparation	UN-H				toring and eval gement Fees)	
Direct Project Monitoring and Quality Assurance including annual progress and financial reporting, project revisions, technical assistance and ESP and 3P compliance (rom axecution fee M&E saleguards)	M&E UN-H Offices	UN-H	95,500	40,500	20,000	20,000	15,00
		National Office					
Overall project monitoring and evaluation (from cycle management fees)		UN-H	23,971	7,000	5,000	5,000	6,97
		ROLAC					
Audits	rolling project and programme audits	OIOS				-	
		BOA					
Terminal external evaluations		UNON	40,000	-	-	-	40,00
TOTAL			171,471	59,500	25,000	25,000	61,97
From Project Execution Fee			428,000	123,000	125,000	125,000	55,00
From Project Cycl e Management Fee			23.971	7,000	5,000	5,000	6,97

"Olds: United Nations Utilizeror internal Oversite BOA: Board of Auditors ROLAC: Regional Office for Latin America and the Caribbean UNON: United Nations Office in Nairobi

Type of M&E Activity	Activity	Entity	Total (USD)	Y1	Y2	Y3	Y4
Measurements of verification (baseline assessment and M&E plans) as part	Inception workshop	UN-H National Office	12,000	12,000			
of inception -	Report preparation	UN-H	-			itoring and eva agement Fees	
Direct Project Monitoring and Quality Assurance including annual progress and financial reporting, project revisions, technical assistance and ESP and GP compliance (from execution fee MBE safeguards)	M&E UN-H Offices	UN-H	95,500	40,500	20,000	20,000	15,000
		National Office					
Overall project monitoring and evaluation (from cycle management fees)		UN-H	23,971	7,000	5,000	5,000	6,97
		ROLAC					
Audits	rolling project and programme audits	OIOS		-			
		BOA					
Terminal external evaluations		UNON	40,000				40,000
TOTAL			171,471	59,500	25,000	25,000	61,97
From Project Execution Fee			135,500	123,000	125,000	125,000	55,000
From Project Execution Fee			23,971	7,000	5.000	5,000	6,971

*OIOS: United Nations Office for Internal Oversite BOA: Board of Auditors ROLAC: Regional Office for Latin America and the Caribbean UNON: United Nations Office in Nairobi

Table 7: Monitoring and Evaluation (M&E) Budget

Formatted: Centered

Ε.	Project alignment with the Adaptation Fund Results Framework
----	--

Project Outcome	Project Objective Indicator(s)	Baselin e	Target	Fund Outcome	Adaptation Fund Core Indicator	Fund Outcome Indicator	Grant Amount (USD)
Outcome 1. Strengthen the enabling environment for adaptation planning within the education sector at the national and regional level	No. of Model Safe School Policy updates.	0	2 (1 policy update per country)	Outcome 7: Improved policies and regulations that promote and enforce resilience measures	Assets produced, developed, improved, or strengthened	 7.1. No. of policies introduced or adjusted to address climate change risks (by sector) 7.2. No. of targeted development strategies with incorporated climate change priorities enforced 	380,000
Outcome 2. Strengthen the capacity of schools, businesses, communities, and households to understand climate risks, adaptation	No. of workshops to educate communities on the risks of climate change- related hazards and how to react in case of a disaster No. of capacity building workshops for schools to improve knowledge of Site Environmental Management	0	6 (Participation goals) Women: >40% Youth: >15%) 15 (Participation goals) Women: >40%	Outcome 2: Strengthene d institutional capacity to reduce risks associated with climate- induced socioeconom ic and	Number of beneficiaries (direct and indirect) Assets produced, developed, improved, or strengthened	2.1. Capacity of staff to respond to, and mitigate impacts of, climate-related events from targeted institutions increased 3.1. Percentage of targeted	979,000

options, and cope	Plans and calls for proposal		Youth: >15%)	environment		population		
with socio-	submitted			al losses		aware of		
emotional						predicted		
	No. of outpropage			Outcome 3:		adverse impacts		
impacts	No. of awareness					of climate		
	campaigns			Strengthene		change, and of		
		0		d awareness		appropriate responses		
	No. of schools to integrate		2 (1 campaign	and		responses		
	disaster risk reduction and		per country)	ownership of		3.2. Percentage		
	resilience education into	0	23 (15 in A&B 8	adaptation		of targeted		
	their curriculum	-	in SL)	and climate		population		
			III 3L)	risk		applying		
	No. of self-assessments			reduction		appropriate		
	surveys for climate					adaptation responses		
	resiliency at homes and			processes at		responses		
	buildings within target	0	30% of families of	local level				
	school communities		target school					
	distributed.							
Outcome 3.	No. of manuals for site-specific	0	23 (15 in A&B 8	Outcome 4:	Number of	4.2. Physical	10,315,	500
Climate proofing	operational procedures for	-	in SL)	Increased	beneficiaries	infrastructure	-,,	
interventions	long-term maintenance		,	adaptive	(direct and	improved to		
implemented for	distributed.			capacity	indirect)	withstand		
select school				within relevant		climate change		
buildings to	No. of schools with a defined	0	23 (15 in A&B 8	development	Number of Early	and variability- induced stress		
improve climate	monitoring framework for climate-proofing measures		in SL)	and natural	Warning Systems	induced stress		
resilience.	cimate-proofing measures			resource				
	No. of schools' infrastructures	0		sectors	Assets produced,			
	improved.		23 (15 in A&B 8		developed,			
			in SL)		improved, or			
	No. of weather stations	0	2		strengthened			
	installed at select schools		£					

F. Detailed budget

Outcomes	Output	Activities	Total Budget (USD)	Year 1	Year 2	Year 3	Year 4
		Activity 1.1.1 Annual regional meetings with CDEMA, OECS, SL and A&B and other key stakeholders. (both)	\$120,000	\$40,000	\$40,000	\$40,000	
	and lessons learned	Activity 1.1.2 Biannual (2x per year) national review meetings in each country. (both)	\$90,000	\$30,000	\$30,000	\$30,000	
Outcome 1: Strengthen the enabling environment for adaptation planning within the education sector at the national and regional level.	with the Caribbean Disaster Emergency Management Agency (CDEMA) Model Safe School Programme, to incorporate and mainstream comprehensive risk and disaster management	Activity 1.1.3 Conduct Gap Analysis and stakeholder engagements to determine areas in need of improvement of the Model Safe School Policy for each country (both)	\$40,000	\$40,000			
		Activity 1.1.4 Develop an updated toolkit and action plan to guide the integration of climate resilience design and OECS guidelines into the Model Safe School Policy in each country (both)	\$50,000	\$50,000			
		Activity 1.1.5 Develop and validate an updated Model Safe School Policy and Toolkit for each country (both)	\$40,000	\$40,000			

Outcomes	Output	Activities	Total Budget (USD)	Year 1	Year 2	Year 3	Year 4
		Activity 1.1.6 Collect data and capture lessons learned for the preparation of report (both)	\$20,000			\$20,000	
		Activity 1.1.7 OECS and CDEMA produce a joint lessons learned report with data analysis included based on the experiences of the project (both)	\$20,000			\$20,000	
		Component 1 Total	380,000	200,000	70,000	110,000	0
Outcome 2: Strengthen the		Activity 2.1.1. Annual capacity building workshops to educate communities on the risks of climate change- related hazards and how to react in case of a disaster. (A&B)	\$60,000	\$15,000	\$15,000	\$15,000	\$15,000
capacity of schools, businesses, communities and households to understand climate risks and adaptation options, and cope with socio-emotional impacts	Output 2.1: Schools, communities and households' capacity building to increase resilience to climate change	Activity 2.1.2. Develop learning materials relating to climate change adaptation, resilience, and disaster recovery for integration into the Ministry of Education's Social Science Programme. (A&B)	\$80,000	\$80,000			
		Activity 2.1.3. Plan and host technology expos to improve knowledge-sharing of new and innovative technologies.	\$30,000	\$10,000	\$10,000	\$5,000	\$5,000

Outcomes	Output	Activities	Total Budget (USD)	Year 1	Year 2	Year 3	Year 4
		(A&B)					
		Activity 2.1.4. Sensitize the public on resilience, recovery and adaptation efforts through awareness campaigns at Arbour month events. (A&B)	\$30,000	\$10,000	\$10,000	\$5,000	\$5,000
		Activity 2.1.5. Integrate disaster risk reduction and resilience education into the school curriculum (A&B)	\$30,000	\$10,000	\$10,000	\$10,000	
		Activity 2.1.6 Demonstrations conducted by schools' industrial arts departments on adaptation and resilience- building benefits, as a part of School Based Assessment (SBA) projects (A&B)	\$150,000	\$37,500	\$37,500	\$37,500	\$37,500
		Activity 2.1.7. Conduct capacity-building workshops for schools to improve knowledge of Site Environmental Management Plans and call for proposals (CFP) application capacity (A&B)	\$18,000	\$18,000			
		Activity 2.1.8. Conduct training of internal Ministry of Environment teams and technical evaluation	\$6,000	\$6,000			

Outcomes	Output	Activities	Total Budget (USD)	Year 1	Year 2	Year 3	Year 4
		committee teams to evaluate submissions of call for proposals (A&B).					
		Activity 2.1.9. Develop proposals for climate-proofing school facilities (Linked to Sub-activity 3.2.1.) (A&B)	\$150,000	\$50,000	\$50,000	\$50,000	
		Activity 2.1.10. Develop Site Environmental Management Plans for 15 participating schools (A&B)	\$30,000	\$30,000			
		Activity 2.1.11 Design and conduct educational campaigns for 15 participating schools (A&B)	\$30,000	\$7,500	\$7,500	\$7,500	\$7,500
		Activity 2.1.12 Develop Site Environmental Management Plans for additional schools (A&B)	\$200,000		\$66,666	\$66,667	\$66,667
		Activity 2.1.13 Participation of primary, secondary and tertiary students in DoE's annual Ecozone Summer Camp. (A&B)	\$75,000	\$18,750	\$18,750	\$18,750	\$18,750
		Activity 2.1.14 Develop information products for conducting self-assessments for climate resiliency at homes and buildings within target school communities (A&B)	\$50,000	\$50,000			

Outcomes	Output	Activities	Total Budget (USD)	Year 1	Year 2	Year 3	Year 4
		Activity 2.1.15 Student home climate resiliency self- assessment surveys conducted (A&B)	\$10,000	\$10,000			
		Activity 2.1.16 Design and conduct school programme for the enhancement of the resiliency and building of the adaptive capacity of students, parents, teachers, and school personnel to help them cope with the social-emotional impacts caused by exposure to extreme weather events, including hurricanes. (A&B)	\$30,000	\$7,500	\$7,500	\$7,500	\$7,500
		Component 2 Total	\$979,000	360,250	232,916	222,917	162,917
Outcome 3: Climate- proofing interventions implemented in select school buildings to improve		Activity 3.1.1. Conduct baseline audits of school buildings in alignment with and in support of the Model Safe School Programme toolkit and OECS's Guidelines for the Locating and Designing of Disaster Resilient Schools (A&B)	\$300,000	150,000	150,000		
resilience to, and recovery from, extreme climate events.	aintenance plans Action osted. Sp fo a cli	Activity 3.1.2. Develop site- specific operational procedures for long-term maintenance, and a monitoring framework, of climate-proofing measures for each priority building (both)	\$140,000		70,000	70,000	

Outcomes	Output	Activities	Total Budget (USD)	Year 1	Year 2	Year 3	Year 4
		Activity 3.2.1 Implement climate- proofing measures to improve priority buildings climate resilience including engineering design & supervision (A&B)	\$3,480,000	1,160,000	1,160,000	1,160,000	
	the resilience of priority buildings through adaptation interventions	Activity 3.2.2 Implement climate- proofing measures to improve priority buildings climate resilience including engineering design & supervision (SL)	\$6,295,500	2,098,500	2,098,500	2,098,500	
		Activity 3.2.3 Design, procure and install weather stations at select schools (A&B)	100,000		50,000	50,000	
		Component 3 Total	10,315,500	3,408,500	3,528,500	3,378,500	0
	Total Components	\$11,674,500					
	Project Execution costs (9.5%)	\$1,225,500					
	Total Project Cost	\$12,900,000					
	Implementing Entity Fee (8.5%)	\$1,096,500					
	TOTAL FINANCING REQUESTED	\$13,996,500					

			TOTAL	Y1	Y2	Y3	¥4
Total Components			11,674,500	3,968,750	3,831,417	3,711,416	162,917
PROJECT EXECUTION COSTS				contract miles or a			
Project execution	Antigua & Barbuda	Project Manager - Regional Project Coordination (international P3)	432,000	144,000	144,000	144,000	
		Admin / financial procurement (national)	100.000	30,000	30,000	30,000	10,000
		Safeguarding system (AF) compliance (national)	30,000	12,500	10,000	7,500	
		M & E and communication (national)	47,500	10,000	10.000	12,500	15,000
	Saint Lucia	National Project coordination (national)	288,000	96,000	96,000	96,000	-
		Admin / financial procurement (national)	105,000	30,000	30,000	30,000	15,000
	Travel	Travel	36,000	10,000	10,000	10,000	6,000
	Operations	Vehicle Operations & Maintenance	31,000	12,000	10,000	9,000	
		Office Rent	84,000	24,000	24,000	24,000	12,000
		Communication / publication / printing	18,000	3,000	5,000	5,000	5,000
		Office Supplies, Stationary, Computers	14,000	8,000	2,000	2,000	2,000
	Final Evaluation	Independent (lump sum)	40,000				40,000
TOTAL Execution Costs	9.50%		1,225,500	379,500	371,000	370,000	105,000
TOTAL Project Activities + Project Execution Cost (A+B)			12,900,000	4,348,250	4,202,417	4,081,416	267,917
Project cycle management fee costs							
	1.50%	UN-H ROLAC overall project supervision and M &E, incl. AF and UN-H policies (esp ESP and GP) and regulations compliance (Senior Human Settlements officer 5% + PMO 5% + PMA 25 % + M & E)	156,870	49,747	54,165	38,918	14,040
		UN-H ROLAC Travel	23,971	7,000	5,000	5,000	6,971
	7%	UN-H HQ Overall project supervision, incl .compliance to UN-H policies (gender, human rights, climate change, etc.)	915,659	308,350	298,311	288,773	20,225
Total management fee C	8.50%		1,096,500	365,097	357,476	332,691	41,236
Total amount of financing requested			13,996,500	4,713,347	4,559,893	4,414,107	309,153

G. Implementation, Execution and Monitoring and Evaluation Breakdown

H. Disbursement Schedule

Schedule date	Upon Signing	One year after project inception	Two years after project inception	Three years after project inception	Grand Total
A. Project Funds (US \$)	5,468,750	5,331,417	711,416	162,917	11,674,500
B. Programme Execution (US \$)	379,500	371,000	370,000	105,000	1,225,500
C. Programme Cycle Managment (US \$)	365,097	357,476	332,691	41,236	1,096,500
Grand Total	4,713,347	4,559,893	1,414,107	309,153	13,996,500

PART IV: ENDORSEMENT BY GOVERNMENTS AND CERTIFICATION BY THE IMPLEMENTING ENTITY

A. Record of endorsement on behalf of the government¹³

Antigua and Barbuda Diann Black-Layne Director Department of Environment within the Ministry of Health, Wellness and the Environment	13 Jul 2022
Saint Lucia Ms. Caroline Eugene Permanent Secretary Department of Sustainable Development Ministry of Education, Innovation, Gender Relations and Sustainable Development	29 Nov 2021

^{13&}lt;sup>6</sup>. Each Party shall designate and communicate to the secretariat the authority that will endorse on behalf of the national government the projects and programmes proposed by the implementing entities.

GOVERNMENT OF ANTIGUA AND BARBUDA

13th July 2022

Department of Environment Ministry of Health, Wellness the Environment #1 Victoria Park, Botanical Garden P.O. Box W693 St. John's Antigua, W.I. Tel: (268) 462-4625 Tel: (268) 462-6265 Email:doe@ab.gov.ag

REF: DOE/38/Donor Agencies

The Adaptation Fund Board c/o Adaptation Fund Board Secretariat Email: <u>Secretariat@Adaptation-Fund.org</u> Fax: 202 522 3240/5

Subject: Endorsement for UN-Habitat submission "Increasing Resilience of the Education System to Climate Change Impacts in the Eastern Caribbean region"

In my capacity as designated authority for the Adaptation Fund in Antigua and Barbuda, I confirm that the above regional project proposal is in accordance with our government's national and regional priorities in implementing adaptation activities to reduce adverse impacts of, and risks, posed by climate change in Antigua and Barbuda, and in the OECS region.

Accordingly, I am pleased to endorse the above project proposal with support from the Adaptation Fund. If approved, the project/programme will be implemented by UNHabitat and executed by the Department of the Environment, Ministry of Health, Wellness, and the Environment.

Sincerely,

OBLankLay

Ambassador Diann Black-Layne Chief Environment Officer Department of Environment Ministry of Health, Wellness and the Environment



MINISTRY OF EDUCATION, SUSTAINABLE DEVELOPMENT, INNOVATION, SCIENCE, TECHNOLOGY AND VOCATIONAL TRAINING

Department of Sustainable Development

Communication on this subject should be addressed to: The Permanent Secretary Georgianna Court John Compton Highway Castries SAINT LUCIA, W.I. Tel No: (758) 468-5863 Email : sustainable.devt@govt.Ic

July 22, 2022

To: The Adaptation Fund Board c/o Adaptation Fund Board Secretariat Email: Secretariat@Adaptation-Fund.org Fax: 202 522 3240/5

Subject: Endorsement for Increasing Resilience of the EducationSector to Climate Change Impacts in the Eastern Caribbean Region

In my capacity as designated authority for the Adaptation Fund in , I confirm that the above regional project/programme proposal is in accordance with the government's national priorities in implementing adaptation activities to reduce adverse impacts of, and risks, posed by climate change in Saint Lucia and the Caribbean or region.

Accordingly, I am pleased to endorse the above project/programme proposal with support from the Adaptation Fund. If approved, the project/programme will be implemented by UN-Habtat and executed by Ministry of Education, Sustainable Development, Innovation, Science, Technology and Vocational Training.

* Sustainable Development & Environment Division * Protected Areas Management * Policy, Planning and Administrative Services *

Sincerely Anita Montoute Permanent Secretary

Β. **Implementing Entity certification**

Implementation Entity certification

I certify that this proposal has been prepared in accordance with guidelines by the Adaptation Fund, and prevailing National Development and Adaptation Plans in Antigua and Barbuda and St. Lucia, and subjected to the approval by the Adaptation Fund Board, commit to implementing the programme in compliance with the Environmental and Social Policy of the Adaptation Fund and on the understanding that the Implementing Entity will be fully (legally and financially) responsible for the implementation of this programme.

Rafael Tuts Director, Global Solutions Division | Officer-in-Charge, Office of the Deputy Executive Director | United Nations Human Settlements Programme Tel +254 20 7623726 | Cell +254 713 601 278 | Email raf.tuts@un.org

Signature: Rfw

Implementing Entity Coordinator

Date: 5 August 2022

Project Contact Person:

Bernhard Barth, Subprogramme Coordinator (a.i.) Climate Change and Urban Environment United Nations Human Settlements Programme (UN-Habitat) I Global Solutions Division I Programme Development Branch; Email Bernhard.Barth@un.org

ANNEXES

Disclaimer: The annexes presented below are abbreviated sections of larger official reports. In an effort to limit the size of the annexes, key portions of the reports are provided in the Annexes (i.e., text is copied and pasted) rather than providing the entire reports. The full reports are available upon request.

Content:

Annex 1. Environmental and Social Impact Assessment and Management Plan - Saint Lucia.

Annex 2. Environmental and Social Impact Assessment and Management Plan – Antigua and Barbuda.

Annex 3. Consultations Report – Antigua and Barbuda and St Lucia.

Annex 4. Schools' Work Packages – Antigua and Barbuda.

Annex 5. Schools' Work Packages - Saint Lucia.

Annex 6. Rapid Climate Vulnerability Assessment for Twelve Schools - Saint Lucia.

Annex 7. Gender Assessment and Action Plan Report – Antigua and Barbuda.

Annex 8. Draft Gender Assessment and Action Plan Report – Saint Lucia.

Annex 9. Grant Process Checklist Draft – Antigua and Barbuda.

Annex 1. Environmental and Social Impact Assessment and Management Plan – Saint Lucia.

- Written by: ECMC St. Lucia.
- Exact title of report: Environmental and Social Impact Assessment and Management Plan.
- Date of report: August 20, 2021.

Executive Summary

ES1. Project Rationale

Saint Lucia is a Small Island Development State (SIDS) that is highly vulnerable to natural hazards. Hazard impacts are already being magnified by the effects of climate change, including more frequent and severe extreme weather events. These hazards negatively impact the educational system and thus children and youth. The associated vulnerabilities will increase unless the capacity of the population and the education sector to anticipate, prepare, adapt and become more resilient to such events improves.

The Government of Saint Lucia (GOSL) proposes to increase the resilience of schools to climate and other natural hazards, as well as man-made hazards.

The Climate Technology Centre and Network (CTCN) is supporting this technical assistance (TA) to assess the climate risk and the related negative impacts to the educational system and appraise improvement measures for preparation of a project proposal. The main aim of this TA is to enable the GOSL to strategically assess climate risks to the educational system and to appraise measures required. This will inform a funding proposal to be developed for presentation to potential funding sources to support these improvements. Immediate emergency improvements will be achieved through structural reinforcement of the schools. Actions proposed should also increase resilience of local communities and human settlements to climate change by assessing and planning the implementation of technology and design options for the improvement of critical infrastructure, focusing specifically on increasing the resilience of the education system for short and medium-term multi-hazard risk cycle phases, and reducing dual use conflicts.

ES2. Project Scope

The twelve schools targeted through this initiative are:

 Ave Maria Primary Balata Combined Bexon Primary Corinth Secondary 	 Fond Assau Combined Micoud Primary Patience Combined Saltibus Combined Vieux-Fort Infant
,	
6. Desruisseaux Combined	12. Vieux-Fort Primary

The project considers the following hazards:

- 1) hurricanes,
- 2) droughts,

3) floods,

4) Sea-Level rise,

5) Landslides.

This report is an Environmental and Social Impact Assessment (ESIA) and Environmental and Social Management Plan (ESMP) for the proposed project activities. The ESIA/ESMP is to ensure that significant environmental and social impacts, both beneficial and adverse, of each of the proposed interventions at the twelve targeted schools have been considered and assessed, and that gender-sensitive mitigation and enhancement measures are outlined where necessary inclusive of an initial assessment of costs and responsibilities for their implementation. This is required to be in line with national requirements, Adaptation Fund Environmental and Social Policy and Gender Policy, and CTCN procedures and guidelines on gender mainstreaming.

ES4. The School Environments

The targeted 12 schools are distributed across the island, in locations ranging from urban, low lying areas to sloping, rural areas. All are impacted by climate and climate change, with climate hazard vulnerability varying with location. Typically, those in low lying areas are more vulnerable to flooding and sometimes sea level rise, while those on slopes are more landslide prone. Exposure to high wind speeds also varies with location.

As hurricanes become more intense with climate change, climate hazard risks will also increase, other factors remaining equal. All schools will be vulnerable to island-wide drying over time, as this has the potential to adversely affect water supplies for drinking and hygiene, and for irrigation of school gardens used to supplement school meals and for the study of agriculture. As temperatures and the number of hot days increase, all schools will also become less comfortable for occupants, unless they are retrofitted with cooling devices.

Ambient noise levels vary with location. Air quality at the schools is assumed to be roughly proportional to traffic volumes in the vicinity.

Some of these schools are accessed by only one motorable access road. All of these schools have waste collection, water, electricity and internet services, with onsite wastewater management.

The natural environment immediately surrounding those schools in urban areas is not significant. Schools in more rural settings have some flora and fauna in close proximity.

Most of the materials required are readily available locally, although, for some, materials may have to be transported significant distances between material sources and school locations. Some materials may have to be ordered from overseas suppliers for the projects.

ES5. The Proposed Projects

The proposed works at each of the twelve schools include some or all of the following interventions:

- 1. Structural retrofitting of elements or the entire structure
- 2. Retrofit and repairs to the roof structure
- 3. Retrofit and repairs of door and window systems

4. External works (including retaining walls, access roads, septic tank repairs, drainage, tree removal)

5. Water storage, plumbing and accessories (including rainwater harvesting)

6. Electrical energy improvement (including solar PV systems, standby generation, improved lighting and re-wiring)

7. Air conditioning systems

8. Installation of intercom systems

9. Installation of fire protection systems (detectors, alarms, suppression and safety)

10. Disability access

Project impacts are determined not likely to be diverse, widespread or irreversible, and may be readily mitigated. As such, the proposed project interventions are categorized as Category B. For Category B projects, the assessment is required to consider all potential direct, indirect, transboundary, and cumulative impacts and risks that could result from the proposed project/programme; assess alternatives to the project/programme; and assess possible measures to avoid, minimize, or mitigate environmental and social risks of the proposed project. The assessment is to be accompanied by an environmental and social management plan that identifies those measures necessary to avoid, minimize, or mitigate the potential environmental and social risks, and this is to inform the monitoring and reporting plan for that project.

ES6. Potential Environmental and Social Impacts Identified

As these projects are typically limited mainly to upgrading existing school plots, there will be very little impact of the proposed works on flora and fauna, eco-systems or bio-corridors, archeological and cultural resources and natural drainage systems. No land acquisition is envisaged. However, potentially significant social issues include the following:

- Access and equity.
- Gender Equity and Women's Empowerment
- Core Labour Rights

Environmental and social issues considered but with a much lower chance of becoming an actual conflict include during construction:

• Safety and convenience of facility and area users (school populations, area drivers, area pedestrians including the differently able, residents and workers in the vicinity) because of construction traffic and equipment operation; storage of materials, equipment and wastes, and public diversion.

Noise and vibration from equipment operation.

• Pollution from construction equipment emissions, dust, chemical and fuel spills and surface runoff.

- Occupational safety and health of project staff.
- Disruption of normal traffic by construction traffic within narrow community roads.
- Provision of employment.

• Disruption of classes depending on the nature of the intervention.

- Transfer of knowledge regarding infrastructural defects to staff.
- Threat of communicable disease including COVID-19 as workers occupy the various sites.

During operation:

• Improved performance and safety of school plots through extreme events and as shelters.

 Reduced frequency and/or duration of interruptions to school operations due to water shortages or other extreme events.

• Reduced flooding in school compounds and environs.

Changes in government maintenance programme costs and implications for the national budget.

Enhanced school and community aesthetics.

• Appreciation of the school as a community asset and a place to facilitate community engagement.

Help in building community social capital.

- Could experience vandalism and theft.
- Greater ability to identify infrastructural defects.

• Greater awareness and appreciation through instruction in formal Disaster Risk Reduction Education (DRRE).

Greater collaboration between school and community as adaptive capacity is enhanced.

• The school assumes a leadership role in climate change knowledge sharing through its staff and students.

- A more empowered staff and host community.
- Students and staff become champions and advocates for climate resilience.

ES7. Recommended Mitigations

Mitigations recommended are for best practice to be required of contractors through the contractual requirements and supervision of compliance. This will protect the surrounding air, land and water from pollution, noise and dust; the water bodies from sedimentation; the workers from occupational health and safety issues; and surrounding communities from traffic, health and safety impacts.

ES8. Framework for Implementation

The approach to management of environmental and social impacts is premised on the assumption that environmental management is integrated into the overall project management framework, and that environmental management skills and commitments are worked into the contractual requirements of contractors at the procurement stage. There are lead roles described for the following:

1. Ministry of Education (MOE) and Sustainable Development and Environment Department (SDED)

2. Construction Supervision Consultants

With support from the following agencies with statutory responsibilities:

- 1. Ministry of Physical Development
- 2. Ministry of Infrastructure
- 3. Fire Service
- 4. Department of Labor
- 5. Environmental Health Department (EHD) of the Ministry of Health
- 6. Water Resources Management Agency (WRMA)

In the operational phase, lead responsibility will be that of the MOE.

ES9. Conclusions

It is concluded that this project will yield significant benefits to the education sector and the communities where the schools are located, reducing levels of climate risk and increasing school building resilience, resilience of the education system, and shelter performance.

The projects are individually and collectively assessed to be Category B, with impacts that are not likely to be diverse, widespread, or irreversible, and may be readily mitigated. Appropriate mitigation will be achieved primarily through a requirement for compliance with the law and best practice on the part of the contractor.

Building resilience in the education system has several short, medium, and long-term benefits for the users of the school, in particular the staff and students. Apart from infrastructural improvement, climate reliant schools foster pride among students and members of the community. The conducive and safe environment will reduce exposure to hazard impacts and will induce greater motivation among those involved in the teaching learning process. The project is a timely initiative that will contribute to Saint Lucia's fulfillment of the Sustainable Development Goals aligned to education, climate change, poverty reduction, gender equality, health, safety, and security, and leaving no one behind. Most importantly it is a fulfillment of the right to education as enshrined in the Constitution of Saint Lucia.

Annex 2. Environmental and Social Impact Assessment and Management Plan – Antigua and Barbuda.

• Written by: The Project Management Unit (PMU) of the Department of Environment, Ministry of Health, Wellness and the Environment.

- Exact title of report: Environmental and Social Impact Assessment and Management Plan.
- Date of report: September 9, 2021.

Executive Summary

ES1. Policies and Definitions

This Environmental and Social Impact Assessment and Management Plan has been developed in accordance with the Adaptation Fund's Environmental and Social Safeguards (ESS) and Gender Policies and the Department of Environment ESS and Gender Policies. For the purposes of this project, "climate proofing" is understood to be the application of adaptation measures so as to achieve a predetermined level of resilience to various slow-onset and extreme hydro-meteorological events, events which are deemed to have become more intense and extreme due to the onset of climate change and are projected to intensify in the future according to the best available climate science.

The schools under this project are considered "climate-proofed" when they can withstand a predetermined Category of hurricane (preferably 5) and a 3-year extended meteorological drought as well as to continue operating at adequate levels.

The environmental, social and gender risks assessed under this project were assessed and the project rated as a category B project – i.e., risks are limited to adverse environmental or social risks and/or impacts that are few in number, generally site-specific, largely reversible, and readily addressed through mitigation measures.

ES2.Summary of Environmental, Social and Gender Risks

The environmental, social and gender risks assessed under this project were assessed and the project rated as a category B project i.e. risks are limited adverse environmental or social risks and/or impacts that are few in number, generally site-specific, largely reversible, and readily addressed through mitigation measures.

The Environmental and Social Management Plan identifies mitigation measures, including:

- to appoint an accident prevention officer at each Site, responsible for maintaining safety and protection against accident;
- contractor requirements for security, safety of the Facilities, gate control, sanitation, medical care, and fire prevention;
- operations and maintenance schedules;
- construction insurance policies;
- · a project Sustainable Procurement Plan to ensure that building aggregates are

sustainably sourced;

• a requirement for site-specific Environmental Management Systems (ISO 14001), and registering their EMS Plans in the Environment Registry;

• Develop project partnerships for technical capacity around hazardous waste management; and clear responsibility and;

budgeted costs for proper disposal of solid waste generated through project interventions.

• Implement the gender action plan based on the baseline gender assessment including the design of gender sensitive capacity building and awareness programmes, continuous engagement with vulnerable communities, extension of opportunities for the inclusion of women in technology fields through project partnerships

Environmental Social Management Plan

The Environmental and Social Management Plan for the Project is presented below:

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
. POSITI	. POSITIVE – OPPORTUNITIES					
Employment opportunities, including for women, youth and disadvantage d groups	Fair access via contracts awarded	 Open and competitive bidding and selection Gender-disaggregated M&E of beneficiaries Contractor is required to subcontract local certified installer(s) and engineers Department of Environment (DOE) Internship and Apprenticeship Programme 	During the procurement phase	DOE Procurement Unit DOE Data Management Unit Contract	USD 150/week internship stipend	Training in procurement for local firms
Capacity Building and Awareness of Climate Risks	Students, Teachers, Parents and members of the community are socially and technically aware of methods for preparing for extreme weather events	 Students, Parents, teachers and community members benefit from gender sensitive awareness activities on climate risks, particularly extreme weather events Students, Parents, teachers and community members can conduct self- assessments of climate resilience on their homes and buildings 	Mid-project	 Partner with local training institutions and professionals 	TBC	

Table 1: Environmental and Social Management Plan for the Project

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
Participatory and consultative approach	Dissemination of information for increasing public awareness creating the local ownership and buy in for this project	 Train DOE project staff in interfacing with the community (ongoing) Implement the stakeholder engagement plan (Section 8) Host Information Days for students, parents, teachers and community members around climate-proofing buildings 	Quarterly Annual	 Integrated Health Outreach Project Coordinator Public Awareness and Community Liaison Officer 	USD 10,000	Photography Website and graphics
B. NEGAT	IVE – IMPACTS					
Construction phase	Worker and community health and safety concerns	 Appointment of an accident prevention officer at the Site, responsible for maintaining safety and protection against accidents Development of an emergency preparedness and response system for construction Contractor is required to deliver Site regulations, to include security, safety of the Facilities, gate control, sanitation, medical care, and fire prevention Installation of proper signage and interpretation where necessary 	Within twenty- eight (28) days after the Effective Date of the contract	 Contractor Public Awareness and Community Liaison Officer DOE Complaints Officer Monitoring and Evaluation Officer (specialist in ESS and Gender impacts) 	N/A (included in Tender document)	Training/briefings on ESS and gender impacts

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
		 Contractor is required to secure permits, approvals and licenses Conduct workshops with workers on the DOE Complaints and Grievance Mechanism 				
Noise Pollution	Better management of noise and vibrations by minimizing disturbances to residents, businesses and the general public	 Provide notice of works to nearby residents and the public Avoid scheduling the noisiest civil works activities during sensitive day or early evening hours, where possible Maintain machinery to a high standard to reduce noise levels Use main roads to transport materials to and from the construction zone Enclose stationary small plant and equipment (generators) to reduce noise Equip motorized vehicles and equipment with noise reduction parts Conduct workshops with workers on the DOE Complaints and Grievance Mechanism 	Throughout construction period Stakeholder engagement plan	 Public Awareness and Community Liaison Officer DOE Complaint Officer Contractor Monitoring and Evaluation Officer (specialist in ESS and Gender impacts) 	N/A (included in Tender document)	Training/briefings on ESS and gender impacts

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
		 Conduct community outreach on DOE complaints mechanism Respond to noise complaints reported during construction 	71			T · · · A · C
Ecological impacts referred to will entail impacts on fauna, flora and changes in the micro climate of some sites as well as transfer of pests and diseases.	Minimisation of ecological impacts caused by construction	 No unnecessary clearing of natural vegetation will be encouraged. Where the vegetation must be cleared for, re-vegetation will be encouraged after work is completed. Works undertaken in protected areas will be supervised by the Forestry Division. As much as is possible, impact on fauna and flora must be minimized. Areas known to be frequent crossing for wildlife should be identified and signs erected to warn drivers. No hunting of birds or other wildlife will be permitted by employees There must be minimal impact to flora and fauna in the forest area. Policies, rules and regulations of all recognized natural habitats, wetlands and 	Throughout construction period Stakeholder engagement plan	 Contractor Public Awareness and Community Liaison Officer DOE Complaint Officer Monitoring and Evaluation Officer (specialist in ESS and Gender impacts) 	N/A (included in Tender document)	Training/briefings on ESS and gender impacts

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
		 protected areas must be observed and consultation with the Forestry Division and the DOE Nursery staff should be undertaken prior to construction. No soil must be transported from this area to other areas so as to curtail the spread of the Giant African Snail. The wheels of all vehicles involved in soil excavation must be washed of all soils material to curb the transfer of this snail to other areas. Landscaping of the roads especially the tourism routes will be encouraged. As much as possible, the use of local plant will be encouraged Conduct workshops with workers on the DOE Complaints and Grievance Mechanism Conduct community outreach on DOE complaints mechanism 				

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
Increase in greenhouse gas emissions	Minimization of emissions from construction activities	 Supervision of the number of trips scheduled for transporting materials Ensure that all construction machinery and vehicles (gasoline and diesel) are properly operated and maintained to minimise smoke emissions that result from their use Repair malfunctioning equipment immediately or remove from the site Construction Supervision Plan, including the number of expected trips needed to transport road material Maintenance plan for vehicles Train workers on management of air pollution from vehicles and machinery Conduct workshops with workers on the DOE Complaints and Grievance Mechanism 	Throughout construction period Stakeholder engagement plan	 Contractor Public Awareness and Community Liaison Officer DOE Complaint Officer Monitoring and Evaluation Officer (specialist in ESS and Gender Impacts) 	N/A (included in Tender document)	Training/briefings on ESS and gender impacts
Air pollution: Dust nuisance to	To prevent and reduce air pollution	 Train workers on dust minimisation techniques Controlled water spraying/sprinkling to active 	Throughout construction period	 Contractor Public Awareness and 	N/A (included in Tender document)	Training/briefings on ESS and gender impacts

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
motorists, pedestrians, businesses, and surrounding properties		 construction areas to suppress dust Avoid creating runoff with the application of water at the site(s) Reduce vehicle speeds per hour on unpaved surfaces Do not carry out dust generating activities (excavation, handling and transport of soils) during times of strong winds Suspend earthworks operations when visible dust is affecting properties adjoining the road Cover inactive areas or rubble to reduce the potential for wind transporting dust Stabilize and restore disturbed areas following the completion of project activities Record any complaints received regarding dust Seal road surface as soon as possible Remove loose dirt from construction equipment before it leaves the site Vehicles delivering soil materials or transporting them 	Stakeholder engagement plan	Community Liaison Officer • DOE Complaint Officer • Monitoring and Evaluation Officer (specialist in ESS and Gender Impacts		

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
Operational phase	Access to water for cleaning panels Maintenance plans including budgets Asset protection during	offsite shall be covered to reduce spills and windblown dust Vehicle speeds shall be limited to minimize the generation of dust on site and on diversion and access roads Conduct workshops with workers on the DOE Complaints and Grievance Mechanism Conduct community outreach on DOE complaints mechanism Contractor is required to deliver Operations and Maintenance Schedules, and Training to be submitted with the Guarantee Test results Contractor is required to deliver Insurance Policies including details on the identity of the insurers and the form of the policies	Within ten (10) months	 Contractor Regulatory Authority 	N/A (included in Tender document)	Sensitize insurance companies about grid-interactive RE systems
Solid waste and	hurricanes Imported assets (solar	 Provisions for proper disposal and/or recycling of 	During the procurement	 Project Coordinator 	USD 5,000 per facility	Life cycle analysis
hazardous pollution	PV and batteries) are properly disposed of or	solar PV and batteries reflected in Tender documents and legal agreements	phase Post- implementation	• DOE legal unit and procurement unit		Hazardous waste disposal or recycling

Impact areas	Desired outcome	Mitigation measures and monitoring performance indicators	Timeframe	Responsible party	Increment al budget (USD)	Capacity building and training requirements
	recycled at their end of life (life cycle analysis)	 Develop partnerships for technical capacity around hazardous waste management Facilities develop their Environmental Management Systems (EMS) per the EPMA, 2019 Facilities to register EMS Plans in the Environment Registry (EPMA, 2019) 	Stakeholder engagement plan	 Public Awareness and Community Liaison Officer Beneficiary facilities DOE Project Coordinator for Solar project (Shema Roberts) 		Environment Registry Environment Management Systems (ISO 14000)
Public disclosure of ESIA and ESMP	An informed and empowered stakeholder group	 Publish ESIA on DOE website Inform beneficiaries of DOE Complaints Mechanism and CDB Complaints Mechanism Training to DOE Project Management Unit (PMU) staff who will interface with community members 	Within 30 days of CDB No Objection of ESIA Annual	DOE Project Coordinator	USD 5,000 for training	N/A
Compliance with Building Code	Facilities are in compliance with the Building Code	Permissions from the Development Control Authority (DCA) for any alterations to buildings to include accessibility for persons with disabilities	During the procurement phase	DOE Project Coordinator	None	None

Annex 3. Consultations Report – Antigua and Barbuda and St. Lucia.

- Written by: ECMC St. Lucia.
- Exact title of report: Consultations Report.
- Date of report: July 23, 2021.

Executive Summary

This consultation report is a collection of views, insights and recommendations provided by stakeholders identified under the project. Special thanks to all those who participated and shared their experiences.

The purpose and objectives of the consultations were to: (i) obtain from beneficiaries (schools and communities) their specific needs, and potential concerns; (ii) identify gaps in capacities of key stakeholders, communities and vulnerable groups to implement project activities and (iii) identify possible concerns related to potential risks and impacts.

The objectives of the meetings and discussions were to: (i) familiarize stakeholders with the project: its goals, design and expected outcomes; (ii) solicit stakeholder views, concerns, and recommendations on how to improve the resilience of schools and their host communities to climate change impacts, and (iii) introduce stakeholders to Disaster Risk Reduction Education (DRRE) and sensitize them to its importance in promoting school safety. This was all part of assessing climate risk to the educational system and appraising improvement measures that will allow the governments of Antigua and Barbuda and Saint Lucia to submit a funding proposal to potential funding sources to implement these measures.

The methodology involved collection of qualitative data and simple narrative analysis as well as thematic analysis of the data. The main methods for collecting data were interviews - one-on-one conversations, group discussions, and self-administered questionnaires. In-person and virtual modalities facilitated the conversations and the discussions. Twelve (12) schools were selected by the Ministry of Education as potential schools to be ranked, based on vulnerability assessment outcomes and priority of stakeholders:

Infant/Primary - Fond Assau Combined School, Ave Maria Infant School, Ave Maria Primary School, Vieux Fort Infant School, Vieux Fort Primary School, Bexon Primary School, Micoud Primary School, Desruisseaux Combined School, Balata Combined School, Saltibus Combined School, Patience Combined School.

Secondary - Corinth Secondary School.

The findings are captured under the following headings: (i) Specific Needs and Potential Concerns Related to Potential Risks and Impacts; (ii) Gaps in Capacities of Key Stakeholders, Communities, and Vulnerable Groups; and (iii) Views and approaches for DRRE in Schools.

Summary of Findings

Consultations Report Increasing Resilience of Education System to Climate Change in Saint Lucia, and Antigua & Barbuda

		Stakeh	olders	
Topics	Principals, staff & students Bexon and Vieux Fort Schools	Ministry of Education - Policy and Implementation	Ministry of Education - Management	Institutional Partners
Specific Needs and Potential Concerns Related to Potential Risks and Impacts	Establish standards for school infrastructure and physical plant to comply with certification requirements under the Schools Safety Programme. Collaborate with the Water Resource Management Agency and the Ministry of Agriculture to provide technical guidance and support in the establishment of water storage facilities. Introduce appropriate technology to address defects caused by sea blast. There is a need to enhance the physical image of the school to reflect its status as designated Emergency Shelter. There is a need to get male parents involved in the affairs of the school. Build and sustain community social capital as a climate resilience tool which can be utilized for any community mobilizing effort.	Issued its no objection to the priority ranking of schools recommended by ECMC Ltd. Interventions may need to be prioritized to make the most efficient use of limited financial resources. Before the school can be assigned as a shelter, a complete SCA would need to be conducted.	Establish viable communication links between the contractor and school principal prior to and during works. Because schools are community assets and play a vital role in enhancing community vitality, every effort must be made to make them resilient to climate change. Several schools have potential risks related to access. Consultation with affected parties is required to inform them of mitigation measures.	Fire safety and hazards, compliance with the regulations contained in Sections 233 to 235 of the Labour Code, and the Fire Safety Act. E.g., Fire safety rispections which should be done every 24 months. Establish the quantity for minimum reserves in water storage facilities in schools to serve the school as an institution and as an emergency shelter.
Gaps and Capacities	The necessary resources (including material and technology) should be provided to security and caretaker personnel to enable them to perform their duties in a timely and efficient manner.	Additional financial resources need to be secured in order to address the various major school plant defects which pose a risk to users of the facility.	To address lack of maintenance knowledge training should be provided to principals and all staff (teaching and ancillary – caretakers, security personnel) and parents to enable early identification of defects in school infrastructure for follow-up assessments by the Ministry of Education's Building Officers.	Some communities do not have strong social capacity – social capital, social networks, collective psychological capacity (individual and household positive adaptation behaviour). Training to acquire maintenance knowledge and skills in defects

ECMC | 14 Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmcstlucia.com

122

ii

		Stakeh	olders	
Topics	Principals, staff & students Bexon and Vieux Fort Schools	Ministry of Education - Policy and Implementation	Ministry of Education - Management	Institutional Partners
			Provide training for teachers in DRR knowledge and skills so that they can deliver	identification should be provided to staff and students.
			the curriculum effectively. In enhancing community adaptive capacity, opportunities should be created for capacity building in community leadership, community mobilization and community organizing, and climate change and resilience knowledge to enable the community to prepare, respond and recover from climate change impacts.	A rapid assessment of community socia capacity should be undertaken; th results of which can inform socia impact analysis.
			A gender transformative approach focused on increasing male participation in the everyday life of the community is critical to enhancing the adaptive capacity of the community.	
Views and approaches for DRRE	Teachers viewed this initiative as having a multiplier effect due to knowledge and behaviour transfer from school to friends, and family/households. This intended outcome was clearly expressed by student A who said, "I want my friends, family, and neighbours to know what I have learnt about climate change"	The Ministry should consider incorporation of DRRE as a new policy initiative which would inter alia require a review of the current approaches to the informal approach to instruction in DRR via subjects including Social Studies, Geography, and Education for Democratic Citizenship, and its subsequent gradual incorporation into the formal school curriculum.	Heads (Teachers) of School Health and Safety Committees, Saint Lucia. • a unanimous call for including DRRE in schools in Saint Lucia. Participants in the focus group conveyed a clear enthusiasm for including DRRE in the school instructional programme and supported the recommendation for a Teachers' Handbook. • Two major concerns are a) the potential difficulty in integrating DRRE at the secondary level where teachers work in separate departments and do not have control of the class timetable and b) inadequate training and resources for	Stakeholders such as NEMO and Rec Cross should be involved in such ar initiative as they are key actors in the DRR sector and in a position to suppor an experiential approach in the delivery of DRRE curriculum.

ECMC | 1ª Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmcstlucia.com

123

III

				Consultations Repo e of Education System to Climate Change Saint Lucia, and Antigua & Barbua
			nolders	
Topics	Principals, staff & students Bexon and Vieux Fort Schools	Ministry of Education - Policy and Implementation	Ministry of Education - Management	Institutional Partners
			teachers when new knowledge is introduced to the curriculum.	
			Antigua/Barbuda Stakeholders	
			 two views - distinct and concentrated attention on DRRE should be pursued as opposed to the integrated approach. 	
			 a major concern is the lack of consideration given to children with special needs when curricula are being designed. 	
			 a key recommendation is that DRRE must be active and relevant by ensuring that students have opportunities to take the lead in building resilience to disasters and climate change. 	

ECMC | 1ª Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmcstlucia.com

124

iv



Consultations Report Increasing Resilience of Education System to Climate Change in Saint Lucia, and Antigua & Barbuda

Appendix 1 – List of Stakeholders Consulted

Saint Lucia Stakeholder Meeting and Consultations Held

Category of stakeholders	Stakeholders (Agency, Group, Individual, Participants)	Modality	Date
Ministry of Education	Attendance at Presentation by ECMC Ltd	Meeting via Web Conferencing	June 1, 2021
Innovation Gender Relations and	Bernez Khodra – MEIGRSD, GOSL/National Designated Entity (NDE) – Health & Safety Officer (HSO)	conterenting	
Sustainable Development	Fiona Phillip-Mayer – MEIGRSD, GOSL/NDE – Chief Education Officer		
(MEIGRSD) – Policy and Implementation	Kendall Khodra – MEIGRSD, GOSL/NDE – Deputy Chief Education Officer		
	Dawson Ragunanan – MEIGRSD, GOSL/NDE – Assessment Officer		
	Kay Clarke Nicholas – MEIGRSD, GOSL/NDE – District VII Education Officer		
	Steven Auguste – MEIGRSD, GOSL/NDE – District VI Education Officer		
	Francellette Laurencin – MEIGRSD, GOSL/NDE – District III Education Officer		
	Keifa Breen – MEIGRSD, GOSL/NDE – Corporate Planning		
	Tracy Dolcy – MEIGRSD, GOSL/NDE – Corporate Planning		
	Adey Paul – MEIGRSD, GOSL/NDE – Principal of Ciceron Secondary School (District IV Education Officer Representative)		
	Alison King – Climate Change/Vulnerability & Disaster Risk Assessment Expert		
	Ezra Jn. Baptiste, PhD. – Gender and Environmental & Social Risks and Impacts Expert		
	Marietta Edward, PhD. – National Strategies (Policies and Plans) Development Expert		
	John Francis – John C. Francis and Associates (JCFA) – Fire Protection Expert		
	Egbert Louis – ECMC – Senior Advisor		
	Catherine Edmund – ECMC – Staff Engineer		
(MEIGRSD) – School	Attendance at Presentation by ECMC Ltd	Meeting via Web Conferencing	June 7, 2021
Management	Bernez Khodra – NEMO – School Safety Officer/Liaison Officer	conterenting	
	Cyrus Cepal – MEIGRSD, GOSL/NDE – District I Education Officer		

1 ECMC | 1st Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmestlucia.com

Category of		a a de lite	D
takeholders	Stakeholders (Agency, Group, Individual, Participants)	Modality	Date
	Steven Auguste – MEIGRSD, GOSL/NDE – District VI Education Officer		
	Wayne Benti – MEIGRSD, GOSL/NDE – Babonneau Primary School Vice Principal (District I)		
	Sandy Louisy – MEIGRSD, GOSL/NDE – Fond Assau Combined Principal (District I)		
	Avril Emanus – MEIGRSD, GOSL/NDE – Ave Maria Girl's Infant School Principal (District III)		
	Valerie St. Helen-Henry – MEIGRSD, GOSL/NDE – Ave Maria Girl's Primary School Principal (District III)		
	Marcellina Newton – MEIGRSD, GOSL/NDE – Mon Repos/Patience Combined School Principal		
	Kevin Mathurin – MEIGRSD, GOSL/NDE – Mon Repos/Patience Combined School (District V)		
	Fern Dornelly – MEIGRSD, GOSL/NDE – Micoud Primary School Principal (District V)		
	Examin Philbert – MEIGRSD, GOSL/NDE – Augier Secondary School Principal (District V)		
	Tiffany Auguste – MEIGRSD, GOSL/NDE – Vieux Fort Primary School (District VI)		
	Jacqueline Inglis – MEIGRSD, GOSL/NDE – Desruisseaux Combined Principal (District VI)		
	Joyceline Charles – MEIGRSD, GOSL/NDE – Saltibus Combined Principal (District VII)		
	Peter Daniel – MEIGRSD, GOSL/NDE – Balata Combined Principal (District I)		
	Ayesha Auguste – MEIGRSD, GOSL/NDE –		
	Garcelle Edward – MEIGRSD, GOSL/NDE –		
	Emmanuel Osman – MEIGRSD, GOSL/NDE – Corporate Planning		
	Samanthia Justin – Department of Sustainable Development - Critical Focal Point to CTCN		
	In attendance:		
	Alison King – Climate Change/Vulnerability & Disaster Risk Assessment Expert		
	Ezra Jn. Baptiste, PhD. – Gender and Environmental & Social Risks and Impacts Expert		
	Marietta Edward, EdD. – National Strategies (Policies and Plans) Development Expert		

ECMC | 1st Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmestlucia.com

Catagory of		Saint Lucia, and Antigua & Barbuda						
Category of stakeholders	Stakeholders (Agency, Group, Individual, Participants)	Modality	Date					
	John Francis – John C. Francis and Associates (JCFA) – Fire Protection Expert							
	Egbert Louis – ECMC – Senior Advisor, Moderator							
	Catherine Edmund – ECMC – Staff Engineer							
MEIGRSD - Heads of School Health and	Teachers present at discussion on Including Disaster Risk Reduction in Schools	In-person Focus Group held at the MEIGRSD	June 7, 2021					
Safety Committees	Andre Henry – Vieux Fort Infant	Conference						
	Aprylle Mitchell – Micoud Primary	Room						
	Avril Emanus – Ave Maria Girls Infant							
	Embert Ricardo Placide – Ave Maria Girls Primary							
	Emmanuel Osman – Saltibus Combined							
	Marcia Francis – Desruisseaux Combined							
	Margarita Mc Farlane – Balata Primary							
	Soloman Alexander – Fond Assau Primary							
	Sophia Mitchell – Corinth Secondary							
	In attendance:							
	Bernez Khodra – NEMO – School Safety Officer/Liaison Officer							
	Dr. Mariette Edwards – Moderator							
Institutional	Attendance at Presentation by ECMC Ltd	Meeting via Web Conferencing	June 10, 202					
	Bernez Khodra – National Emergency Management Offices (NEMO) – School Safety Officer/Liaison Officer	concrements						
	Mabius Francis – St. Lucia Fire Service							
	Cheryl St. Romaine – MEIGRSD, GOSL/NDE – Environmental Health Department							
	Serona Leonce – GOSL/NDE – Ministry of Infrastructure, Ports, Energy, and Labour - Department of Labour							
	Alison King – Climate Change/Vulnerability & Disaster Risk Assessment Expert							
	Ezra Jn. Baptiste, PhD. – Gender and Environmental & Social Risks and Impacts Expert							
	Marietta Edward, EdD. – National Strategies (Policies and Plans) Development Expert							
	Egbert Louis – ECMC – Senior Advisor							

ECMC | 1st Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmcstlucia.com

Category of stakeholders	Stakeholders (Agency, Group, Individual, Participants)	Modality	Date
Principal – Patience Primary School	Principal – Ms. Marcellina Newton <i>In attendance:</i> Ezra Jn. Baptiste, Alison King-Joseph, Marietta Edward, Egbert Louis	In-person key informant interview	September 11, 2020
Principal and Staff – Micoud Primary School	Principal – Ms. Fern Dornelly, some staff members <i>In attendance:</i> Ezra Jn. Baptiste, Alison King-Joseph, Marietta Edward, Egbert Louis	In-person focus group	September 11, 2020
Principal and Staff – Desruisseaux Combined School	Principal – Ms. Jacqueline Inglis <i>In attendance:</i> Ezra Jn. Baptiste, Alison King-Joseph, Marietta Edward, Egbert Louis	In-person key informant interview	September 11, 2020
Principal, Staff, and Students – Bexon Combined School	Principal – Ms. Ancie Albert	In-person interview with Principal	September 8, 2020
	Principal and some Staff Members Selected Students: Males: Dacius Prince, Jiovanni Clericin, Danzy DuPlessis, Jean Quan Peter Females: Shaynia Paul, Chardia Duplessis, Laria Ferdinand, Christa Belony Teachers: Ancie Albert-St. Hill (Principal), Sharon Alfred, Glenda Khodra-Momorelle, Kirby Joseph <i>In attendance:</i> Mariette Edwards, Alison King, Bernez Khodra, Ezra Jn. Baptiste	In-person focus group	June 10, 2021
Principal, Staff, and Students – Vieux Fort Primary School	Principal – Mr. Francis Moonie Some Staff Members and some students. <i>In attendance:</i> Mariette Edwards, Alison King, Bernez Khodra, Ezra Jn. Baptiste, Egbert Louis	In-person focus group	June 11, 2021
Principal – Vieux Fort nfant School	Principal – Ms. Olivia Marcellin (was not available) Staff Member representing the Principal – Mr. Jeaneau Martelli <i>In attendance:</i> Ezra Jn. Baptiste, Alison King-Joseph, Marietta Edward	In-person interview with a staff member on behalf of the Principal	June 11, 2021

ECMC | 1st Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmestlucia.com

	Increasing Resilience of Education System to Climate Change in Saint Lucia, and Antigua & Barbuda							
Category of stakeholders	Stakeholders (Agency, Group, Individual, Participants)	Modality	Date					
		Virtual interview conducted on November 27, 2020						
Vice-Principal – Corinth Secondary School	Vice-Principal – Ms. Albertha Gilliard <i>In attendance:</i> Alison King, Ezra Jn. Baptiste, Catherine Edmund	Virtual interview	November 26 2020					
Principal – Saltibus Combined School	Principal – Ms. Joyceline Charles <i>In attendance:</i> Alison King, Ezra Jn. Baptiste, Catherine Edmund	Virtual interview	November 26 2020					
Principal – Ave Maria Primary School;	Principal – Ms. Valerie St. Hill <i>In attendance:</i> Alison King, Ezra Jn. Baptiste, Catherine Edmund	Virtual Interview	November 26 2020					
Principal – Ave Maria Infant School	Principal (Ag) – Ms. Avril Emmanus <i>In attendance:</i> Alison King, Ezra Jn. Baptiste, Catherine Edmund	Virtual Interview	November 27 2020					
Principal – Fond Assau Primary School	Principal – Ms. S. Louisy <i>In attendance:</i> Alison King-Joseph, Marietta Edwards, Egbert Louis, Ezra Jn. Baptiste	In-person interview	September 8, 2020					
Principal – Balata Primary School	Principal – Peter Daniel <i>In attendance:</i> Alison King-Joseph, Marietta Edwards, Egbert Louis, Ezra Jn. Baptiste	In-person interview	September 8, 2020					

ECMC | 1st Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmestlucia.com



Consultations Report Increasing Resilience of Education System to Climate Change in Saint Lucia, and Antigua & Barbuda

Appendix 2 - Antigua & Barbuda Stakeholder Meetings and Discussion

Name	Attendance Register – Jur Designation	Contact
	•	
Marietta Edward	DRR Component Lead, ECMC Ltd.	edwardmarietta@gmail.com
Christa-Joy Burton	Project Development Lead/Project Officer, DOE	Christajoy.burton@ab.gov.ag
Craig Cole	Technical Officer, DOE	Craig.cole@ab.gov.ag
Shania Bejai	Lead for School Assessments/Intern, DOE	Shaniabejai1299@gmail.com
Randell Pyle	Ministry of Works/Safe Schools Committee	Randell.pyle@ab.gov.ag
E. Jonah Greene Ministry of Education/Safe ejonah.greene@ab.gov. Schools Committee		ejonah.greene@ab.gov.ag
	Jennings Primary School	Jps_school@hotmail.com
Rolston Nickeo	Chairman, National Safe Schools Committee/Ministry of Education	rnickeo@yahoo.com
Kelly Hedges	Principal, Victory Centre	kellylynnhedges@gmail.com
Kadian Camacho	Ministry of Education/Safe Schools Committee	kadiancamacho@yahoo.com
Allison Ledeatte	Teacher Zone Two, New Field/Safe School Committee	alybaba24@msn.com
Jose Joseph	Bendalls Primary	bendalsprimaryschool@yahoo.com
Alvacea Burton	Ministry of Education	alvaceaburton@gmail.com
Anthea Anthony	Teacher Zone Four/Safe	m.e.p.school@hotmail.com
	School Committee	antheaanthony468@gmail.com
Sonilda Burton	Zone Three Teacher/Safe Schools Committee	sonildab@yahoo.com
Carol Lashley	Principal, Sea View Farm primary	seaviewfarmprimary@gmail.com
Denese Parker	Denese Parker	urlingsprimaryschool@gmail.com
Mignon Joseph	Principal, Greenbay Preschool	mignonjoseph61@gmail.com
Jasinter Athill	Principal, Potters Primary	pottersprimary@gmail.com
Shyka Lucky-Hannays	Principal, St. John's Catholic Primary	sjcpsprimary@gmail.com
Foster Roberts	Principal, Ottos Comprehensive Secondary/Safe Schools Committee	fosterroberts@yahoo.com

1 ECMC | 1st Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmestlucia.com

- III I	Attendance Regist					
Donald Joshua	Principal, Parham Prin	nary	parhamprimary@gmail.com			
Chaka Grant	Zone Two Teacher, W School/Safe Schools Committee	illikies	chakagrant@yahoo.com			
Delia Auguiste-Laville	Supervisor, St John's Catholic Pre-school		d.auguiste-laville@sjcp.edu.ag			
Diana Edwards-Martin	National PTA/Safe Sch Committee	ools	ols diandivine@gmail.com			
Joycelyn James	ABUT/Safe Schools Committee		stress_release@yahoo.com			
Dion Tuitt	Apprentice, DOE		diontuitt@gmail.com			
Jessie Purcell	Ministry of Education, Schools Committee	/Safe	jessiegeorge98@hotmail.com			
Desiree Antonio	Ministry of Education, Schools Committee	/Safe	Zone3education@gmail.com			
Stacey Mascall	Ministry of Education Schools Committee	/Safe	stacymascall@hotmail.com			
Name Shara Quinn	Antigua & Barbuda Attend Designation	Cont	act			
	Designation	Cont	act			
Snara Quinn	Principal, Piggot's Primary	pigot	tsprimaryschool@yahoo.com			
Rolston Nickeo	Chairman, National Safe Schools Committee/Ministry of Education	rnick	rnickeo@yahoo.com			
			ontuitt@gmail.com			
Dion Tuitt	Apprentice, DOE	diont	uitt@gmail.com			
	Apprentice, DOE Principal, Princess Margaret Secondary		uitt@gmail.com hool1955@gmail.com			
Collin Greene	Principal, Princess	pmsc				
Collin Greene Mervin Browne	Principal, Princess Margaret Secondary Board of Education/Safe	pmso mbro	hool1955@gmail.com			
Collin Greene Mervin Browne Mr. Hodge	Principal, Princess Margaret Secondary Board of Education/Safe Schools Committee Principal, All Saints	pmsc mbrc allsai	hool1955@gmail.com			
Collin Greene Mervin Browne Mr. Hodge	Principal, Princess Margaret Secondary Board of Education/Safe Schools Committee Principal, All Saints Secondary Project Development	pmso mbro allsai Chris	hool1955@gmail.com wne@apuainet.ag ntssecondaryschool@gmail.com			
Collin Greene Mervin Browne Mr. Hodge Christa-Joy Burton Marietta Edward	Principal, Princess Margaret Secondary Board of Education/Safe Schools Committee Principal, All Saints Secondary Project Development Lead/Project Officer, DOE DRR Component Lead,	pmsc mbrc allsai Chris edwa	hool1955@gmail.com wne@apuainet.ag ntssecondaryschool@gmail.com tajoy.burton@ab.gov.ag			
Collin Greene Mervin Browne Mr. Hodge Christa-Joy Burton Marietta Edward Shanice Richards	Principal, Princess Margaret Secondary Board of Education/Safe Schools Committee Principal, All Saints Secondary Project Development Lead/Project Officer, DOE DRR Component Lead, ECMC Ltd.	pmso mbro allsai Chris edwa Shan	hool1955@gmail.com wwne@apuainet.ag ntssecondaryschool@gmail.com tajoy.burton@ab.gov.ag ardmarietta@gmail.com			
Collin Greene Mervin Browne Mr. Hodge Christa-Joy Burton	Principal, Princess Margaret Secondary Board of Education/Safe Schools Committee Principal, All Saints Secondary Project Development Lead/Project Officer, DOE DRR Component Lead, ECMC Ltd. Intern, DOE	pmsc mbrc allsai Chris edwa Shan ranna	hool1955@gmail.com wwne@apuainet.ag ntssecondaryschool@gmail.com tajoy.burton@ab.gov.ag ardmarietta@gmail.com icerichards97@gmail.com			

Consultations Report Increasing Resilience of Education System to Climate Change in Saint Lucia, and Antigua & Barbuda

2 ECMC | 1st Flr. Marie-Colette Bldg. | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmestlucia.com



Consultations Report Increasing Resilience of Education System to Climate Change in Saint Lucia, and Antigua & Barbuda

Kaye Tomlinson	Ministry of Health	dmonkay@yahoo.com
Denise Solomon	Principal, Jennings Primary School	Jps_school@hotmail.com
Jacqueline Azille- Joseph	ТВА	ТВА
Eloise Hughes	Ministry of Education, Safe Schools Committee	esilston@hotmail.com
Ms. Andrea Richards	Principal, Adele School	specialadele@gmail.com
Sheresa Knowles	Teacher Zone Three: C.T Samuel Primary, Safe Schools Committee	gloriousme_454@hotmail.com

3 ECMC | 1st Flr. Marie-Colette Bldg, | Rodney Bay Commercial Blvd. | Gros Islet | St. Lucia | LC01 401 | 758-453-2093 | w: www.ecmestlucia.com

Annex 4. Schools' Work Packages – Antigua and Barbuda.

- Written by: The Project Management Unit (PMU) of the Department of Environment, Ministry
- of Health, Wellness and the Environment.
- Exact title of report: Consultations Report.
- Date of report: July 13, 2022.

As part of the effort of the Department of Environment of Antigua and Barbuda related to the country's school system, 15 work packages comprising interventions to increase the schools' resilience and capacity to function as emergency shelters were developed, moving forward the possible interventions, prior to a grant process opening once funds are made available.

School	Total (USD)
Jennings Primary	\$ 332,406.28
Piggots Primary	\$ 307,589.45
Parham Primary	\$ 170,150.43
Grace Christian Academy	\$ 257,549.20
Christ the King High School	\$ 287,428.25
St. John's Catholic Primary	\$ 335,240.03
St. John's Catholic Pre-School	\$ 127,182.91
Villa Pre-school	\$ 77,892.25
Simon Bolivar Pre-School	\$ 90,916.69
Early Learning Centre	\$ 96,581.46
Bright Beginnings Pre-school	\$ 90,111.14
Princess Margaret Secondary	\$ 376,734.54
Salvation Army	\$ 135,915.50
Beacon Light Nazarene Academy	\$ 151,906.41
Montessori Preschool	\$ 143,557.32
Total	\$ 2,981,161.85

ısk no.	Description Intervention/Improvement	Unit	Quantity	Unit Rate (USD)	Total (USD)
	Alternative Energy	sum	1	\$ 130,000.00	\$130,000.00
	Perform Energy audit				
C-01	PV System design and scaling				
	Procurement and install PV system components and battery				
	Routine repairs and maintenance of system				
	HVAC Systems	sum	5	\$ 1,700.00	\$ 8,500.00
C-02	Allow for supply and installation of inverter AC units and LED		_		
	Allow for routine maintenance and servicing of AC units		_		
	Allow for the supply and installation of ceiling fans				
C-03	Information Technology	sum	1	\$ 3,200.00	\$ 3,200.00
JC-03	Install an intercom system for each school				
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board and covered with trapezoidal 24 gauge galvanized				
	sheets with hurricane clips at every connection at the eaves, hips, ridges and rafters of hip roof for the				
	resistance of hurricane force winds	m2	364		\$ 57,593,78
DC-04	Develop site-specific for roof design capable of resisting category 5 hurricanes	sum	1	\$ 2.028.28	\$ 2,028.28
	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$ 15,000.00	
	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10" double			,	
	plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with hurricane clips at every connection	m2	364	\$ 95.50	\$ 34,762.00
	Procure and install waterproofing membrane	m2	362	\$ 2.50	\$ 905.00
	Securing 24 gauge ridge capping	m	41	\$ 8.50	\$ 348.50
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	364	\$ 12.50	\$ 4,550.00
	4				
	Doors, Windows & Shutters Removal of windows and doors to be replaced	sum	1		\$125,027.50
		sum	1	\$ 10,000.00	\$ 10,000.00
DC-05	Installation of 36" x 36" high-impact hurricane resistant casement windows	ea	45		
	Installation of 36" x 78" high-impact hurricane swing door	ea	14		\$ 39,200.00
	Installation of 36" x 36" accordion shutters	ea	45		
	Installation of 36" x 78" inverted manual rollershutter	ea	14	\$ 1,220.00	\$ 17,080.00
	Water Harvesting & Water Storage	sum	1		\$ 8.085.00
	Design water harvesting and water storage solutions	sum	1		\$ 1,000.00
C-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and replace with square shaped				+ -/
	24 gauge glavanize spouting and metal fittings	m	79	\$ 65.00	\$ 5,135.00
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$ 975.00	\$ 1,950.00
			_		
C-07	Design Site Environment Management Plan (SEMP) Reports Design and conduct education campaigns	sum	1	\$ 2,000.00 \$ 2,500.00	

Task no.	Piggots Primary Intervention/Improvement	Unit	Quantity	Uni	it Rate (USD)	Tota	I (USD)
Task IIO.	Alternative Energy	sum	1		150,000.00	\$	150,000.0
	Perform Energy audit	Jun		۲,	150,000.00	Ŷ	150,000.0
	PV System design and scaling			-			
DC-01	Procurement of PV system components and battery		_	-			
	Installation of PV systems with battery backup			-			
	Routine repairs and maintenance of system		_	-			
	Noutrie repairs and maintenance of system						
	HVAC Systems	sum	5	Ś	2,700.00	Ś	13,500.0
	Allow for supply and installation of inverter AC units and LED	Juli		۲,	2,700.00	Ý	13,300.0
DC-02	Allow for routine maintenance and servicing of AC units			-			
	Allow for the supply and installation of ceiling fans			-			
	Allow for the supply and installation of certifig fails						
	Information Technology	1	1	Ś	3,200.00	Ś	3,200.0
DC-03	Install an intercom system for each school			->	5,200.00	\$	5,200.0
	Install an intercom system for each school						
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board and covered with trapezoidal 24 gauge galvanized sheets with hurricane clips at every connection at the eaves, hips: ridges and rafters of hip roof for the resistance of						
	hurricane force winds	m2	297			Ś	49,753.9
	Develop site-specific for roof design capable of resisting category 5 hurricanes		1	\$	1,654.95	\$	1,654.9
	Demolition and Removal of Existing Roof Gable Roof	sum	1		15,000.00	Ś	15,000.0
DC-04	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with			Ì			
	hurricane clips at every connection	m2	297	\$	95.50	\$	28,363.5
	Procure and install waterproofing membrane	m2	297	\$	2.50	\$	742.5
	Securing 24 gauge ridge capping	m	33		8.50	\$	280.5
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	297	\$	12.50	\$	3,712.5
	Doors, Windows & Shutters	sum	1			Ś	82,595.5
	Removal of windows and doors to be replaced	sum	1	Ś	10.000.00	Ś	10.000.0
	Installation of 24" x 24" high-impact hurricane resistant awning window	ea	6		700.00	Ś	4,200.0
DC-05	Installation of 36" x 48" high-impact hurricane resistant sing-hung window	ea	11		1.080.00	Ś	11.880.0
	Installation of 36" x 36" high-impact hurricane resistant casement window	ea	20	<u> </u>	930.50	Ś	18.610.0
	Installation of 36" x 78" high-impact hurricane swing door	ea	6		2,800.00	Ś	16,800.0
DC-01 DC-02 DC-03 DC-03 DC-04 DC-04 DC-05 DC-05 DC-06 DC-07	Installation of 24" x 24" accordion shutters	ea	6	Ś	185.00	Ś	1.110.0
	Installation of 36" x 48" accordion shutters	ea	11		470.50	Ś	5,175.5
	Installation of 36" x 36" accordion shutters	ea	20		375.00	\$	7,500.0
	Installation of 36" x 78" inverted manual rollershutter	ea		Ś	1.220.00	Ś	7,320.0
			0	× 1	1,220.00	Ý	7,520.0
	Water Harvesting & Water Storage	sum	1			Ś	8,540.0
	Design water harvesting and water storage solutions	sum	1	Ś	1.000.00	Ś	1.000.0
DC 00	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and		-	Ť	2,000.00	Ť	2,000.0
DC-06	replace with square shaped 24 gauge glavanize spouting and metal fittings	m	86	Ś	65.00	Ś	5,590.0
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	Ľ.	975.00	ŝ	1,950.0
				<u> </u>			
DC-07	Design Site Environment Management Plan (SEMP) Reports		1		2000	Ś	2,000.0
	Design and conduct education campaigns		1		2000		2,000.0
	a serie contract contract contraction comparison				Total		307,589.4

Task no.	Intervention/Improvement	Unit	Quantity	Ur	nit Rate (USD)	Total (USD)	
	HVAC Systems	sum	10	\$	2,700.00	\$	27,000.00
DC-01	Allow for supply and installation of inverter AC units and LED						
DC-01	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
DC-02	Information Technology	sum	1	\$	3,200.00	\$	3,200.00
DC-02	Install an intercom system for each school						
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board and covered with trapezoidal 24 gauge						
	galvanized sheets with hurricane clips at every connection at the eaves, hips, ridges and rafters of hip						
	roof for the resistance of hurricane force winds	m2	396			\$	66,240.43
	Develop site-specific for roof design capable of resisting category 5 hurricanes		1	\$	2,201.93	\$	2,201.93
DC-03	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$	20,000.00	\$	20,000.00
	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10" double						
	plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with hurricane clips at every connection	m2	396	\$	95.50	\$	37,818.00
	Procure and install waterproofing membrane	m2	396		2.50	\$	990.00
	Securing 24 gauge ridge capping	m	33	\$	8.50	\$	280.50
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	396	\$	12.50	\$	4,950.00
	Doors, Windows & Shutters	sum	1			\$	64,780.00
DC-04	Removal of windows and doors to be replaced	sum	1	\$	5,000.00	\$	5,000.00
00.04	Installation of 36" x 72" high-impact hurricane resistant casement windows	ea	8	\$	1,370.00	\$	10,960.00
	Installation of 36" x 78" high-impact hurricane swing door	ea	11	\$	2,800.00	\$	30,800.00
	Installation of 36" x 72" accordion shutters	ea	8	S	575.00	\$	4,600.00
	Installation of 36" x 78" inverted manual rollershutter	ea	11	\$	1,220.00	\$	13,420.00
	Water Harvesting & Water Storage	sum	1			\$	8,930.00
	Design water harvesting and water storage solutions	sum	1	\$	1,000.00	\$	1,000.00
DC-05	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and replace with square						
	shaped 24 gauge glavanize spouting and metal fittings	m		\$		\$	5,980.00
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$	975.00	\$	1,950.00
DC-06	Design Site Environment Management Plan (SEMP) Reports	sum	1	\$	2,000.00	\$	2,000.00
	Design and conduct education campaigns		1	\$	2,500.00	\$	2,500.00
				_	Total	\$	170,150.43

	Christ the King High School						
Task no.	Intervention/Improvement	Unit	Quantity	Unit	t Rate (USD)	Total	(USD)
	Alternative Energy		1	\$	150,000.00	\$	150,000.00
	Perform Energy audit						
	PV System design and scaling						
DC-01	Procurement of PV system components and battery						
	Installation of PV systems with battery backup						
	Routine repairs and maintenance of system						
	HVAC Systems		8	\$	2,700.00	\$	21,600.00
DC-02	Allow for supply and installation of inverter AC units and LED						
00-02	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
00.03	Information Technology		1	\$	3,200.00	\$	3,200.00
DC-03	Install an intercom system for each school						
				_			
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated ridge						
	board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board and covered						
	with trapezoidal 24 gauge galvanized sheets with hurricane clips at every connection at the						
	eaves, hips, ridges and rafters of hip roof for the resistance of hurricane force winds	m2	315			\$	56,860.25
	Develop site-specific for roof design capable of resisting category 5 hurricanes		1		1,755.25	\$	1,755.25
	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$	20,000.00	\$	20,000.00
DC-04	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x						
	10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with hurricane clips at every						
	connection	m2	315	\$	95.50	\$	30,082.50
	Procure and install waterproofing membrane	m2	315	\$	2.50	\$	787.50
	Securing 24 gauge ridge capping	m	35	\$	8.50	\$	297.50
DC-01 P P P P P P P P P P P P P	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	315	s	12.50	ŝ	3,937.50
				~	12100	*	-,
	Doors, Windows & Shutters	sum	1			Ś	46,968.00
	Removal of windows and doors to be replaced	sum	1	Ś	10.000.00	ŝ	10,000.00
	Installation of 36" x 48" high-impact hurricane resistant casement windows	ea	16	\$	930.50	ŝ	14,888.00
DC-05	Installation of 36" x 78" high-impact hurricane swing door	ea	4	\$	2,800.00	\$	11,200.00
	Installation of 36" x 48" accordion shutters	ea	16	s	375.00	s	6,000.00
	Installation of 36" x 78" inverted manual rollershutter	ea	4	\$	1,220.00	\$	4,880.00
	Water Harvesting & Water Storage	sum	1			\$	8,800.00
DC-06	Design water harvesting and water storage solutions	sum	1	\$	1,000.00	\$	1,000.00
50-00	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and replace						
	with square shaped 24 gauge glavanize spouting and metal fittings	m	90		65.00	\$	5,850.00
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$	975.00	\$	1,950.00
DC-07			1				
	Design Site Environment Management Plan (SEMP) Reports	sum	1	\$	2,000.00	\$	2,000.00
			1				
	Design and conduct education campaigns		1	\$	2,500.00		2,500.00
					Total	\$	287,428.25

ask no.	Intervention/Improvement	Unit	Quantity	Uni	it Rate (USD)	Tota	al (USD)
	Alternative Energy	sum	1	S	100.000.00	ŝ	100.000.00
	Perform Energy audit			<u> </u>	,		
	PV System design and scaling						
DC-01	Procurement of PV system components and battery	-					
	Installation of PV systems with battery backup						
	Routine repairs and maintenance of system						
	HVAC Systems	sum	8	\$	2,700.00	\$	21,600.00
DC-02	Allow for supply and installation of inverter AC units and LED					-	
DC-02	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
				-			
DC-03	Information Technology	sum	1	S	3,200.00	\$	3,200.00
DC-03	Install an intercom system for each school					-	
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x						
	10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board and covered with trapezoidal						
	24 gauge galvanized sheets with hurricane clips at every connection at the eaves, hips, ridges and						
	rafters of hip roof for the resistance of hurricane force winds	m2	338			Ś	59,448.50
	Develop site-specific for roof design capable of resisting category 5 hurricanes		1	Ś	1.878.50	Ś	1.878.50
	Demolition and Removal of Existing Roof Gable Roof	sum	1	S	20.000.00	Ś	20,000.00
DC-04	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10"			Ť		Ľ.	
	double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with hurricane clips at every						
	connection	m2	338	s	95.50	s	32,279.00
	Procure and install waterproofing membrane	m2	338		2.50		845.00
	Securing 24 gauge ridge capping	m	26		8.50		221.00
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	338		12.50		4.225.00
	Decaring root deck and replace root core ing gauge 24 sheets as a minimum	1116	550	<u> </u>	12.50	<i>v</i>	4,225.00
	Doors, Windows & Shutters	sum	1			ŝ	58,717.50
	Removal of windows and doors to be replaced	sum	1	Ś	10.000.00	ŝ	10,000.00
DC-05	Installation of 36" x 36" high-impact hurricane resistant casement windows	ea	25	ŝ	930.50		23,262.50
	Installation of 36" x 78" high-impact hurricane swing door	ea	4	ŝ	2.800.00	ŝ	11,200.00
	Installation of 36" x 36" accordion shutters	ea	25	Ś	375.00	ŝ	9,375.00
	Installation of 36" x 78" inverted manual rollershutter	ea	4	S	1,220.00	S	4,880.00
	Water Harvesting & Water Storage	sum	1			Ś	14,583.20
	Design water harvesting and water storage solutions	sum	1	Ś	1.000.00	ŝ	1.000.00
DC-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and replace with		-	ŕ	,	-	,
	square shaped 24 gauge glavanize spouting and metal fittings	m	80	s	169.79	s	13.583.20
		-		ŕ	2001/0	۲,	22,000120
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1	s	2,000.00	s	2,000.00
	Design and conduct education campaigns		1			ŝ	2,500.00
	peakly and conduct or and any set of the set		1	1.5	Total		257,549.20

ask no.	Intervention/Improvement	Unit	Quantity	Unit Rate (USI	Total (USD)
	Alternative Energy	sum	1	\$100.000.00	
	Perform Energy audit	Juin		\$100,000.00	* 100,000,00
	PV System design and scaling		-		
DC-01	Procurement of PV system components and battery				
	Installation of PV systems with battery backup		-		
	Routine repairs and maintenance of system		-		
	noutile repairs and manicenance of system				
	HVAC Systems	sum	6	\$ 1,700.00	\$ 10,200.0
	Allow for supply and installation of inverter AC units and LED	sum	0	\$ 1,700.00	\$ 10,200.0
DC-02	Allow for routine maintenance and servicing of AC units				
	Allow for the supply and installation of ceiling fans				
	TANOW for the supply and instantation of centing tans				
	Information Technology	sum	1	\$ 3,200.00	\$ 3,200.0
DC-03	Install an intercom system for each school				
			-		
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated ridge board,				
	2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board and covered with				
	trapezoidal 24 gauge galvanized sheets with hurricane clips at every connection at the eaves,				
	hips, ridges and rafters of hip roof for the resistance of hurricane force winds	m2	459		\$ 83,710.6
DC-04	Develop site-specific for roof design capable of resisting category 5 hurricanes		1	\$ 2,557.65	\$ 2,557.6
	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$ 30,000.00	\$ 30,000.0
	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x				
	10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with hurricane clips at every				
	connection	m2	459	\$ 95.50	\$ 43,834.5
	Procure and install waterproofing membrane	m2	459	\$ 2.50	\$ 1,147.5
	Securing 24 gauge ridge capping	m	51	\$ 8.50	\$ 433.5
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	459	\$ 12.50	\$ 5,737.5
	Doors, Windows & Shutters	sum	1		\$ 114,465.0
	Removal of windows and doors to be replaced	sum	1	\$ 15,000.00	\$ 15,000.0
	Installation of 36" x 36" high-impact hurricane resistant casement windows	ea	30	\$ 930.50	\$ 27,915.0
DC-05	Installation of 36" x 78" high-impact hurricane swing door	ea	15	\$ 2,800.00	\$ 42,000.0
	Installation of 36" x 36" accordion shutters	ea	30	\$ 375.00	
	Installation of 36" x 78" inverted manual rollershutter	ea	15	\$ 1,220.00	\$ 18,300.0
		eu	15	\$ 1,220.00	<i>ϕ</i> 10,500.0
	Water Harvesting & Water Storage	sum	1		\$ 23,664.3
	Design water harvesting and water storage solutions	sum	1	\$ 1,000.00	\$ 1,000.0
DC-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and replace with				
	square shaped 24 gauge glavanize spouting and metal fittings	m	122	\$ 169.79	\$ 20,714.3
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$ 975.00	\$ 1,950.0
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1	\$ 2,000.00	\$ 2,000.0
	Design and conduct education campaigns		1		\$ 2,500.0
				Total	

ask no.	Intervention/Improvement	Unit	Quantity	Uni	it Rate (USD)	Tot	al (USD)
	Alternative Energy	sum	1	ŝ	50,000.00	Ś	50.000.00
	Perform Energy audit						
DC-01	PV System design and scaling						
DC-01	Procurement of PV system components and battery						
	Installation of PV systems with battery backup						
	Routine repairs and maintenance of system						
	HVAC Systems	sum	2	\$	1,700.00	\$	3,400.00
DC-02	Allow for supply and installation of inverter AC units and LED						
	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
DC-03	Information Technology					\$	
DC-03	Install an intercom system for each school						
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated			_			
	ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia						
	Board and covered with trapezoidal 24 gauge galvanized sheets with hurricane						
	clips at every connection at the eaves, hips, ridges and rafters of hip roof for the	m2	144			~	26.060.25
	resistance of hurricane force winds	mz			000.05	\$	26,868.25
	Develop site-specific for roof design capable of resisting category 5 hurricanes			\$	803.25	\$	803.25
DC-04	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$	10,000.00	\$	10,000.00
	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge						
	board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with						
	hurricane clips at every connection	m2	144		95.50		13,752.00
	Procure and install waterproofing membrane	m2	144		2.50	\$	360.00
	Securing 24 gauge ridge capping	m	18	· ·	8.50	\$	153.00
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	144	\$	12.50	\$	1,800.00
	Doors, Windows & Shutters	sum	1			\$	36,746.00
	Removal of windows and doors to be replaced	sum	1	ŝ	5,000.00	Ś	5,000.00
	Installation of 36" x 36" high-impact hurricane resistant casement windows	ea	12	ŝ	930.50	ŝ	11,166.00
DC-05	Installation of 36" x 78" high-impact hurricane swing door	ea	4	Ś	2,800.00	Ś	11,200.00
	Installation of 36" x 36" accordion shutters	ea	12	\$	375.00	\$	4,500.00
	Installation of 36" x 78" inverted manual rollershutter	ea	4	\$	1,220.00	\$	4,880.00
	Water Harvesting & Water Storage	sum	1			\$	10,168.66
	Design water harvesting and water storage solutions	sum		Ś	1,000.00	ŝ	1,000.00
DC-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and		1	~	1,000.00	~	1,000.00
	replace with square shaped 24 gauge glavanize spouting and metal fittings	m	54	\$	169.79	\$	9,168.66
				_			
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum		\$	2,000.00	\$	2,000.00
	Design and conduct education campaigns	1	1	\$	2,500.00	\$	2,500.00

Task no.	Intervention/Improvement	Unit	Quantity	Unit Rate	(USD)	Total (USD)	
	HVAC Systems	sum	5	\$ 1,7	00.00	\$	8,500.00
DC-01	Allow for supply and installation of inverter AC units and LED						
DC-01	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
DC-02	Information Technology					\$	
DC-02	Install an intercom system for each school						
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"						
	x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board and covered with						
	trapezoidal 24 gauge galvanized sheets with hurricane clips at every connection at the eaves, hips,						
	ridges and rafters of hip roof for the resistance of hurricane force winds	m2	225			\$	41,328.75
	Develop site-specific for roof design capable of resisting category 5 hurricanes		1	\$ 1,2	53.75	\$	1,253.75
	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$ 15.0	00.00	S	15,000.00
DC-03	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10"						
	double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with hurricane clips at every						
	connection	m2	225	s	95.50	\$	21,487.5
	Procure and install waterproofing membrane	m2	225	\$	2.50	\$	562.5
	Securing 24 gauge ridge capping	m	25	\$	8.50	\$	212.5
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	225	\$	12.50	\$	2,812.50
	Doors, Windows & Shutters	sum	1			\$	20,563.50
	Removal of windows and doors to be replaced	sum	1	\$ 2,5	600.00	\$	2,500.0
	Installation of 36" x 36" high-impact hurricane resistant casement window	ea	7		30.50		6,513.5
DC-04	Installation of 24" x 24" high-impact hurricane resistant awning window	ea			00.00	\$	700.0
00.04	Installation of 36" x 78" high-impact hurricane swing door	ea	2	\$ 2,8	800.00	\$	5,600.0
	Installation of 36" x 36" accordion shutters	ea	7		875.00		2,625.0
	Installation of 24" x 24" accordion shutters	ea			185.00		185.0
	Installation of 36" x 78" inverted manual rollershutter	ea	2	\$ 1,2	20.00	\$	2,440.0
	Water Harvesting & Water Storage	sum	1			\$	7,500.00
DC-06	Design water harvesting and water storage solutions	sum	1	\$ 1,0	00.00	\$	1,000.0
DC-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and replace with square						
	shaped 24 gauge glavanize spouting and metal fittings	m	70		65.00		4,550.0
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$ 9	975.00	\$	1,950.0
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1	\$ 2,0	00.00	\$	2,000.0
	Design and conduct education campaigns		1	\$ 2,5	600.00	\$	2,500.0
	• •				Total	\$	77,892.2

k no.	Intervention/Improvement	Unit	Quantity	Uni	t Rate (USD)	Total	(USD)
	Alternative Energy	sum	1	\$	30,000.00	\$	30,000.0
	Perform Energy audit						
DC-01	PV System design and scaling						
DC-01	Procurement of PV system components and battery						
	Installation of PV systems with battery backup						
	Routine repairs and maintenance of system						
	HVAC Systems	sum	2	\$	1,700.00	\$	3,400.0
DC-02	Allow for supply and installation of inverter AC units and LED						
00.01	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
	Information Technology			_		\$	
DC-03	Install an intercom system for each school	-		-		3	
	maan an intercom system for cach school						
DC-05	Doors, Windows & Shutters	sum	1			\$	53,950.0
	Removal of windows and doors to be replaced	sum	1	\$	10,000.00	Ş	10,000.0
	Installation of 24" x 24" high-impact hurricane resistant single hung window	ea	21	\$	700.00	Ş	14,700.0
	Installation of 36" x 78" high-impact hurricane swing door	ea	7	\$	2,800.00	Ş	19,600.0
	Installation of 24" x 24" accordion shutters	ea	6	\$	185.00	\$	1,110.0
	Installation of 36" x 78" inverted manual rollershutter	ea	7	\$	1,220.00	Ş	8,540.0
	Water Harvesting & Water Storage	sum		_		Ś	3,566.6
DC-06	Design water harvesting and water storage solutions	sum	1	s	1,000.00	ŝ	1,000.0
DC-06	Procurement and installation of additional potable water storage 1000 gallon tanks			ŕ		· ·	
		ea	1	-	2566.69	>	2,566.
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1	\$	2,000.00	Ş	2,000.0
	Design and conduct education campaigns		1	\$	2,500.00	Ş	2,500.0
					Total	Ś	90,916.

	Early Learning Centre					
Task no.	Intervention/Improvement	Unit	Quantity	Unit Rate (USD)	Total (USD)	
	Alternative Energy	sum	1	\$ 30,000.00	\$	30,000.00
	Perform Energy audit					
DC-01	PV System design and scaling					
00-01	Procurement of PV system components and battery					
	Installation of PV systems with battery backup					
	Routine repairs and maintenance of system					
	HVAC Systems	sum	1	\$ 1,700.00	\$	1,700.00
DC-02	Allow for supply and installation of inverter AC units and LED					
00-02	Allow for routine maintenance and servicing of AC units					
	Allow for the supply and installation of ceiling fans					
DC-03	Information Technology				\$	
DC-03	Install an intercom system for each school					
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x					
	10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board and covered with trapezoidal					
	24 gauge galvanized sheets with hurricane clips at every connection at the eaves, hips, ridges and					
	rafters of hip roof for the resistance of hurricane force winds	m2	56		s	11.568.80
	Develop site-specific for roof design capable of resisting category 5 hurricanes		1	\$ 312.80	s	312.80
	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$ 5,000.00	S	5.000.00
DC-04	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated ridge board, 2"x 10"			+ 1,	*	
	double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia Board with hurricane clips at every					
	connection	m2	56	\$ 95.50	s .	5,348.00
	Procure and install waterproofing membrane	m2	56		s	140.00
	Securing 24 gauge ridge capping	m		\$ 8.50		68.00
	Securing 24 gauge ruge capping Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	56			700.00
	securing root deck and replace root covering gauge 24 sneets as a minimum	Imz		\$ 12.50	3	700.00
	Doors, Windows & Shutters	sum	1		s	41,746.00
	Removal of windows and doors to be replaced			\$ 10.000.00	\$	10.000.00
	Installation of 36" x 36" high-impact hurricane resistant casement windows	sum	12			
DC-05		ea ea		\$ 930.50		11,166.00
	Installation of 36" x 78" high-impact hurricane swing door Installation of 36" x 36" accordion shutters					
	Installation of 36" x 36" accordion shutters	ea	12	\$ 375.00 \$ 1,220.00		4,500.00
	Installation of 36" x 78" inverted manual rollershutter	ea	4	\$ 1,220.00	\$	4,880.00
		-	1		s	11.566.66
	Water Harvesting & Water Storage	sum				
DC-06	Design water harvesting and water storage solutions	sum	1	\$ 1,000.00	\$	1,000.00
	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and replace with square	_	32	\$ 169.79	s	F 433 30
	shaped 24 gauge glavanize spouting and metal fittings Procurement and installation of additional potable water storage 1000 gallon tanks	m				5,433.28
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$ 2,566.69	\$	5,133.38
DC-07						
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum		\$ 2,000.00		2,000.00
	Design and conduct education campaigns		1	\$ 2,500.00	\$	2,500.00
				Total	\$	96,581.46

DC-01	Alternative Energy Perform Energy audit	sum	1	Ś	30.000.00	Ś	20.000.00
DC-01							30,000.00
DC-01		1				Ľ.	
DC-01	PV System design and scaling						
	Procurement of PV system components and battery						
	Installation of PV systems with battery backup	<u> </u>					
	Routine repairs and maintenance of system						
	HVAC Systems	sum	1	\$	1,700.00	\$	1,700.00
DC-02	Allow for supply and installation of inverter AC units and LED						
DC-02	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
						_	
DC-03	Information Technology					\$	-
	Install an intercom system for each school						
				_		_	
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double						
	plated ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10"						
	Fascia Board and covered with trapezoidal 24 gauge galvanized sheets with						
	hurricane clips at every connection at the eaves, hips, ridges and rafters of hip						
	roof for the resistance of hurricane force winds	m2	63			\$	12,389.90
	Develop site-specific for roof design capable of resisting category 5 hurricanes		1	\$	351.90	\$	351.90
DC-04	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$	5,000.00	\$	5,000.00
	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated						
	ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia						
	Board with hurricane clips at every connection	m2	63	Ś	95.50	\$	6,016.50
	Procure and install waterproofing membrane	m2	63	Ś	2.50	Ś	157.50
	Securing 24 gauge ridge capping	m	9	Ś	8.50	· ·	76.50
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	63	Ś	12.50	Ś	787.50
				Ŧ			
	Doors, Windows & Shutters	sum	1			\$	35,115.00
	Removal of windows and doors to be replaced	sum	1	\$	10,000.00	\$	10,000.00
DC-05	Installation of 36" x 36" high-impact hurricane resistant casement windows	ea	10	\$	930.50	\$	9,305.00
DC-05	Installation of 36" x 78" high-impact hurricane swing door	ea	3	\$	2,800.00	\$	8,400.00
	Installation of 36" x 36" accordion shutters	ea	10	\$	375.00	\$	3,750.00
	Installation of 36" x 78" inverted manual rollershutter	ea	3	\$	1,220.00	\$	3,660.00
	Water Harvesting & Water Storage	sum	1			\$	10,906.24
	Design water harvesting and water storage solutions	sum	1	\$	1,000.00	\$	1,000.00
DC-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and						
	replace with square shaped 24 gauge glavanize spouting and metal fittings	m	34		169.79	\$	5,772.86
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$	2,566.69	\$	5,133.38
DC-07	Design City Environment Management Disc (CEMID) Descrite			<i>.</i>	2 000 55	<i>.</i>	2 005
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1		2,000.00	<u> </u>	2,000.00
	Design and conduct education campaigns		1	\$	2,500.00 Total	\$ \$	2,500.00

	Princess Margaret Secondary					
Task no.	Intervention/Improvement	Unit	Quantity	Unit Rate (USD)	То	tal (USD)
	Alternative Energy	sum	1	\$ 200,000.00	\$	200,000.00
	Perform Energy audit					
DC-01	PV System design and scaling					
DC-01	Procurement of PV system components and battery					
	Installation of PV systems with battery backup					
	Routine repairs and maintenance of system					
	HVAC Systems	sum	10	\$ 1,700.00	\$	17,000.00
DC-02	Allow for supply and installation of inverter AC units and LED					
00-02	Allow for routine maintenance and servicing of AC units					
	Allow for the supply and installation of ceiling fans					
DC-03	Information Technology	sum	1	\$ 3,200.00	\$	3,200.00
00-05	Install an intercom system for each school					
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double					
	plated ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10"					
	Fascia Board and covered with trapezoidal 24 gauge galvanized sheets with					
	hurricane clips at every connection at the eaves, hips, ridges and rafters of hip					
	roof for the resistance of hurricane force winds	m2	288		6	53,700,80
	Develop site-specific for roof design capable of resisting category 5 hurricanes	1112	1	\$ 1.604.80	\$	1,604.80
DC-04	Demolition and Removal of Existing Roof Gable Roof	sum	1		Ś	20.000.00
00-04	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated	sum	- 1	\$ 20,000.00	13	20,000.00
	ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia					
	Board with hurricane clips at every connection	m2	288	Ś 95.50	Ś	27,504.00
	Procure and install waterproofing membrane	m2	288		Ś	720.00
	Securing 24 gauge ridge capping				<u>+-</u>	
		m	32	1	÷	272.00
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	288	\$ 12.50	\$	3,600.00
	Doors, Windows & Shutters	sum	1		\$	82,438.00
	Removal of windows and doors to be replaced Installation of 36" x 48" high-impact hurricane resistant casement windows	sum		\$ 2,500.00		2,500.00
DC-05		ea	36			38,880.00
	Installation of 36" x 78" high-impact hurricane swing door	ea		\$ 2,800.00		16,800.00
	Installation of 36" x 48" accordion shutters	ea	36		<u> </u>	16,938.00
	Installation of 36" x 78" inverted manual rollershutter	ea	6	\$ 1,220.00	\$	7,320.00
	Weter Hannetten 0 Weter Channet	sum			Ś	20 205 74
	Water Harvesting & Water Storage Design water harvesting and water storage solutions	sum	1	\$ 1,000.00	· * ·	20,395.74 1,000.00
		sum	1	\$ 1,000.00	12	1,000.00
DC-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and				Ι.	
	replace with square shaped 24 gauge glavanize spouting and metal fittings	m	84		\$	14,262.36
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$ 2,566.69	\$	5,133.38
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1	\$ 2.000.00	Ś	2.000.00
	Design and conduct education campaigns		1	· · · ·	Ś	2.500.00
	Presign and conduct concerton campaigns		1 1	3 2,500.00 Total		376,734.54
				iotai	14	5. 5,. 34.54

Task no.	Intervention/Improvement	Unit	Quantity	Unit Rate (US	D)	Total	(USD)
	Alternative Energy	sum	1	\$ 100,000	00	\$	100,000.00
	Perform Energy audit						
DC-01	PV System design and scaling						
DC-01	Procurement of PV system components and battery						
	Installation of PV systems with battery backup						
	Routine repairs and maintenance of system						
	HVAC Systems	sum	1	\$ 1,700	00	\$	1,700.00
DC-02	Allow for supply and installation of inverter AC units and LED						
DC-02	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
DC-03	Information Technology					\$	-
DC-03	Install an intercom system for each school						
	Doors, Windows & Shutters	sum				\$	34,215.50
DC-05	Removal of windows and doors to be replaced	sum	1	\$ 2,500	00	\$	2,500.00
	Installation of 36" x 48" high-impact hurricane resistant single hung window	ea	11	\$ 1,080	00	\$	11,880.00
00-05	Installation of 24" x 24" high-impact hurricane resistant single hung window	ea	10	\$ 525	00	\$	5,250.00
	Installation of 24" x 24" high-impact hurricane resistant awning window	ea	4	\$ 700		\$	2,800.00
	Installation of 36" x 78" high-impact hurricane swing door	ea	1	\$ 2,800	00	\$	2,800.00
	Installation of 36" x 48" accordion shutters	ea	11	\$ 470	50	\$	5,175.50
	Installation of 24" x 24" accordion shutters	ea	14		00	\$	2,590.00
	Installation of 36" x 78" inverted manual rollershutter	ea	1	\$ 1,220	00	\$	1,220.00
	Water Harvesting & Water Storage	sum				\$	6,133.38
DC-06	Design water harvesting and water storage solutions	sum	1	\$ 1,000	00	\$	1,000.00
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$ 2,566	69	\$	5,133.38
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1	\$ 2,000	00	\$	2,000.00
	Design and conduct education campaigns		1	\$ 2,500	00	\$	2,500.00
				Te	otal	Ś	135,915.5

Task no.	Intervention/Improvement	Unit	Quantity	Uni	t Rate (USD)	Tota	l (USD)
	Alternative Energy	sum	1	\$	50,000.00	\$	50,000.0
	Perform Energy audit						
DC-01	PV System design and scaling						
DC-01	Procurement of PV system components and battery						
	Installation of PV systems with battery backup						
	Routine repairs and maintenance of system						
	HVAC Systems	sum		Ś	1,700.00	Ś	5,100.0
	Allow for supply and installation of inverter AC units and LED	sum	3	>	1,700.00	\$	5,100.0
DC-02	Allow for subply and instantion of inverter AC units and LED Allow for routine maintenance and servicing of AC units			-			
	Allow for the supply and installation of ceiling fans			-			
	Allow for the supply and installation of ceiling tans						
DC-03	Information Technology					\$	
DC-03	Install an intercom system for each school						
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double	1					
	plated ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10"						
	Fascia Board and covered with trapezoidal 24 gauge galvanized sheets with						
	hurricane clips at every connection at the eaves, hips, ridges and rafters of hip						
	roof for the resistance of hurricane force winds	m2	224			Ś	41.114.
	Develop site-specific for roof design capable of resisting category 5 hurricanes	1112	1	Ś	1,243.55		1,243.
DC-04		sum	1	<u> </u>	,		15.000.
DC-04	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$	15,000.00	\$	15,000.
	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated						
	ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia		224			~	21 202
	Board with hurricane clips at every connection	m2	224	· ·	95.50		21,392.
	Procure and install waterproofing membrane	m2	224	· ·	2.50		560.
	Securing 24 gauge ridge capping	m	14		8.50		119.
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	224	\$	12.50	\$	2,800.
	Doors, Windows & Shutters	sum	1			\$	39,031.
	Removal of windows and doors to be replaced	sum	1	\$	10,000.00	\$	10,000.
DC-05	Installation of 36" x 36" high-impact hurricane resistant casement windows	ea	13	\$	930.50	\$	12,096.
DC-05	Installation of 36" x 78" high-impact hurricane swing door	ea	3	\$	2,800.00	\$	8,400.
	Installation of 36" x 36" accordion shutters	ea	13	\$	375.00	\$	4,875.
	Installation of 36" x 78" inverted manual rollershutter	ea	3	\$	1,220.00	\$	3,660.
	Water Harvesting & Water Storage	sum	1			Ś	16,660.
	Design water harvesting and water storage solutions	sum	1	Ś	1.000.00	ŝ	1.000
DC-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and			1	2,200.00	-	2,000.
	replace with square shaped 24 gauge glavanize spouting and metal fittings	m	62	s	169.79	s	10,526.
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr	2	\$	2,566.69	\$	5,133.
DC-07	Design City Freedom and Management Disc (CEMD) Description		+ .				
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1		2,000.00	\$	2,000
	Design and conduct education campaigns	1	1	\$	2,500.00	\$	2,500.

ask no.	Intervention/Improvement	Unit	Quantity	Uni	t Rate (USD)	Tota	al (USD)
	Alternative Energy	sum	1	\$	50,000.00	\$	50,000.00
	Perform Energy audit					-	
DC-01	PV System design and scaling						
DC-01	Procurement of PV system components and battery						
	Installation of PV systems with battery backup						
	Routine repairs and maintenance of system						
	HVAC Systems	sum	2	\$	1,700.00	Ś	3,400.0
	Allow for supply and installation of inverter AC units and LED			*	2,100.00	۲.	
DC-02	Allow for routine maintenance and servicing of AC units						
	Allow for the supply and installation of ceiling fans						
	Information Technology					\$	
DC-03						>	
	Install an intercom system for each school						
	Construction of timber hip roof; framed with 2"x 8" rafters, 2" x 10" double						
	plated ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10"						
	Fascia Board and covered with trapezoidal 24 gauge galvanized sheets with						
	hurricane clips at every connection at the eaves, hips, ridges and rafters of hip						
	roof for the resistance of hurricane force winds	m2	162			\$	28,956.70
	Develop site-specific for roof design capable of resisting category 5 hurricanes		1	\$	902.70	\$	902.70
DC-04	Demolition and Removal of Existing Roof Gable Roof	sum	1	\$	10,000.00	\$	10,000.00
	Construct Frame for timber hip roof; with 2"x 8" rafters, 2" x 10" double plated						
	ridge board, 2"x 10" double plated hip ridge, 2"x 4" purlins and 2"x 10" Fascia						
	Board with hurricane clips at every connection	m2	162	\$	95.50	\$	15,471.00
	Procure and install waterproofing membrane	m2	162	\$	2.50	\$	405.00
	Securing 24 gauge ridge capping	m	18	\$	8.50	\$	153.00
	Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m2	162	\$	12.50	\$	2,025.00
	Doors, Windows & Shutters	sum	1			Ś	45,559.00
	Removal of windows and doors to be replaced	sum	1	Ś	10.000.00	Ś	10.000.0
	Installation of 36" x 36" high-impact hurricane resistant casement windows	ea	18		930.50	Ś	16,749.00
DC-05	Installation of 36" x 78" high-impact hurricane swing door	ea		Ś	2,800.00	Ś	8,400.00
	Installation of 36" x 36" accordion shutters	ea	18		375.00	· ·	6,750.0
	Installation of 36" x 78" inverted manual rollershutter	ea		\$	1,220.00	\$	3,660.0
	Water Harvesting & Water Storage	sum	1			Ś	15,641.62
	Design water harvesting and water storage solutions	sum	1	Ś	1,000.00	Ś	1.000.0
DC-06	Remove damaged PVC roof spouting, brackets, downpipes, running outlet, stop and	-	-	*	2,000.00	Ť	2,000.00
	replace with square shaped 24 gauge glavanize spouting and metal fittings	m	56	Ś	169.79	Ś	9,508.24
	Procurement and installation of additional potable water storage 1000 gallon tanks	nr		\$	2,566.69	\$	5,133.3
DC-07	Design Site Environment Management Plan (SEMP) Reports	sum	1	Ś	4,000.00	Ś	4.000.0
	Design and conduct education campaigns	Jun	_	Ś	2,500.00	Ś	2,500.0
	Bearbin and conduct concation campaigns	1	1 1	\$	2,500.00 Total		143,557.3

Annex 5. Schools' Work Packages – Saint Lucia.

• Written by: ECMC St. Lucia.

• **Exact title of report**: Appendix 5 of the Technical Assessment and Technology Options Report.

• Date of report: June 7, 2021.

As part of the twelve work packages comprising interventions to increase the schools' resilience and functioning as emergency shelters were developed. The estimated cost of the work packages ranged from USD 474,124 to USD 1,569,761 (excluding design and project management cost). The total cost of the twelve packages (inclusive of all costs) is estimated at USD 11,826,061. To ensure that disaster risk resilience is featured prominently in the curriculum of the schools, the work packages include an allowance of USD 3,200 for each school for this aspect. All schools' work packages include fire detection and alarm systems and fire suppression and safety measures to address the issue of fire safety based on recommendations by the Saint Lucia Fire Service. The summary table indicating work package costs is indicated below.

				Cos	ts in USD		
No.	School	Base Cost	Demolition of Defective Works	Prelims	Contingency	Value Added Tax	Total
1	Ave Maria Infant	317,831	9,535	23,837	70,241	52,680	474,124
2	Ave Maria Primary	372,373	11,171	27,928	82,294	61,721	555,488
3	Balata Combined	466,214	13,986	34,966	103,033	77,275	695,474
4	Bexon Primary	572,938	17,188	42,970	126,619	94,965	854,681
5	Corinth Secondary	812,138	24,364	60,910	179,483	134,612	1,211,507
6	Fond Assau Combined	431,873	12,956	32,390	95,444	71,583	644,247
7	Piatience Combined	415,474	12,464	31,161	91,820	68,865	619,783
8	Micoud Primary	636,568	19,097	47,743	140,682	105,511	949,601
9	Desruisseaux Combined	1,052,295	31,569	78,922	232,557	174,418	1,569,761
10	Vieux Fort Primary	774,490	23,235	58,087	171,162	128,372	1,155,345
11	Vieux Fort Infant	437,270	13,118	32,795	96,637	72,477	652,297
12	Saltibus Combined	344,546	10,336	25,841	76,145	57,109	513,977
	Base Cost	6,634,011	199,020	497,551	1,466,116	1,099,587	9,896,286
Allow super	15% detailed engineering design and vision	995,102	29,853	74,633	219,917	164,938	1,484,443
	10% of engineering fees as ursable cost	99,510	2,985	7,463	21,992	16,494	148,444
Projec cost	t Administration cost - 3% of base	199,020	5,971	14,927	43,983	32,988	296,889
	Total	7,927,643	237,829	594,573	1,752,009	1,314,007	11,826,061

 $\langle\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

$\langle\!\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

ask No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD
AMI-01	Condition of the building - as per Engineer's drawings and specifications Allow for scaling off the rust on the structural beams and columns, applying a rust inhibitor and repainting	sum	1		2,500.00
AMI-02	Exterior Doors, Exits and Entrances Install thresholds on external doors as required.	nr	20	100.00	2.000.00
	Install a third hinge at mid-height of all the doors - minimum 100 mm				_,
	hinges to be used.	nr	34	25.00	850.00
	Fasten door frames into concrete surrounds with bolts or screws	nr	20	60.00	1,200.00
	Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr	24	1,000.00	24,000.00
	Install panic bar locks in the library, computer room and music room which are likely to have occupants while the doors are closed	nr	1	950.00	950.00
AMI-03	Windows and shutters				
	Install 150 mm concrete surround having minimum cube strength of 21	sum	1	5,040.00	5,040.00
	MPa at 28 day to all windows to ensure adequate anchorage.		-		
	Install insect screens Install hurricane shutters which are able to resist the impact of flying	m²	86	20.00	1,722.00
	objects where standard windows are used	m²	86	600.00	51,660.00
AMI-04	Safety of roofing				
	Allow for replacing deteriorated sections or all of the fascia boards	Im	142	8.50	1,207.00
	Install additional fasteners at every trough at the eaves, hips, ridges and	nr	300	1.00	300.00
	edges of gable roofs for the resistance of hurricane force winds.				
	Replace all fasteners and comply with OECS-BC 7th Edition	m²	817	16.00	13,070.40
AMI-05	Parapets and other outside Elements (railings, ornaments)				
	Cover open concrete drains	Im	20	145.00	2,900.00
AMI-06	Internal walls				
	Repainting of building internal and external walls after completion of	m²	1,206	10.00	12,063.00
	works Replace all termite infested timber				
	Undertake termite intested timber	sum	1	2,500.00	2,500.00
	ondertake terrine treatment of bandings and compound	Sum	1	1,300.00	1,500.00
AMI-07	Safety of stairways and Ramps				
	install handrails along stairways	Im	15	275.00	4,125.00
AMI-08	Disabiliy Accessibility				
	Equip washrooms with adequate handicap access	sum	1	2,500.00	2,500.00
	All ground floor class rooms to be made wheel-chair accessible Increase all exit doors to match the requirements of the OECS Building	sum	1	8,500.00	8,500.00
	Code	sum	1	9,000.00	9,000.00
	To Collection				147,587.40

Ave Mar	ria Infant				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
AMI-09	Water Reserves Allow for supply and installation of rainwater harvesting system with pump and first flush system	litres	6,750	0.75	5,062.50
AMI-10	Water Distribution System Re-plumbing of buildings to facilitate dual water use - potable and rain water harvesting	sum	1	9,045.00	9,045.00
	Remove and replace all faucets in the lavatory sinks low volume water fixtures	nr	15	500.00	7,500.00
	Replace water closets with vandal-proof low-flush systems	nr	15	800.00	12,000.00
AMI-11	Wastewater System Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,500.00	2,500.00
AMI-12	Storm Drainage System - roof and gutters Allow for supply and replacement of damaged sections of roof gutters	Im	142	50.00	7,075.00
AMI-13	Attenate Sources of Electricity Allow for supply and installation of a 15 KVA solar photovoltaic system as alternative power supply Allow for supply and installation of a 15 KVA generator with accessories Fuel Reserve - Procure and develop stores of fuel	sum sum sum	1 1 1	36,000.00 25,000.00 6,000.00	36,000.00 25,000.00 6,000.00
AMI-14	Safety of Electrical Equipment Re-inspection and re-certification of building as required Improve electrical systems; undertake up to 50% rewiring of the building	sum	1	2,110.50 35.00	2,110.50
	as required Install waterproof switches Install waterproof outlets Replace/Service all ceiling fan Make provision for protection of emergency lighting Perform routine regains and maintenance - Emergy supply	nr nr nr sum	9 10 20 1	18.75 25.00 640.00 500.00 5,000.00	168.75 250.00 12,800.00 5.000.00
AMI-15	Lighting System Improve the lighting in all areas based on the international standard for light levels. Install emergency lighting with battery power packs; includes 4 signs and S lights	m² nr	603 9	5.00	3,017.25 900.00
AMI-16	Safety of HVAC Components Perform routine servicing of all split units	nr	1	80.00	80.00
AMI-17	Information Technology Install an intercom system for the school	sum	1	1,400.00	1,400.00
	To Collection				146,961.50

Ave Maria Infant School

2

Ave Maria Infant School

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

 \bigotimes

Ave Mar	ia Infant				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
AMI-18	Fire Protection				
	Procure and install smoke detectors	nr	6	120.00	720.00
	Procure and install fire alarm system; includes Manual Call Points (7), Wall mounted ringers (4), fire alarm control panels to suit 240V/1Ph/50Hz power supply and accessories.	sum	1	3,700.00	3,700.00
	Install a 5/b. (Dry Chemical Type) should be installed centrally on each block, upstairs and downstairs.	nr	4	113.70	454.80
	Install a 5lb. (Carbon Dioxide Type) should be installed near the exit of the ICT/Resource Room	nr	4	216.30	865.20
	Service the extinguisher in the Principal's Office	sum	1	44.75	44.75
	Fire proof steel beams and columns Install permanent exits signage around the compound	sum	1	200.00	- 200.00
	Make provision for an emergency plan to be developed and approved by the Fire Service.	sum	1	500.00	500.00
AMI-19	Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra-curricular activities.	sum	1	3,200.00	3,200.00
AMI-15	Ughting System Improve the lighting in all areas based on the international standard for light levels.	m²	603	5.00	3,017.25
	Install emergency lighting with battery power packs; includes 4 signs and S lights	nr	9	100.00	900.00
AMI-16	Safety of HVAC Components Perform routine servicing of all split units	nr	1	80.00	80.00
AMI-17	Information Technology Install an intercom system for the school	sum	1	1,400.00	1,400.00
AMI-19	Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra-curricular activities.	sum	1	3,200.00	3,200.00
AMI-20	ESIA Recommendations Allow a provisional sum to address recommendations made under the ESIA as it particularly relates to physical improvements at the school				5,000.00
	Collection				23,282.00
	Base Cost	Page 1 Page 2 Page 3			147,587.40 146,961.50 23,282.00 317,830.90
	Allowance for Demolition of works to be repaired - 3% of Base Cost Allowance for preliminaries - 7.5% of Base Cost Sub-total Allow 20% contingencies due to the nature of repairs and retrofit works Total				9,534.93 23,837.32 351,203.14 70,240.63 421,443.77
	Value Added Tax - 12.5% of Total Total Construction cost of repairs and retrofit works - Ave Maria Infant School				52,680.47 474,124.25

4

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Ave Mari	a Primary				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
AMP-01	Condition of the building - as per Engineer's drawings and specifications Allow for scaling off the rust on the structural beams and columns, applying a rust inhibitor and repainting	sum	1	2,500.00	2,500.00
AMP-02	Safety of Foundations - as per Engineer's details and specifications Reconstruct severely damaged foundation walls, strip and spread footings for the walkway	m²	20	116.00	2,320.00
AMP-03	Disabiliy Accessibility Equip washrooms with adequate handicap access All ground floor class rooms to be made wheel-chair accessible Increase all exit doors to match the requirements of the OECS Building Code	sum sum sum	1 1 1	2,500.00 10,500.00 5,250.00	2,500.00 10,500.00 5,250.00
AMP-04	Exterior Doors, Exits and Entrances Imatal Thresholds on external doors as required. Imatal a third hings at mick-height of all the doors - minimum 100 mm hinges to be used. Fasten door frames into concrete surrounds with bolts or screws	nr nr	30 40 40	100.00 25.00 60.00	3,000.00 1,000.00 2,400.00
	Replace exterior doors with impact resistant doors suitable for use in HVHZ Install panic bar locks in the library, computer room and music room which are likely to have occupants while the doors are closed	nr nr	40 3	1,000.00 950.00	40,000.00 2,850.00
AMP-05	Windows and shutters Install 150 mm concrete surround having minimum cube strength of 21 MPa at 28 day to all windows to ensure adequate anchorage. Install insect screens Install hurricane shutters which are able to resist the impact of flying objects where standard windows are used	sum m² m²	1 234 170	7,210.00 20.00 600.00	7,210.00 4,685.80 101,868.00
AMP-06	Safety of roofing Install additional fasteners at every trough at the eaves, hips, ridges and edges of gable roofs for the resistance of hurricane force winds. Replace all fasteners and comply with OECS-BC 7th Edition	nr m²	300 628	1.00 16.00	300.00 10,048.00
AMP-07	Parapets and other outside Elements (railings, ornaments) Cover open concrete drains	Im	20	145.00	2,900.00
AMP-08	Internal walls Repainting of building internal and external walls after completion of works Replace all termite infested timber Undertake termite treatment of buildings and compound	m² sum sum	1,276 1 1	5.00 2,500.00 1,500.00	6,380.00 2,500.00 1,500.00
AMP-09	Safety of stairways and Ramps Install handrailis along stairways Repair/Retrofit the stairwell on the western side	lm sum	20 1	275.00	5,500.00
AMP-10	Water Reserves Allow for supply and installation of rainwater harvesting system with pump and first flush system To Collection	litres	71,415	0.75	53,561.25 268,773.05

Ave Maria Infant School

Ave Maria Primary School

 $\langle\!\!\!\!\!$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Ave Mari	a Primary				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
AMP-11	Alternate water supply to regular water supply Re-plumbing of buildings to facilitate dual water use - potable and rain water harvesting	sum	1	5,415.00	5,415.00
AMP-12	Wastewater System Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,500.00	2,500.00
AMP-13	Storm Drainage System - roof and gutters Allow for supply and replacement of damaged sections of roof gutters	Im	122	50.00	6,100.00
AMP-14	Alternate Sources of Electricity Allow for supply and installation of a 15 KVA solar photovoltaic system as alternative power supply Allow for supply and installation of a 15 KVA generator with accessories Fuel Reserve - Procure and develop stores of fuel	sum sum sum	1 1 1	36,000.00 15,000.00 6,000.00	36,000.00 15,000.00 6,000.00
AMP-15	Safety of Electrical Equipment Re-inspection and re-certification of building as required Improve electrical systems; undertake up to 50% rewiring of the building as required Replace broken outlets and secure all exposed wires using trunking	sum m² sum	1 181 1	1,263.50 35.00 129.67	1,263.50 6,317.50 129.67
	Perform routine repairs and maintenance - Energy supply	sum	1	5,000.00	5,000.00
AMP-16	Lighting System Improve the lighting in all areas based on the international standard for light levels. Install emergency lighting with battery power packs; includes 4 signs and 8 lights Make provision for protection of emergency lighting	nr nr sum	90 12 1	20.00 100.00 500.00	1,800.00 1,200.00 500.00
AMP-17	Safety of HVAC Components Perform routine servicing of all split units	nr	2	80.00	160.00
AMP-18	Information Technology Install an intercom system for the school	sum	1	1,400.00	1,400.00
AMP-19	Fire Protection Procure and install smoke detectors Procure and install fire alarm system; includes Manual Call Points (8), Wall	nr	7	120.00	840.00
	mounted ringers (4), fire alarm control panels to suit 240V/1Ph/50Hz power supply and accessories. Install 10lb. (Carbon Dioxide Type) should be installed in the kitchen, ICT/Resource room. Library and Principals Office.	sum	1 4	3,760.00	3,760.00
	Install a Slb. (Dry Chemical Type) should be installed centrally in a cabinet centrally along the upper and lower floors of each block	nr	4	113.70	454.80
	Service all extinguishers Fire proof steel beams and columns	sum sum	1 1	44.75	44.75 -
	Make provision for an emergency plan to be developed and approved by the Fire Service.	sum	1	500.00	500.00
	To Collection				95,400.02

$\langle\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Fask No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD
AMP-20	Including DRR Education in the School Curriculum				
	The inclusion of DRR Education at the school level through the integration				
	of DRR topics and themes in regular classroom teaching and engaging	sum	1	3 200 00	3,200.0
	students in DRR community outreach initiatives through co and extra-	sum	1	5,200.00	5,200.0
	curricular activities.				
AMP-21	ESIA Recommendations				
	Allow a provisional sum to address recommendations made under the ESIA		1	5 000 00	5.000.0
	as it particularly relates to physical improvements at the school	sum	1	5,000.00	5,000.0
	To Collection				8,200.0
	Collection				
		Page 1			268,773.0
		Page 2			95,400.0
AMP-20		Page 3			8,200.0
	Base Cost	-		Unit Rate (USD) 3,200.00 5,000.00	372,373.0
Task No.	Allowance for Demolition of works to be repaired - 3% of Base Cost				11,171.:
	Allowance for preliminaries - 7.5% of Base Cost				27,927.9
	Sub-total				411,472.2
	Allow 20% contingencies due to the nature of repairs and retrofit works				82,294.4
	Total				493,766.6
	Value Added Tax - 12.5% of Total				61,720.8
	Total Construction cost of repairs and retrofit works -Ave Maria Primary School				555,487.5
	School				

Ave Maria Primary School

6

7

Ave Maria Primary School

 \bigotimes

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA



INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Balata C	ombined					Balata	Combined				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)	Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
	Condition of the building - as per Engineer's drawings and specifications Repair cracks in reinforced concrete floor slab surface Repair and increase strength of concrete columns Repair cracks in concrete walls and structural elements	sum sum sum	1 1 1	650.00 9,000.00 500.00	650.00 9,000.00 500.00	BC-09	Alternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump and first flush system	litres	30,251	0.75	22,688.26
	Repair beams and columns with heavy spalling and honeycombing Undertake design check and retrofit beams with excessive deflection	lm sum	24 1	150.00	3,600.00	BC-10	Water Distribution System Re-plumbing of buildings to facilitate dual water use - potable and rain	sum	1	5,167.50	5,167.50
	Floor Construction- Introducing additional supports to repair damaged floor Undertake detailed structural condition assessment before zoning as	sum	1		-		water harvesting Remove and replace all faucets in the lavatory sinks low volume water fixtures	nr	13	500.00	6,500.00
	disaster shelter	sum	1	1,500.00	1,500.00		Replace water closets with vandal-proof low-flush systems	nr	14	800.00	11,200.00
	Disability Access Equip washrooms with adequate handicap access All ground floor class rooms to be made wheel-chair accessible	sum sum	1 1	2,500.00 5,000.00	2,500.00 5,000.00	BC-11	Wastewater System Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,500.00	2,500.00
	Exterior Doors, Exits and Entrances Install thresholds on external doors as required.	nr	14	100.00	1,400.00	BC-12	Storm Drainage System - site Improve and introduce drainage of the school compound Allow for routine maintenance and cleaning of site storm water	Im	63	110.00	6,930.00
	Install a third hinge at mid-height of all the doors - minimum 100 mm hinges to be used.	nr	14	25.00	350.00		management system	sum	1	5,000.00	5,000.00
	Fasten door frames into concrete surrounds with bolts or screws Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr nr	14 14	60.00 1,000.00	840.00 14,000.00	BC-13	Alternate Sources of Electricity Allow for supply and installation of a 15 KVA solar photovoltaic system as alternative power supply	sum	1	36,000.00	36,000.00
	Install panic bar locks in the library, computer room and music room which are likely to have occupants while the doors are closed	nr	3	950.00	2,850.00		Allow for supply and installation of a 15 KVA generator with accessories Fuel Reserve - Procure and develop stores of fuel	sum sum	1 1	15,000.00 6,000.00	15,000.00 6,000.00
	Windows and shutters Install insect screens Install hurricane shutters which are able to resist the impact of flying objects	m² m²	126 126	20.00	2,520.00 75,780.00	BC-14	Safety of Electrical Equipment Re-inspection and re-certification of building as required Improve electrical systems; undertake up to 50% rewiring of the building as	sum	1	2,411.50 35.00	2,411.50 12,057.50
	where standard windows are used Install 150 mm concrete surround having minimum cube strength of 21 MPa at 28 day to all windows to ensure adequate anchorage.	sum	1	3,010.00	3,010.00		required Install waterproof outlets in classrooms with open blockwork Install waterproof switches in classrooms with open blockwork	nr nr	4 4	55.60 54.40 5.000.00	222.40 217.60 5,000.00
	Safety of roofing Make-up-slopes on concrete roofs and apply waterproofing membrane Remove and reconstruct entire roof truss system	m² m²	328	135.00 200.00	- 65,580.00	BC-15	Perform routine repairs and maintenance - Energy supply Ughting System Improve the lighting in all areas based on the international standard for light	sum	689	5.00	3,443.00
	Parapets and other outside Elements (railings, ornaments) Improve access to school entrance - roadway and gate Install handrails along stairs on the western side of the compound Cover all open concrete drains	sum Im Im	1 12 100	3,000.00 275.00 145.00	3,000.00 3,300.00 14,500.00		levels. Replace all damaged lighting fixtures in the corridors Replace all damaged lighting fixtures in the classrooms Replace all damaged ceiling fans Install emergency lighting with battery power packs	nr nr nr	10 60 4 10	92.00 55.56 360.00 100.00	920.00 3,333.60 1,440.00 1,000.00
BC-07	Internal walls Repainting of building internal and external walls after completion of			40.00	5 105 00	BC-16	Make provision for protection of emergency lighting Safety of HVAC Components	sum	1	500.00	500.00
	works Replace all termite infested timber Undertake termite treatment of buildings and compound	m² sum sum	643 1 1	10.00 5,000.00 1,500.00	6,425.80 5,000.00 1,500.00		Routine servicing of all split units Replace broken isolators	nr nr	7 1	\$ 80.00 \$ 80.00	560.00 80.00
BC-08	Water Reserves Procurement and installation of additional potable water storage tanks	sum	1100,837	0.75	75,627.53	BC-17	Information Technology Install an intercom system for the school	sum	1	1,400.00	1,400.00
	Removal of tanks from the roof could be considered. Construct ground slab and install a solar powered water pump.	sum	1	2,500.00	2,500.00		To Collection				149,571.36
	To Collection				300,933.33						

8

Balata Combined School

Balata Combined School

 \bigotimes

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
BC-18	Fire Protection				
	Procure and install smoke detectors Procure and install fire alarm system; includes Manual Call Points, Wall	nr	6	120.00	720.00
	supply and accessories.	sum	1	3,940.00	3,940.00
	Install 10lb (Carbon Dioxide Type) fire extinguishers at strategic locations throughout school	nr	4	253.70	1,014.80
	Servicing of fire extinuishers	nr	3	44.75	134.25
	Install permanent exit signage around the compound including indications of stairways, exists and muster points	nr	6	200.00	1,200.00
	Make provision for an emergency plan to be developed and approved by the Fire Service.	sum	1	500.00	500.00
BC-19	Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities.	sum	1	3,200.00	3,200.00
BC-20	ESIA Recommendations Allow a provisional sum to address recommendations made under the ESIA as it particularly relates to physical improvements at the school	sum	1	5,000.00	5,000.00
	To Collection				15,709.05
	Collection				
		Page 1			300,933.33
		Page 2			149,571.36
		Page 3			15,709.05
	Base Cost				466,213.73
	Allowance for Demolition of works to be repaired - 3% of Base Cost				13,986.41
	Allowance for preliminaries - 7.5% of Base Cost				34,966.03
	Sub-total				515,166.17
	Allow 20% contingencies due to the nature of repairs and retrofit works				103,033.23
	Total				618,199.41
	Value Added Tax - 12.5% of Total Total Construction cost of repairs and retrofit works - Balata Combined				77,274.93
	School				695,474.34

Task No.	rimary Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
BP-01	Condition of the building - as per Engineer's drawings and specifications				
	Floor Construction- Introducing additional supports to repair damaged floor	sum	1		5,000.00
	Undertake detailed structural condition assessment of Bexon school before zoning as disaster shelter	sum	1	15,000.00	15,000.00
	Repair cracks in the walls in the electricla room and other areas in the building	sum	1	500.00	500.00
BP-02	Disability Accessibility				
	Equip washrooms with adequate handicap access	sum	1	2,500.00	2,500.00
	All ground floor class rooms to be made wheel-chair accessible	sum	1	10,000.00	10,000.00
BP-03	Structural Integrity of Roofs				
	Allowance for investigating the structural capacity of roof and to undertake any retrofit	Sum			20,000.00
BP-04	Exterior Doors, Exits and Entrances				
	Install thresholds on external doors as required.	nr	63	100.00	6,300.00
	Install a third hinge at mid-height of all the doors - minimum 100 mm hinges to be used.	nr	63	25.00	1,575.00
	Fasten door frames into concrete surrounds with bolts or screws	nr	63	60.00	3,780.00
	Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr	63	1,000.00	63,000.00
	Install panic bar locks in the library, computer room and music room which	nr	3	950.00	2,850.00
	are likely to have occupants while the doors are closed Increase all exit doors to match requirements of the OECS Building Code	nr	83	250.00	20,750.00
BP-05	Windows and shutters				
	Install 150 mm concrete surround having minimum cube strength of 21 MPa	sum	1	6,300.00	6,300.00
	at 28 day to all windows to ensure adequate anchorage. Install insect screens	m²	210	20.00	4,200.00
	Install hurricane shutters which are able to resist the impact of flying objects where standard windows are used	m²	210	600.00	126,240.00
BP-06	Safety of roofing				
51-00	Allow a provision sum to address leaking roof and any repairs to roof slab soffit	sum			15,000.00
BP-07	Parapets and other outside Elements (railings, ornaments)				
	Improve access to school entrance - roadway and gate Install illuminated exit signs at strategic locations	sum	1 39	3,000.00 200.00	3,000.00 7,800.00
		nr	39	200.00	7,800.00
BP-08	Internal walls - concrete masonry units finishd with mortar plastering				
	Repainting of building internal and external walls after completion of works	m²	1,236	10.00	12,360.00
	Replace all termite infested timber Undertake termite treatment of buildings and compound	sum	1	2,500.00 1,200.00	2,500.00
	Undertake termite treatment or buildings and compound	sum	1 ¹	1,200.00	1,200.00
BP-09	Safety of stairways and Ramps Reconstruction of external staircase	sum	1	15,000.00	15,000.00
BP-10	Water Reserves				
	Procurement and installation of additional potable water storage tanks	litres	54,016	0.75	40,511.63
	To Collection				385,366.63

Balata Combined School

Bexon Primary School

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

 \bigotimes

ask No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
BP-11	Alternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump and first flush system	litres	16,205	0.75	12,153.49
BP-12	Water Distribution System Re-plumbing of buildings to facilitate dual water use - potable and rain water harvesting	sum	1	6,495.00	6,495.00
	Remove and replace all faucets in the lavatory sinks low volume water fotures	nr	36	500.00	18,000.00
	Replace water closets with vandal-proof low-flush systems	nr	30	800.00	24,000.00
BP-13	Wastewater System Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,500.00	2,500.00
BP-14	Storm Drainage System - site Improve and introduce drainage of the school compound	Im	128	110.00	11.005.00
	Improve and introduce drainage of the school compound Allow for routine maintenance and cleaning of site storm water management system	sum	128	3,000.00	14,025.00 3,000.00
BP-15	Alternate Sources of Electricity Allow for supply and installation of a 15 KVA solar photovoltaic system as alternative power supply	sum	1	36,000.00	36,000.0
	Allow for supply and installation of a 15 KVA generator with accessories Fuel Reserve - Procure and develop stores of fuel	sum sum	1 1	15,000.00 6,000.00	15,000.00 6,000.00
BP-16	Safety of Electrical Equipment Re-inspection and re-certification of building as required Improve electrical systems; undertake up to 50% rewiring of the building as required	sum m²	1 433	10,000.00 35.00 5.000.00	10,000.00 15,155.00 5,000.00
	Perform routine repairs and maintenance - Energy supply	sum	1	5,000.00	5,000.00
BP-17	Lighting System Improve the lighting in all areas based on the international standard for light levels.	m²	866	5.00	4,329.5
	Install emergency lighing with battery power packs Make provision for protection of emergency lighting	nr sum	9 1	100.00 500.00	900.00 500.00
BP-18	Information Technology Install an intercom system for the school	sum	1	1,400.00	1,400.00
BP-19	Fire Protection Procure and install smoke detectors Procure and install fire alarm system; includes Manual Call Points, Wall	nr	1	120.00	120.0
	supply and accessories.	sum	1	3,520.00	3,520.00
	Install 5 lb. (Dry Chemcial Type) fire extinguisher near the exit of the Principal's Office, the Lab and the ground floor corridor	nr	3	113.70	341.10
	Install 5 lb. (Carbon DioxideType) fire extinguisher in the kitchen and near the canteen exit	nr	2	216.30	432.60
	Make provision for an emergency plan to be developed and approved by the Fire Service.	sum	1	500.00	500.00
	To Collection				179,371.6

$\langle\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD
BP-20	Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities.	sum	1	3,200.00	3,200.00
AI	ESIA Recommendations				
	Allow a provisional sum to address recommendations made under the ESIA as it particularly relates to physical improvements at the school	sum	1	5,000.00	5,000.00
	To Collection	Page 1 Page 2			8,200.0 385,366.6 179,371.6
_	Base Cost	Page 3			8,200.0 572,938.3
	Allowance for Demolition of works to be repaired - 3% of Base Cost Allowance for preliminaries - 7.5% of Base Cost Sub-total				17,188.1 42,970.3 633,096.8
	Allow 20% contingencies due to the nature of repairs and retrofit works Total				126,619.3 759.716.2
	Value Added Tax - 12.5% of Total				94,964.5
	Total Construction cost of repairs and retrofit works - Bexon Primary School				854,680.7

Bexon Primary School

12

Bexon Primary School

 \bigotimes

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA



INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Corinth	Secondary					Corinth	Secondary				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)	Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
	Condition of the building - as per Engineer's drawings and specifications Allow for scaling off the rust on the structural beams and columns, applying a rust inhibitor and repainting	sum	1		1,000.00	CS-11	Water Distribution System Re-plumbing of buildings to facilitate dual water use - potable and rain water harvesting	sum	1	7,411.50	7,411.50
	Safety of Foundations - as per Engineer's details and specifications Retrofit the severely damaged foundation walls / strip and spread footings.	sum	1	9,400.00	9,400.00		Remove and replace all faucets in the lavatory sinks low volume water fixtures Replace water closets with vandai-proof low-flush systems	nr nr	26 30	500.00 800.00	13,000.00 24,000.00
CS-03	Disability Accessibility Equip washrooms with adequate handicap access All ground floor class rooms to be made wheel-chair accessible	sum sum	1 1	2,500.00 17,000.00 27,000.00	2,500.00 17,000.00 27,000.00		Wastewater System Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,500.00	2,500.00
CS-04	Increase all exit doors to match the requirements of the OECS Building Code Structural Integrity of Roofs	30111		27,000.00	-	CS-13	Storm Drainage System - site Improve and introduce drainage of the school compound Allow for routine maintenance and cleaning of site storm water management	Im	50	110.00	5,500.00
CS-04	Replacement of metal purlins and roofing; Block A&B	m²	409	68.00	27,778.00		Allow for routine maintenance and cleaning of site storm water management system	sum	1	5,000.00	5,000.00
CS-05	Exterior Doors, Exits and Entrances Install thresholds on external doors as required. Install a third hinge at mid-height of all the doors - minimum 100 mm hinges to	nr nr	52 96	100.00 25.00	5,200.00 2,400.00		Storm Drainage System - roof and gutters Allow for supply and replacement of damaged sections of roof gutters	Im	157	50.00	7,862.50
	be used. Fasten door frames into concrete surrounds with bolts or screws Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr nr	74 96	60.00 2,500.00	4,440.00 240,000.00	CS-15	Alternate Sources of Electricity Allow for supply and installation of a 15 KVA solar photovoltaic system as alternative power supply	sum	1	36,000.00	36,000.00
	Install panic bar locks in the library, computer room and music room which are likely to have occupants while the doors are closed	nr	5	950.00	4,750.00		Allow for supply and installation of a 15 KVA generator with accessories Fuel Reserve - Procure and develop stores of 500-litres fuel	sum sum	1 1	15,000.00 6,000.00	15,000.00 6,000.00
	Windows and shutters Install 150 mm concrete surround having minimum cube strength of 21 MPa at 28 day to all windows to ensure adequate anchorage.	sum	1	4,200.00	4,200.00	CS-16	Safety of Electrical Equipment Re-inspection and re-certification of the building as required. Improve electrical systems; undertake up to 50% rewiring of the building as	sum	1	4,214.00	4,214.00
	Install insect screens Install hurricane shutters which are able to resist the impact of flying objects where standard windows are used	m² m²	474 237	20.00 600.00	9,484.00 142,200.00		required Replace waterproof light switches in the corridors Perform routine repairs and maintenance - Energy supply	m² nr sum	1,204 18 1	35.00 18.75 3,000.00	42,140.00 337.50 3,000.00
CS-07	Other Elements of the Building Envelope Replace all termite infested timber Undertake termite treatment of buildings and compound	sum sum	1 1	1,200.00	- 1,200.00	CS-17	Lighting System Improve the lighting in all areas based on the international standard for light levels. Repairs to damage light fixtures and replace cover to panel in science lab	m² sum	1,204	5.00	6,020.00
	Safety of roofing Install additional fasteners at every trough at the eaves, hips, ridges and edges of gable roofs for the resistance of hurricane force winds.	nr	400	1.00	400.00		Install emergency lighting with battery power packs Make provision for protection of emergency lighting	nr sum	23 1	100.00 500.00	2,300.00
	Replace all fasteners and comply with OECS-BC 7th Edition	m²	1,007	16.00	16,105.60	CS-18	Safety of HVAC Components Perform major repairs and maintenance - Pipes and Insulation	sum	1	480.00	480.00
	Repainting of building internal and external walls after completion of works	m²	1,596	10.00	15,962.00		Increase capacity of system - Cooling generating systems Allow for supply and installation of new individual AC units	sum nr	1 4	1,500.00	6,000.00
	False or Suspended Ceilings Replace and/or patch the leaking ceilings	sum	1	5,000.00	5,000.00	CS-19	Information Technology Install an intercom system for the school	sum	1	1,400.00	1,400.00
	Alternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump and first flush system	litres	87,063	0.75	65,297.54		To Collection				189,165.50
	To Collection				601,317.14						

Corinth Secondary School

14

Corinth Secondary School

School

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Corinth Secondary Unit Rate Task No. Interventions/Improvements Unit Quantity Total (USD) (USD) CS-20 Fire Protection Procure and install smoke detectors 14 120.00 1,680.00 nr Procure and install fire alarm system; includes Manual Call Points, Wall mounted ringer, fire alarm control panels to suit 240V/1Ph/50Hz power supply sum 1 4,420.00 4,420.00 and accessories. Procure and install 5lb (Carbon dioxide type) fire extinguishers in the canteens nr 3 216.20 648.60 and staffroom Procure and install 10lb (Carbon dioxide type) fire extinguishers in the nr 3 253.70 761.10 Recourse room. IT room and F&N Room Recharge and service all fire extinguishers nr 44.75 223.75 5 Service and replace all fire hose reel cases 2,222.20 nr 444.44 5 Install illuminated exit signs at strategic locations 15 200.00 3,000.00 nr Make provision for an emergency plan to be developed and approved by the 1 500.00 500.00 sum Fire Service. CS-21 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of sum 1 3,200.00 3,200.00 DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra-curricular activities. CS-22 ESIA Recommendations Allow a provisional sum to address recommendations made under the ESIA as sum 1 5,000.00 it particularly relates to physical improvements at the school To Collectio 21,655.65 Collection 601,317.14 Page 1 189,165.50 Page 2 Page 3 21,655.65 Base Cost 812,138.29 Allowance for Demolition of works to be repaired - 3% of Base Cost 24,364.15 Allowance for preliminaries - 7.5% of Base Cost 60,910.37 Sub-total 897,412.81 Allow 20% contingencies due to the nature of repairs and retrofit works 179.482.56 Total 1,076,895.38 Value Added Tax - 12.5% of Total 134,611.92 Total Construction cost of repairs and retrofit works - Corinth Secondary 1,211,507.30

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD
FAC-01	Disability Accessibility				
PAC-01	Equip washrooms with adequate handicap access	sum	1	2,500.00	2,500.0
	All ground floor class rooms to be made wheel-chair accessible	sum	1	10,000.00	10,000.0
	Increase all exit doors to match the requirements of the OECS Building	sum	1	17,750.00	17,750.0
	Code	sum	1	17,750.00	17,750.0
FAC-02	Exterior Doors, Exits and Entrances				
	Install thresholds on external doors as required.	nr	71	100.00	7,100.0
	Install a third hinge at mid-height of all the doors - minimum 100 mm	nr	70	25.00	1,750.0
	hinges to be used. Fasten door frames into concrete surrounds with bolts or screws	nr	71	60.00	4,260.0
	Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr	71	1,000.00	71,000.0
	replace exterior doors with impact resistant doors suitable for use in riving				
FAC-03	Windows and shutters Install 150 mm concrete surround having minimum cube strength of 21				
	MPa at 28 day to all windows to ensure adequate anchorage.	sum	1	6,300.00	6,300.0
	Install insect screens	m²	186	20.00	3,714.0
	Install hurricane shutters which are able to resist the impact of flying	m²	186	600.00	111.420.0
	objects where standard windows are used		100	000.00	111,420.0
FAC-04	Other Elements of the Building Envelope				
	Replace all termite infested timber	sum	1	3,750.00	3,750.0
	Undertake termite treatment of buildings and compound	sum	1	1,200.00	1,200.0
FAC-05	Safety of roofing				
	Allow for replacing deteriorated sections or all of the fascia boards	Im	49	16.00	787.2
	Install additional fasteners at every trough at the eaves, hips, ridges and edges of gable roofs for the resistance of hurricane force winds.	nr	300	1.00	300.0
	Replace all fasteners and comply with OECS-BC 7th Edition	m²	145	16.00	2,320.0
FAC-06	Internal walls		I 1		1
		m²	247	8.50	2,096.1
	Repainting of building internal and external walls after completion of works				
FAC-07	Alternate water supply to regular water supply				
	Allow for supply and installation of rainwater harvesting system with pump	litres	19.170	0.75	14,377.5
	and first flush system				
FAC-08	Water Distribution System				
	Re-plumbing of buildings to facilitate dual water use - potable and rain water harvesting	sum	1	10,335.00	10,335.0
	Remove and replace all faucets in the lavatory sinks low volume water				
	fixtures	nr	26	500.00	13,000.0
	Replace water closets with vandal-proof low-flush systems	nr	30	800.00	24,000.0
FAC-09	Wastewater System				
	Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,000.00	2,000.0
	Storm Drainage System - roof and gutters				
	Allow for supply and replacement of damaged sections of roof gutters	Im	123	60.00	7,398.0

Corinth Secondary School

16

Fond Assau Combined School

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA



INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Task No.Interventions/ImprovementsUnitQuantityUnit Rate (USD)Total (USD)FAC-10Allow for supply and installation of a 15 KVA solar photovoltaic system as alternative power supply Allow for supply and installation of a 15 KVA generator with accessories fuel Reserve - Procure and develop stores of fuelsum136,000.00FAC-11Sofety of Electrical Equipment Respect - Procure and develop stores of fuelsum12,280.502,280.50Replace corroded electrical systems; undertake up to 50% rewring of the building as requiredsum12,280.512,280.50Replace corroded electrical panel and covers for junction boxes Upgrade the size of the transformer to SVAA Perform routine repairs and maintenance - Energy supplysum12,285.71FAC-12Uphing System Improve the lighting in all areas based on the international standard for light levels. Install emergency lighting with battery power packs; 3 exit signs, 7 lights summr100300.00FAC-13Sofety of tVAC Components Perform routine serviceing of all split unitsnr14,060.001,400.00FAC-14Information Technology Install en intercom system for the schoolnr14,060.001,200.00FAC-15File Protection Procure and install for align splitu, includes Manual Call Points (7), Wall power supply and accessories. Procure and install for align splitu, includes Manual Call Points (7), Wall power supply and accessories. Procure and install Sib. (Carbon Dioxide) fire estinguisher should be installed mear the exit of the Principal's Office Procure and install Sib. (Carbon Dioxide	Fond Assa	u Combined				
Allow for supply and installation of a 15 KVA generator with accessories alternative power supply Allow for supply and installation of a 15 KVA generator with accessories Fuel Reserve - Procure and develop stores of fuelsum136,000.00FAC.11Safety of lectrical Equipment Reprove decirical systems; undertake up to 50% rewiring of the building as requiredsum12,880.50Reprove decirical systems; undertake up to 50% rewiring of the building as requiredsum12,880.50Replace corroded electrical panel and covers for junction boxes Upgrade the size of the transformer to SKVA Perform routine repairs and maintenance - Energy supplysum12,785.71FAC-12Lighting System Improve the lighting in all areas based on the international standard for light levels.m²6895.003,443.50Install emergency lighting with battery power packs; 3 exit signs, 7 lights mod Make provision for protection of emergency lightingsum11,400.001,400.00FAC-13Safety of IVAC Components Perform routine serviceing of all spilt unitsnr48.000320.00FAC-14Information Technology install an intercom system for the schoolsum11,400.001,400.00FAC-14Information Technology roure and install fine airm system; includes Manual Call Points (7), Wall mounted ringers (7), for alarm control Softie Procure and install fine airm system; includes Manual Call Points (7), Wall mounted ringers (7), for alarm control Softie Procure and install fine discrim softie procure and install fine discrim softie real and muster polic.1200.00200.00 <th>Task No.</th> <th>Interventions/Improvements</th> <th>Unit</th> <th>Quantity</th> <th></th> <th>Total (USD)</th>	Task No.	Interventions/Improvements	Unit	Quantity		Total (USD)
Allow for supply and installation of a 15 KVA generator with accessories alternative power supply Allow for supply and installation of a 15 KVA generator with accessories Fuel Reserve - Procure and develop stores of fuelsum136,000.00FAC.11Safety of lectrical Equipment Reprove decirical systems; undertake up to 50% rewiring of the building as requiredsum12,880.50Reprove decirical systems; undertake up to 50% rewiring of the building as requiredsum12,880.50Replace corroded electrical panel and covers for junction boxes Upgrade the size of the transformer to SKVA Perform routine repairs and maintenance - Energy supplysum12,785.71FAC-12Lighting System Improve the lighting in all areas based on the international standard for light levels.m²6895.003,443.50Install emergency lighting with battery power packs; 3 exit signs, 7 lights mod Make provision for protection of emergency lightingsum11,400.001,400.00FAC-13Safety of IVAC Components Perform routine serviceing of all spilt unitsnr48.000320.00FAC-14Information Technology install an intercom system for the schoolsum11,400.001,400.00FAC-14Information Technology roure and install fine airm system; includes Manual Call Points (7), Wall mounted ringers (7), for alarm control Softie Procure and install fine airm system; includes Manual Call Points (7), Wall mounted ringers (7), for alarm control Softie Procure and install fine discrim softie procure and install fine discrim softie real and muster polic.1200.00200.00 <td>FAC-10</td> <td>Alternate Sources of Flectricity</td> <td></td> <td></td> <td></td> <td></td>	FAC-10	Alternate Sources of Flectricity				
Allow for supply and installation of a 15 KVA generator with accessoriessum115,000.00FAC-11Reserve - Procure and develop stores of fuelsum16,000.00FAC-11Referve - Procure and feedop stores of fuelsum12,880.50FAC-11Referve - erification of building as requiredsum12,880.50Replace corroded electrical systems; undertake up to 50% rewiring of the building asm ³ 68935.00Perform routine regists and maintenance - Energy supplysum12,785.712,785.71FAC-12Lighting Systemm12,000.003,443.50Install emergency lighting with battery power packs; 3 exit signs, 7 lightsnr10100.00Make provision for protection of emergency lightingsum11,400.001,400.00FAC-13Safety of VIAC Componentsnr480.00320.00FAC-14Information Technologynr10120.001,200.00FAC-15Fire Protectionnr11,400.001,400.00FAC-16Fire Protectionnr15216.30Procure and install moke detectorsnr15216.30Procure and install moke detectorsnr1\$216.30Procure and install Solic Carbon Dioxide) fire extinguisher should be installe nar measure Singlage around the computincluding indications of starway, exits, and muster polici.nr1\$Procure and install Dib (Carbon Dioxide) fire extinguisher should be installe						
Fuel Reserve - Procure and develop stores of fuelsum16,000.006,000.00FAC-11Safety of Electrical Equipment Re-inspection and re-certification of building as required Improve electrical systems: undertake up to 50% rewiring of the building as requiredsum12,880.502,880.50Replace corroded electrical panel and covers for junction boxes Upgrade the size of the transformer to SKVA Perform routine repairs and maintenance - Energy supplysum1809.15809.15FAC-12Lighting System Improve the lighting in all areas based on the international standard for light levels.m²6895.003,443.50Install emergency lighting with battery power packs; 3 exit signs, 7 lights Make provision for protection of emergency lightingm²6895.003,443.50FAC-13Perform routine serviceing of all split unitsnr10100.001,000.00FAC-14Information Technology Install an intercom system for the schoolsum11,400.001,400.00FAC-15Fire Protection Procure and install moke detectors Procure and install moke detectors Procure and install moke detectors Procure and install moke detectors Procure and install fore alarm control panels to suit 2400/19h/SOHz power supply and accessories.nr1\$ 263.00200.00FAC-15Fire Protection Procure and install moke detectors Procure and install fore alarm solf-fire extinguisher should be installed near the asit Soffic for extinguisher should be installed near the asit Soffic and prove solf be installed near the asit Soffic and prove brole.nr1\$ 263.		alternative power supply	sum	1	36,000.00	36,000.00
FAC-11 Safety of Electrical Equipment Re-inspection and re-certification of building as required improve electrical systems; undertake up to 50% rewiring of the building as required Replace corroded electrical panel and covers for junction boxes Upgrade the size of the transformer to SIX/A Perform routine repairs and maintenance - Energy supply sum 1 2,880.50 2,880.50 FAC-12 Liphting System Improve the lighting in all areas based on the international standard for light levels. Install emergency lighting with battery power packs; 3 exit signs, 7 lights with services of reargency lighting. m ² 689 5.00 3,443.50 FAC-13 Safety of tVAC Components Perform routine serviceing of all split units nr 1 0.000.00 1,000.00 FAC-14 Information Technology Install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-14 Information Technology Install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-14 Information Technology Install an intercom system for the school sum 1 1,400.00 4,060.00 Procure and install free alarm system; includes Manual Call Points (7), Wall mounted ringes (7), for alarm control panels to sul 240/12h/S/0Hz power supply and accessories. Procure and install 0E(0ry Chemical) fire extinguisher should be installed near the exit of the Principal's Offclie Procure and install 10E (Carbon Dioxide) fire extinguisher shoul		Allow for supply and installation of a 15 KVA generator with accessories	sum	1	15,000.00	15,000.00
Re-inspection and re-certification of building as required improve electrical systems; undertake up to 50% rewiring of the building as required Replace corroded electrical panel and covers for junction boxes Upgrade the size of the transformer to SKVA Perform routine repairs and maintenance - Energy supply sum 1 2,880.50 2,4,097.50 FAC-12 Lighting System install emergency lighting in all areas based on the international standard for light levels. m² 689 5.00 3,443.50 Install emergency lighting with battery power packs; 3 exit signs, 7 lights install emergency lighting with battery power packs; 3 exit signs, 7 lights wake provision for protection of emergency lighting m² 689 5.00 3,443.50 FAC-13 Safety of tVAC Components Perform routine serviceing of all split units nr 4 80.00 320.00 FAC-14 Information Technology Install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-14 Information Technology Procure and install fine alarm system; includes Manual Call Points (7), Wall mounted ringes (7), for learm control panels to suit 240/VIPM/SOH: sum nr 1 2,000.00 4,060.00 Procure and install fine alarm system; includes Manual Call Points (7), Wall mounted ringes (7), for learm control panels to suit 240/VIPM/SOH: power supply and accessories. Procure and install a SIb, (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Offcie Proc		Fuel Reserve - Procure and develop stores of fuel	sum	1	6,000.00	6,000.00
Improve electrical systems; undertake up to 50% rewiring of the building as required Replace corroded electrical panel and covers for junction boxes summ²68935.0024,097.50Replace corroded electrical panel and covers for junction boxes Perform routine replars and maintenance - Energy supplysum1809.15809.15FAC-12Lighting System Improve the lighting in all areas based on the international standard for light levels. Install emergency lighting with battery power packs; 3 exit signs, 7 lights summ²6895.003,443.50FAC-13Saferopy fivAc Components Perform routine replayed for a powision for protection of emergency lightingmr101000.001,000.00FAC-14Information Technology Install an intercom system for the schoolsum11,400.001,400.00FAC-14Information Technology Install an intercom system for the schoolnr10120.001,200.00FAC-15Fire Protection Procure and install moke detectors Procure and install moke detectors Procure and install fire alarm system; includes Manual Call Points (7), Wall mounted ringers (7), Ifre alarm control panels to suit 2400/1Ph/50Hz sum14,060.004,060.00Procure and install 10b (Carbon Dioxide) fire extinguisher should be installed mart meant signage around the computincluding indications of stairways, exits, and muster polici.nr1\$ 253.70253.70FAC-16Inducting DRR Education in the School Curriculum The indusion for A mergency plan to be developed and approved by the Fire Service.sum1\$ 30.00200.00<	FAC-11	Safety of Electrical Equipment				
requiredm6893.0024,097.30Replace corrode dettrial panel and covers for junction boxessum1809.15809.15Upgrade the size of the transformer to SKVAnr12,785.712,785.71Perform routine repairs and maintenance - Energy supplysum15,000.005,000.00FAC-13Uphting Systemnr12,785.712,785.71Install emergency lighting with battery power packs 3 exit signs, 7 lightsnr10100.001,000.00Make provision for protection of emergency lightingsum15,000.00500.00FAC-13Safety of HVAC Componentsnr480.00320.00FAC-14Information Technologysum11,400.001,400.00FAC-15Fire Protectionnr10120.001,200.00FAC-16Fire Protectionnr10120.001,200.00FAC-17Fire Protectionnr1\$ 162.22648.88Procure and install fra earm system; includes Manual Call Points (7), Wall mounted ringers (7), fire alarm control panels to sult 240//12H/S/bit.nr1\$ 216.30Procure and install Sible (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install Sible (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install Sible (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install Sible (Carbon Dioxide) fire extinguisher should be installed n		Re-inspection and re-certification of building as required	sum	1	2,880.50	2,880.50
Upgrade the size of the transformer to SKVAnr12,785,712,785,71Perform routine repairs and maintenance - Energy supplysum15,000.005,000.00FAC-12Lighting Systemnr15,000.003,443.50Improve the lighting with battery power packs; 3 exit signs, 7 lightsnr1100.001,000.00FAC-13Safety of HVAC Componentsnr1500.00500.00FAC-14Information Technologynr480.00320.00FAC-15Fire Protectionsum11,400.001,400.00FAC-16Information Technologynr10120.001,200.00FAC-17Fire Protectionnr14,060.004,060.00FAC-18Fire Protectionnr10120.001,200.00FAC-19Fire Protectionnr14,060.004,060.00Procure and install sinke detectorsnr10120.001,200.00Procure and install sinke includes Manual Call Points (7), Wall mounted ringers (7), fire alarm control panels to suit 240V/1Ph/Solitzsum14,060.00Procure and install Sib (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officienr1\$ 216.30Procure and install Sib (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officienr1\$ 200.00Procure and install and the computed inducting indications of stariways, exits, and muster points.nr1\$ 200.00 </td <td></td> <td></td> <td>m²</td> <td>689</td> <td>35.00</td> <td>24,097.50</td>			m²	689	35.00	24,097.50
Perform routine repairs and maintenance - Energy supply sum 1 \$,000.00 FAC-12 Lighting System improve the lighting in all areas based on the international standard for light levels. m² 689 5.00 3,443.50 Install emergency lighting with battery power packs; 3 exit signs, 7 lights Make provision for protection of emergency lighting mr 10 100.00 1,000.00 FAC-13 Safety of tVAC Components Perform routine serviceing of all spilt units nr 4 80.00 320.00 FAC-14 Information Technology install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-14 Information Technology install an intercom system for the school sum 1 4,060.00 4,060.00 Procure and install fire airm system; includes Manual Call Points (7), Wall mounted ringers (7), for a larm control panels to suit 240V/1Ph/50Hz power supply and accessories. nr 1 5 162.22 648.88 Procure and install fire airm system; force stinguisher should be installed near the exit of the Principal's Offcie Procure and install all bic. nr 1 \$ 200.00 200.00 Install permanent exits iginage around the compund including indications of stairways, exits, and muster polits. nr 1 \$ 200.00 200.00 <		Replace corroded electrical panel and covers for junction boxes	sum	1	809.15	809.15
FAC-12 Lighting System improve the lighting in all areas based on the international standard for light levels. Install emergency lighting with battery power packs; 3 exit signs, 7 lights Make provision for protection of emergency lighting mr 689 5.00 3,443.50 FAC-13 Safety of HVAC Components Perform routine serviceing of all split units nr 4 80.000 320.00 FAC-14 Information Technology Install an intercore system for the school sum 1 1,400.00 1,400.00 FAC-15 Fire Protection Procure and install smoke detectors Procure and install smoke detectors Procure and install smoke detectors Procure and install solb (Dry Chemical) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install Solb (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install Solb (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install Solb (Carbon Dioxide) fire extinguisher should be installed near the exit of the IT Lab install permanent exits ignage around the comput including indications of stairways, exits, and muster points. Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 \$200.00 \$200.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education in		Upgrade the size of the transformer to 5KVA	nr		2,785.71	2,785.71
Improve the lighting in all areas based on the international standard for light levels. m² 689 5.00 3,443.50 Install emergency lighting with battery power packs; 3 exit signs, 7 lights nr 10 100.00 1,000.00 Make provision for protection of emergency lighting nr 1 500.00 300.00 FAC-13 Safety of HVAC Components nr 4 80.00 320.00 FAC-14 Information Technology nr 1 1,400.00 1,400.00 FAC-15 Free Protection nr 10 120.00 1,200.00 FAC-15 Fire Protection nr 10 120.00 1,200.00 Procure and install moke detectors nr 10 4,060.00 4,060.00 Procure and install moke detectors nr 1 4,060.00 4,060.00 Procure and install obj (Dry Chemical) fire extinguisher should be installed ner the sits 131.00 (Dry Chemical) fire extinguisher should be installed ner the sits 131.00 (Dry Chemical) fire extinguisher should be installed ner the sits 131.00 (Carbon Dioxide) fire extinguisher should be installed ner the sits 131.00 (Carbon Dioxide) fire extinguisher should be installed near the sit of the Principarts Offcie nr 1 \$ 220.30 203.00		Perform routine repairs and maintenance - Energy supply	sum	1	5,000.00	5,000.00
light levels. m* 689 5.00 3.444.30 Install emergency lighting with battery power packs; 3 exit signs, 7 lights nr 10 100.00 1,000.00 Make provision for protection of emergency lighting sum 1 500.00 320.00 FAC-13 Safety of HVAC Components Perform routine serviceing of all split units nr 4 80.00 320.00 FAC-14 Information Technology Install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-15 Fire Protection Procure and install fire airm system; includes Manual Call Points (7), Wall mounted ringers (7), for ealarm control panels to sult 240//1Ph/S0Hz power supply and accessories. Procure and install fib (0ry Chemical) fire extinguisher should be installed centrally on each block nr 1 \$ 162.22 648.88 Procure and install Sub (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie installed near the exit of the Principal's Officie install permanent exits signage around the compund including indications of stairways, exits, and muster points. nr 1 \$ 200.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through to an e	FAC-12	Lighting System				
Install emergency lighting with battery power packs; 3 exit signs, 7 lights nr 10 100.00 1,000.00 FAC-13 Safety of HVAC Components nr 1 500.00 320.00 FAC-14 Information reviceing of all split units nr 4 80.00 320.00 FAC-15 Perform routine serviceing of all split units nr 1 1,400.00 1,400.00 FAC-14 Information Technology Install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-15 Free Protection Procure and install fine alarm system; includes Manual Call Points (7), Wall mounted ringers (7), fine alarm control panels to suit 240V/1Ph/S0Hz power supply and accessories. nr 10 4,060.00 4,060.00 Procure and install fine alarm system; includes Manual Call Points (7), Wall mounted ringers (7), fine alarm control panels to suit 240V/1Ph/S0Hz power supply and sccessories. nr 1 5.62.22 648.88 Procure and install 10b (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Offcie nr 1 \$ 200.00 200.00 Procure and install 01b (Carbon Dioxide) fire extinguisher should be installe near the exit signage around the compund including indications of stairways, exits, and muster polits. nr 1 \$ 200.00 200.00 FAC-16 Induding DRR Education in the School Curriculum The inclusion of DRR Educat			m²	689	5.00	3,443,50
Make provision for protection of emergency lighting sum 1 500.00 FAC-13 Safety of HVAC Components Perform routine serviceing of all split units nr 4 80.00 320.00 FAC-14 Information Technology Install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-15 Fire Protection Procure and install fire airm control panels to suit 240V/1Ph/Sofit. nr 10 120.00 1,200.00 FAC-16 Fire Protection Procure and install fire airm control panels to suit 240V/1Ph/Sofit. nr 1 4,060.00 4,060.00 Procure and install file (carbon ploxide) fire extinguisher should be installed centrally on each block Procure and install a [b]th (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a [b]th (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a block (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a block (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a block (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a block (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install Block carbon the comput including indications of stairways, exits, and muster points. nr 1 200.00 200.00 Make provision for an emergency plan to be develop				10	100.00	1 000 00
FAC-13 Safety of HVAC Components Perform routine serviceing of all spilt units nr 4 80.00 320.00 FAC-14 Information Technology Install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-17 Fire Protection Procure and install moke detectors Procure and install fire alarm system; includes Manual Call Points (7), Wall mounted ringers (7), fire alarm control panels to suit 240V/1Ph/50Hz power supply and accessories. Procure and install 10b (Ory Chemical) fire extinguisher should be installed near the avit of the Principar's Officie Procure and install 10b (Carbon Dioxide) fire extinguisher should be installed near the avit of the Principar's Officie Procure and install 10b (Carbon Dioxide) fire extinguisher should be installed near the avit of the Principar's Officie Procure and install 10b (Carbon Dioxide) fire extinguisher should be installe germanent exits iginage around the computin including indications of stairways, exits, and muster polits. Make provision for an emergency plan to be developed and approved by the Fire Service. nr 1 \$ 200.00 200.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. 1 3,200.00 3,200.00						
Perform routine serviceing of all split units nr 4 80.00 320.00 FAC-14 Information Technology install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-15 Fire Protection Procure and install moke detectors Procure and install fire airm system; includes Manual Call Points (7), Wall mounted ringers (7), fire airm control panels to suit 240V/1Ph/50Hz power supply and accessories. Procure and install 10b (Dry Chemical) fire extinguisher should be installed centrally on each block nr 4 \$ 162.22 648.88 Procure and install 10b (Dry Chemical) fire extinguisher should be installed near the suit of the Principal's Officie Procure and install 10b (Carbon Dioxide) fire extinguisher should be installed near the suit of the Principal's Officie Procure and muster polits. nr 1 \$ 216.30 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and thems in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. \$ 3,200.00 \$ 3,200.00		Have providen for protection or emergency righting	sum	1	500.00	500.00
FAC-14 Information Technology install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-15 Fire Protection Procure and install smoke detectors Procure and install free alarm system; includes Manual Call Points (7), Wall mounted ringers (7), fire alarm control panels to suit 240V/1Ph/S0Hz power supply and accessories. Procure and install 310b (Dry Chemical) fire extinguisher should be installed centraliy on each block Procure and install a Sib, (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a Sib, (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a Sib, (Carbon Dioxide) fire extinguisher should be installed near the exit of the IT Lab Installer mannet exits signage around the compund including indications of stairways, exits, and muster points. nr 1 5 216.30 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. 1 3,200.00 3,200.00	FAC-13					
Install an intercom system for the school sum 1 1,400.00 1,400.00 FAC-15 Fire Protection Procure and install moke detectors Procure and install fire alarm system, includes Manual Call Points (7), Wall mounted ringers (7), fire alarm control panels to suit 240V/1Ph/S0Hz power supply and accessories. nr 10 120.00 1,200.00 Procure and install fire alarm system, includes Manual Call Points (7), Wall mounted ringers (7), fire alarm control panels to suit 240V/1Ph/S0Hz power supply and accessories. nr 1 4,060.00 4,060.00 Procure and install 10b (Dry Chemical) fire extinguisher should be installed ecentrally on each block nr 4 \$ 162.22 648.88 Procure and install 30b (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie nr 1 \$ 216.30 216.30 Install permanent exits signage around the compund including indications of stairways, exits, and muster points. nr 1 \$ 200.00 200.00 KMake provision for an emergency plan to be developed and approved by the Fire Service. sum 1 \$00.00 \$ 500.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. 1 3,200.00 3,200.00		Perform routine serviceing of all spilt units	nr	4	80.00	320.00
FAC-15 Fire Protection Procure and install smoke detectors Procure and install fire airm system; includes Manual Call Points (7), Wall mounted ringers (7), fire airm control panels to suit 240V/1Ph/S0Hz power supply and accessories. Procure and install 100 (bry Chemical) fire extinguisher should be installed centrally on each block Procure and install a SIb. (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a SIb. (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a SIb. (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a SIB. (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Procure and install a SIB. (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie Nature provision for an emergency plan to be developed and approved by the Fire Service. nr 1 \$ 200.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. sum 1 3.200.00	FAC-14	Information Technology				
Procure and install smoke detectors. nr 10 120.00 1,200.00 Procure and install fire airm system; includes Manual Call Points (7), Wall sum 1 4,060.00 4,060.00 power supply and accessories. Procure and install 00 (bry Chemical) fire extinguisher should be installed centrally on each block nr 4 \$ 162.22 648.88 Procure and install 00 (bry Chemical) fire extinguisher should be installed nr 4 \$ 216.30 216.30 Procure and install 30 (Carbon Dioxide) fire extinguisher should be nr 1 \$ 253.70 253.70 Installed near the exit of the Principal's Officie nr 1 \$ 200.00 200.000 Install permanent exits signage around the compund including indications of stairways, exits, and muster points: nr 1 \$ 200.00 200.00 Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 \$ 500.00 \$ 500.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR Education is in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- sum 1 3,200.00		Install an intercom system for the school	sum	1	1,400.00	1,400.00
Procure and install fire alarm system; includes Manual Call Points (7), Wall mounted ringers (7), fire alarm control panels to suit 240V/1Ph/S0Hz sum 1 4,060.00 4,060.00 power supply and accessories. Procure and install 100 (Dry Chemical) fire extinguisher should be installed centrally on each block nr 4 \$ 162.22 648.88 Procure and install 30b (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie nr 1 \$ 216.30 216.30 Procure and install 30b (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie nr 1 \$ 253.70 253.70 Procure and install 00b (Carbon Dioxide) fire extinguisher should be installe permanent exits signage around the compund including indications of stairways, exits, and muster polits. nr 1 \$ 200.00 200.00 Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 \$ \$ \$ \$ \$ FAC-16 Including DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. \$ 3.200.00 3.200.00	FAC-15	Fire Protection				
mounted ringers (7), fire alarm control panels to suit 240V/1Ph/S0Hz sum 1 4,060.00 4,060.00 power supply and accessories. Procure and install 100 (Dry Chemical) fire extinguisher should be installed centrally on each block nr 4 \$ 162.22 648.88 Procure and install 30b (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie nr 1 \$ 216.30 216.30 Procure and install 30b (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie nr 1 \$ 216.30 216.30 Procure and install 30b (Carbon Dioxide) fire extinguisher should be installed near the exit of the IT Lab nr 1 \$ 200.00 200.00 Install permanent exits signage around the compund including indications of stairways, exits, and muster points. nr 1 \$ 200.00 200.00 Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 \$ 500.00 \$ 500.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. \$ 3,200.00 \$ 3,200.00			nr	10	120.00	1,200.00
power supply and accessories. Procure and install 10lb (Ory Chemical) fire extinguisher should be installed centrally on each block. nr 4 \$ 162.22 648.88 Procure and install a Sib. (Carbon Dioxide) fire extinguisher should be installed near the avior of the Principal's Officie nr 1 \$ 216.30 216.30 Procure and install a Sib. (Carbon Dioxide) fire extinguisher should be installed near the avior of the Principal's Officie nr 1 \$ 253.70 253.70 Procure and install Dio (Carbon Dioxide) fire extinguisher should be installed near the avior of the IT Lab nr 1 \$ 200.00 Install permanent exits signage around the compund including indications of stairways, exits, and muster polits. nr 1 200.00 200.00 Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 500.00 500.00 FAC-16 Including IRR Education in the School Curriculum The integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through to and extra-curricular activities. sum 1 3,200.00 3,200.00				1	4 060 00	4.050.00
Procure and install 10b (Dry Chemical) fire extinguisher should be installed centrally on each block. nr 4 \$ 162.22 648.88 Procure and install a Sib. (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie nr 1 \$ 216.30 2216.30 Procure and install Dio (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie nr 1 \$ 253.70 253.70 Procure and install Dio (Carbon Dioxide) fire extinguisher should be installed near the exit of the IT Lab nr 1 \$ 200.00 Install permanent exits signage around the compund including indications of stairways, exits, and muster points. nr 1 \$ 200.00 Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 \$ 500.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. sum 1 3,200.00			sum	1	4,000.00	4,080.00
Centrally on each block nr 1 S 216.30 Procure and install a Sib. (Carbon Dioxide) fire extinguisher should be installed near the exit of the Principal's Officie nr 1 S 216.30 Procure and install 100 (Carbon Dioxide) fire extinguisher should be installed near the exit of the IT Lab nr 1 S 253.70 Install permanent exits signed around the compund including indications of stairways, exits, and muster points. nr 1 200.00 200.00 Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 500.00 500.00 FAC-16 Induding DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. 1 3,200.00 3,200.00						
Installed near the exit of the Principal's Officie nr 1 5 216.30 Procure and install 10lb (Carbon Dioxide) fire extinguisher should be installed near the exit of the IT Lab nr 1 5 253.70 Install permanent exits signage around the compund including indications of stairways, exits, and muster points. nr 1 200.00 200.00 Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 500.00 500.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. sum 1 3,200.00			nr	4	\$ 162.22	648.88
Procure and install 10lb (Carbon Dioxide) fire extinguisher should be installed near the exit of the IT Lab nr 1 \$ 253.70 253.70 Installed near the exit of the IT Lab nr 1 \$ 200.00 200.00 Install permanent exits signage around the compund including indications of stairways, exits, and muster points. nr 1 200.00 200.00 Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 500.00 500.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. sum 1 3,200.00			nr	1	\$ 216.30	216.30
Installed near the exit of the IT Lab nr 1 200.00 Installed mear the exit of the TL ab nr 1 200.00 Stairways, exits, and must re points. nr 1 200.00 Make provision for an emergency plan to be developed and approved by sum 1 500.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra-curricular activities. sum 1 3,200.00				1	¢ 353.70	252.70
of stairways, exits, and must er points. In r 1 200,00 200,00 Make provision for an emergency plan to be developed and approved by the Fire Service. Sum 1 500,00 500,00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. 3,200,00 3,200,00			n	1	\$ 253.70	255.70
Make provision for an emergency plan to be developed and approved by the Fire Service. sum 1 500.00 FAC-16 Including DRE Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. sum 1 3,200.00			nr	1	200.00	200.00
the Fire Service. Sum 1 500.00 500.00 FAC-16 Including DRR Education in the School Curriculum The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities. 3,200.00						
The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities.			sum	1	500.00	500.00
The inclusion of DRR Education at the school level through the integration of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities.	EAC-16	Including DBP Education in the School Curriculum				
of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra- curricular activities.	FAC-10					
students in DRR community outreach initiatives through co and extra- curricular activities.						
		students in DRR community outreach initiatives through co and extra-	sum	1	3,200.00	3,200.00
To Collection 109.515.24		curricular activities.				
		To Collection				109.515.24
		To concerion				100,010,24

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
	ESIA Recommendations				
	Allow a provisional sum to address recommendations made under the ESIA				
	as it particularly relates to physical improvements at the school				5,000.0
	To Collection				5.000.00
					-,
	Collection				
		Page 1			317,357.80
		Page 2			109,515.24
		Page 3			5,000.00
	Base Cost				431,873.04
	Allowance for Demolition of works to be repaired - 3% of Base Cost				12,956.19
	Allowance for preliminaries - 7.5% of Base Cost				32,390.48
	Sub-total				477,219.71
	Allow 20% contingencies due to the nature of repairs and retrofit works				95,443.94
	Total				572,663.65
	Value Added Tax - 12.5% of Total				71,582.96
	Total Construction cost of repairs and retrofit works - Fond Assau				644.246.61
	Combine School				011,210.01

Fond Assau Combined School

18

Fond Assau Combined School

 $\langle\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Patience Combined

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
PC-01	Condition of the building - as per Engineer's drawings and specifications Undertake design check and retrofit beams with excessive deflection	sum	1		5,000.00
PC-02	Disability Accessibility Equip washrooms with adequate handicap access	sum	1	2,500.00	2,500.00
	All ground floor class rooms to be made wheel-chair accessible Increase all exit doors to match the requirements of the OECS Building Code	sum sum	1	11,000.00 14,000.00	11,000.00 14,000.00
PC-03	Structural Integrity of Roofs Replacement of metal purlins and roofing	m²	836	68.00	56,827.60
PC-04	Exterior Doors, Exits and Entrances Install thresholds on external doors as required.	nr	20	100.00	2.000.00
	Install a third hinge at mid-height of all the doors - minimum 100 mm	nr	45	25.00	0 1,125.00 0 600.00 0 56,000.00 0 780.00
	hinges to be used. Fasten door frames into concrete surrounds with bolts or screws	nr	10	60.00	600.00
	Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr	56	1,000.00	56,000.00
PC-05	Windows and shutters Install 150 mm concrete surround having minimum cube strength of 21 MPa at 28 day to all windows to ensure adequate anchorage.	sum	1	780.00	780.00
	Install insect screens	m²	175	20.00	
	Install hurricane shutters which are able to resist the impact of flying objects where standard windows are used	m²	46	600.00	27,840.00
PC-06	Safety of roofing				
	Allow for replacing deteriorated sections or all of the fascia boards	Im	170	8.50	1,447.47
	Install additional fasteners at every trough at the eaves, hips, ridges and edges of gable roofs for the resistance of hurricane force winds.	nr	300	1.00	300.00
	Replace all fasteners and comply with OECS-BC 7th Edition	m²	836	16.00	13,376.00
PC-07	Internal walls Repainting of building internal and external walls after completion of works	m²	1,528	10.00	15,279.00
PC-08	Alternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump and first flush system	litres	39,015	0.75	29,261.25
PC-09	Water Distribution System Re-plumbing of buildings to facilitate dual water use - potable and rain water harvesting	sum	1	8,460.00	8,460.00
	Remove and replace all faucets in the lavatory sinks low volume water fixtures	nr	24	500.00	12,000.00
	Replace water closets with vandal-proof low-flush systems	nr	36	800.00	28,800.00
PC-10	Storm Drainage System - site Improve and introduce drainage of the school compound	Im	50	110.00	5,500.00
	To Collection				295.598.32

$\langle\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Patience	Combined				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
PC-11	Storm Drainage System - roof and gutters				
	Allow for supply and replacement of damaged sections of roof gutters	Im	51	60.00	3,060.00
PC-12	Alternate Sources of Electricity				
	Allow for supply and installation of a 15 KVA solar photovoltaic system as	sum	1	36,000.00	36,000.00
	alternative power supply Allow for supply and installation of a 15 KVA generator with accessories	sum	1	15,000.00	15.000.00
	Replace the electric water heater with solar water heater properly fixed		1		,
	to the roof framing	sum		2,500.00	2,500.00
	Fuel Reserve - Procure and develop stores of fuel	sum	1	6,000.00	6,000.00
PC-13	Safety of Electrical Equipment				
	Re-inspection and re-certification of building as required Improve electrical systems; undertake up to 50% rewiring of the building	sum	1	4,942.00	4,942.00
	as required	m²	564	35.00	19,740.00
	Replace corroded outlets	nr	20	25.00	500.00
	Perform routine repairs and maintenance - Energy supply	sum	1	5,000.00	5,000.00
PC-14	Lighting System				
	Improve the lighting in all areas based on the international standard for light levels.	m²	564	5.00	2,817.50
	Properly mount all lights that have come loose	nr	10	25.00	250.00
	Install emergency lighting with battery power packs.	nr	15	100.00	1,500.00
	Make provision for protection of emergency lighting	sum	1	500.00	500.00
PC-15	Safety of HVAC Components				
	Perform routine sevicing of all spilt units	nr	4	80.00	320.00
PC-16	Information Technology				
	Install an intercom system for the school	sum	1	1,400.00	1,400.00
PC-17	Fire Protection				
	Procure and install smoke detectors	nr	14	120.00	1,680.00
	Procure and install fire alarm system; includes Manual Call Points (6), Wall mounted ringers (8), fire alarm control panels to suit 240V/1Ph/50Hz	sum	1	4,120.00	4,120.00
	power supply and accessories.	Sum	1	4,120.00	4,120.00
	Repair or replace damaged fire hose reels and cases	nr	8	444.44	3,555.52
	Procure and install One 10 lbs. (Dry Chemical Type) on every floor, on every block (A,B,C and D) near the manual call points to be installed	nr	6	162.22	973.32
	One 5 lbs. (Carbon Dioxide Type) should be placed near the exit of the	nr	4	215.93	863.72
	Science Lab, IT Lab, Staffroom and Principal's Office One 10 lbs. (Carbon Dioxide Type) should be placed near the kitchen,				
	along with a fire blanket.	nr	1	253.70	253.70
	Fire proof steel beams and columns	sum	1		•
	Install permanent exits signage around the compund includiing indications of stairways, exits, and muster points.	sum	1	200.00	200.00
	Make provision for an emergency plan to be developed and approved by	sum	1	500.00	500.00
	the Fire Service.	Jun		300.00	500.00
PC-18	Including DRR Education in the School Curriculum				
	The inclusion of DRR Education at the school level through the integration				
	of DRR topics and themes in regular classroom teaching and engaging students in DRR community outreach initiatives through co and extra-	sum	1	3,200.00	3,200.00
	curricular activities.				
	T- 0-8-10-1				114 975 76
	To Collection				114,875.76

Patience Combined School

Patience Combined School

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Patience Combined

 $\langle \!\!\! \rangle$

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
PC-19	ESIA Recommendations				
10.13	Allow a provisional sum to address recommendations made under the				
	ESIA as it particularly relates to physical improvements at the school				5,000.00
	To Collection				5,000.00
	Collection	1			
	Collection	Page 1			295.598.32
		Page 2			114,875.76
		Page 3			5,000.00
	Base Cost				415,474.08
	Allowance for Demolition of works to be repaired - 3% of Base Cost				12,464.22
	Allowance for preliminaries - 7.5% of Base Cost				31,160.56
	Sub-total				459,098.85
	Allow 20% contingencies due to the nature of repairs and retrofit works				91,819.77
	Total				550,918.62
	Value Added Tax - 12.5% of Total				68,864.83
	Total Construction cost of repairs and retrofit works - Patience Combined School				619,783.45

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD
MP-01	Condition of the building - as per Engineer's drawings and specifications				
	Repair cracks in concrete walls and structural elements	sum	1	5,000.00	5,000.0
	Allow for scaling off the rust on the structural beams and columns, applying a rust inhibitor and repainting	sum	1		
MP-02	Disability Accessibility				
	Equip washrooms with adequate handicap access	sum	1	2,500.00	2,500.0
	All ground floor class rooms to be made wheel-chair accessible Increase all exit doors to match the requirements of the OECS Building	sum	1	33,000.00	33,000.0
	Code	sum	1	17,500.00	17,500.0
MP-03	Exterior Doors, Exits and Entrances				
	Install thresholds on external doors as required.	nr	70	100.00	7,000.0
	Install a third hinge at mid-height of all the doors - minimum 100 mm hinges to be used.	nr	48	25.00	1,200.0
	Fasten door frames into concrete surrounds with bolts or screws	nr	35	60.00	2,100.0
	Replace exterior doors with impact resistant doors suitable for use in	nr	70	1.000.00	70,000.0
	HVHZ		/0	1,000.00	70,000.0
	Install panic bar locks in the library, computer room and music room which are likely to have occupants while the doors are closed	nr	4	650.00	2,600.0
MP-04	Windows and shutters				
	Install 150 mm concrete surround having minimum cube strength of 21	sum	1	4,200.00	4,200.0
	MPa at 28 day to all windows to ensure adequate anchorage. Install insect screens	m²	366	20.00	7,310.0
	Install hurricane shutters which are able to resist the impact of flying				
	objects where standard windows are used	m²	339	600.00	203,520.
	Remove and replace the welded wire mesh openings with operable windows	nr	20	1,200.00	24,000.0
MP-05	Safety of roofing				
	Install additional fasteners at every trough at the eaves, hips, ridges and edges of gable roofs for the resistance of hurricane force winds.	nr	300	1.00	300.0
	Securing roof deck and replace roof covering gauge 24 sheets as a	m²	163	68.00	11.063.6
	minimum Replace all fasteners and comply with OECS-BC 7th Edition	m²	789	16.00	12,621.1
MP-06	Alternate water supply to regular water supply				,
	Allow for supply and installation of rainwater harvesting system with pump and first flush system	litres	57,240	0.75	42,930.0
MP-07	Water Distribution System				
	Re-plumbing of buildings to facilitate dual water use - potable and rain water harvesting	sum	1	9,590.00	9,590.0
	Remove and replace all faucets in the lavatory sinks low volume water fixtures	nr	30	500.00	15,000.0
	Replace water closets with vandal-proof low-flush systems	nr	25	800.00	20,000.0
MP-08	Storm Drainage System - roof and gutters				
	Allow for supply and replacement of damaged sections of roof gutters	Im	169	60.00	10,167.6
MP-09	Alternate Sources of Electricity Allow for supply and installation of a 15 KVA solar photovoltaic system as			36.000.00	36.000.0
	alternative power supply	nr	1		
	Allow for supply and installation of a 15 KVA generator with accessories Fuel Reserve - Procure and develop stores of fuel	nr sum	1 1	15,000.00 6,000.00	15,000.0 6,000.0
	To Collection				558,602.3

Patience Combined School

22

Micoud Primary School

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

	4			
4	ļ	>		
	C	/		

```
INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA
```

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
MP-10	Safety of Electrical Equipment				
1011 2.0	Re-inspection and re-certification of building as required	sum	1	7.605.50	7,605,50
	Improve electrical systems; undertake up to 50% rewiring of the building		-	.,	.,
	as required	m²	959	35.00	33,565.00
	Replace/repair broken outlets and light switches	sum	1	197.51	197.51
	Replace outdated panel (6 Way 1Ph, 4 breakers)	sum	1	2.524.00	2.524.00
	Perform routine repairs and maintenance - Energy supply	sum	1	5,000.00	5,000.00
MP-11	Lighting System				
	Improve the lighting in all areas based on the international standard for	m²	959	5.00	4,794,53
	light levels.	m-	959	5.00	4,794.53
	Install emergency lighting with battery power packs	nr	18	100.00	1,800.00
	Replace all broken 4ft. LED Single Fixture	nr	12	49.60	595.20
	Replace all broken 4ft. LED Single Fixture (Waterbroof)	nr	11	111.11	1,222.21
	Replace all broken 4ft. LED Double Fixture	nr	1	56.91	56.91
	Change all necessary bulbs (4ft. LED Bulbs)	nr	21	27.78	583.38
	Make provision for protection of emergency lighting	sum	1	500.00	500.00
MP-12	Safety of HVAC Components				
	Perform major repairs and maintenance - Pipes and Insulation	sum	1	500.00	350.00
	Routine servicing of all spilt units	nr	3	80.00	240.00
	Increase capacity of system - Cooling generating systems	sum	1		-
MP-13	Information Technology				
	Install an intercom system for the school	sum	1	1,400.00	1,400.00
MP-14	Fire Protection				
	Procure and install smoke detectors	nr	7	120.00	840.00
	Procure and install fire alarm system; includes Manual Call Points (8), Wall				
	mounted ringers (7), fire alarm control panels to suit 240V/1Ph/50Hz power supply and accessories.	sum	1	4,120.00	4,120.00
	Procure and install one 5lbs. (Dry Chemical Type) fire extinguisher in the				
	Staffroom exit, Kitchen exit, Principal's Office, the reception area, Panel	nr	6	113.70	682.20
	room and the Lab				
	Procure and install one 5lbs. (Carbon Dioxide Type) fire extinguisher in	nr	1	216.30	216.30
	the Library		1	216.50	210.50
	Procure and install one 10lbs. (Dry Chemical Type) fire extinguisher near	nr	6	162.22	973.32
	the staircase landing on each block			102.22	575.54
	Fire proof steel beams and columns	sum	1		-
	Install illuminated exit signs at strategic locations	nr	10	200.00	2,000.00
	Make provision for an emergency plan to be developed and approved by	sum	1	500.00	500.00
	the Fire Service.	Sum	· ·	500.00	500.00
MP-15	Including DRR Education in the School Curriculum				
	The inclusion of DRR Education at the school level through the integration				
	of DRR topics and themes in regular classroom teaching and engaging	sum	1	3,200.00	3,200.00
	students in DRR community outreach initiatives through co and extra-	30111	· ·	3,200.00	3,200.00
	curricular activities.				
	To Collection				72,966.06

Micoud	Primary				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
MP-16	FSIA Recommendations				
WIF-10	Allow a provisional sum to address recommendations made under the ESIA as it particularly relates to physical improvements at the school				5,000.00
	To Collection				5,000.00
	Collection				
		Page 1			558,602.32
		Page 2			72,966.06
		Page 3			5,000.00
	Base Cost				636,568.38
	Allowance for Demolition of works to be repaired - 3% of Base Cost				19,097.05
	Allowance for preliminaries - 7.5% of Base Cost				47,742.63
	Sub-total				703,408.05
	Allow 20% contingencies due to the nature of repairs and retrofit works				140,681.61
	Total				844,089.67
	Value Added Tax - 12.5% of Total				105,511.21
	Total Construction cost of repairs and retrofit works - Micoud Primary School				949,600.87

Micoud Primary School

Micoud Primary School

 \bigotimes

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA



INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Desruis	seaux Combined					Desruis	seaux Combined				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)	Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
DC-01	Condition of the building - as per Engineer's drawings and specifications			(000)						(000)	
	Repair and increase strength of concrete columns	nr	10	300.00	3,000.00	DC-10	Internal walls - concrete masonry units finishd with mortar plastering				
	Repair cracks in reinforced concrete floor slab surface	sum	1	1,000.00	1,000.00		Replace badly damaged bifold doors separating the classrooms.	nr	3	850.00	2,550.00
	Repair cracks in concrete walls and structural elements	sum	1	1,000.00	1,000.00						
	Repair beams and columns with heavy spalling and honeycombing	sum	1	2,000.00	2,000.00	DC-11	Safety of stairways and Ramps				
	Undertake design check and retrofit beams with excessive deflection	sum	1	2,500.00	2,500.00		Reconstruction of external staircase	sum	1	2,485.00	2,485.00
DC-02	Safety of Foundations - as per Engineer's details and specifications Retrofit the severely damaged foundation walls / strip and spread footings. Disability Accessibility	sum	1	7,050.00	7,050.00	DC-12	Alternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump and first flush system	litres	33,750	0.75	25,312.50
00-03	Equip washrooms with adequate handicap access	sum	1	2,500.00	2,500.00	DC-13	Water Distribution System				
	All ground floor class rooms to be made wheel-chair accessible	sum	1	15,000.00	15,000.00	DC-13	Re-plumbing of buildings to facilitate dual water use - potable and rain water				
	All ground hoor class rooms to be made wheel-chair accessible	sum	1	15,000.00	15,000.00		harvesting	sum	1	7,680.00	7,680.00
	Increase all exit doors to match the requirements of the OECS Building Code	sum	1	5,500.00	5,500.00		un keskuð	nr	11	500.00	5.500.00
							Remove and replace all faucets in the lavatory sinks low volume water fixtures Replace water closets with vandal-proof low-flush systems		16	800.00	
DC-04	Structural Integrity of Roofs		202	200.00	55 330 40		Replace water closets with vandal-proor low-flush systems	nr	16	800.00	12,800.00
	Remove and reconstruct entire roof truss system Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m² m²	282 282	200.00 68.00	56,328.48 19,151.68	DC-14	Wastewater System				
	securing rooi deck and replace rooi covering gauge 24 sneets as a minimum	m-	282	68.00	19,151.08	00-14	Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,500.00	2,500.00
DC-05	Exterior Doors, Exits and Entrances										
	Install thresholds on external doors as required.	nr	22	100.00	2,200.00		Storm Drainage System - roof and gutters				
	Install a third hinge at mid-height of all the doors - minimum 100 mm hinges to				175.00		Allow for supply and replacement of damaged sections of roof gutters	Im	99	60.00	5,922.00
	be used.	nr	19	25.00	475.00						
	Fasten door frames into concrete surrounds with bolts or screws	nr	22	60.00	1,320.00	DC-15	Alternate Sources of Electricity				
	Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr	22	1,000.00	22,000.00		Allow for supply and installation of a 15 KVA solar photovoltaic system as	nr	1	36,000.00	36,000.00
							alternative power supply				
DC-06	Windows and shutters						Allow for supply and installation of a 15 KVA generator with accessories	nr	1	15,000.00	15,000.00
	Install 150 mm concrete surround having minimum cube strength of 21 MPa at 28 day to all windows to ensure adequate anchorage.	sum	1	2,940.00	2,940.00		Fuel Reserve - Procure and develop stores of fuel	sum	1	6,000.00	6,000.00
	Install insect screens	m ²	826	20.00	16,516.00	DC-16	Safety of Electrical Equipment				
	Install hurricane shutters which are able to resist the impact of flying objects		1				Re-inspection and re-certification of building as required	sum	1	5,383.00	5,383.00
	where standard windows are used	m²	1,059	600.00	635,364.00		Improve electrical systems; undertake up to 50% rewiring of the building as	m²	768	35.00	26,873.00
	Remove and replace the welded wire mesh openings with operable windows	nr	24	1,200.00	28,800.00		required	m			
							Replace out dated electrical panel (6 way 1Ph, 3 breakers)	sum	1	2,118.00	2,118.00
DC-07	Other Elements of the Building Envelope						Replace broken outlets and switches	sum	1	43.20	43.20
	Repainting of building internal and external walls after completion of works	m²	853	10.00	8,529.48		Perform routine repairs and maintenance - Energy supply	sum	1	5,000.00	5,000.00
	Replace all termite infested timber	sum	1	2,000.00	2,000.00						
	Undertake termite treatment of buildings and compound	sum	1	1,200.00	1,200.00	DC-17	Lighting System Improve the lighting in all areas based on the international standard for light				
DC-08	Safety of roofing						levels.	m ²	529	5.00	2,647.00
0000	Allow for replacing deteriorated sections or all of the fascia boards; 50%	Im	99	8.50	838.95		Install emergency lighting with battery power packs	nr	16	100.00	1.600.00
	Install additional fasteners at every trough at the eaves, hips, ridges and edges						Make provision for protection of emergency lighting	sum	1	500.00	500.00
	of gable roofs for the resistance of hurricane force winds.	nr	400	1.00	400.00						
	Replace all fasteners and comply with OECS-BC 7th Edition	m²	768	16.00	12,288.00	DC-18	Safety of HVAC Components				
				20.00	12,200.00		Perform routine servicing of all split units	nr	4	80.00	320.00
DC-09	Parapets and other outside Elements (railings, ornaments)			500.00	500	DC-19	Information Technology				
	Cut and dispose of the pine trees and their roots close to Block C	sum	1	500.00	500.00	00.19	Install an intercom system for the school	sum	1	1,400.00	1,400.00
	Create an alternative exit on the eastern side of the perimeter	sum	1		20,000.00		instan an intercom system for the school	Sum	1	1,400.00	1,400.00
	To Collection				870,401.59		To Collection				167,633.70

Desruisseaux Combined School

26

Desruisseaux Combined School

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Desruisseaux Combined

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
DC-20	Fire Protection				
00-20	Procure and install smoke detectors	sum	5	120.00	600.00
	Procure and install fire alarm system; includes Manual Call Points (6), Wall				
	mounted ringers (6), fire alarm control panels to suit 240V/1Ph/50Hz power supply and accessories.	sum	1	3,880.00	3,880.00
	Procure and install one 5lbs. (Carbon Dioxide Type) near the exit of the				
	Resource Room	nr	1	216.30	216.30
	Procure ans install one 10bs. (Carbon Dioxide Type) near the exit of the IT Lab.	nr	1	253.70	253.70
	Procure and install one 10bs. (Dry Chemical Type) near the staircase landing on		5	113.70	E C 0 E C
	each floor of each block.	nr	-		568.50
	Service the disharged 5lbs Fire extinguisher found in the Principal's Office	nr	1	41.45	41.45
	Make provision for an emergency plan to be developed and approved by the Fire Service.	sum	1	500.00	500.00
DC-21	Including DRR Education in the School Curriculum				
	The inclusion of DRR Education at the school level through the integration of				
	DRR topics and themes in regular classroom teaching and engaging students in	sum	1	3,200.00	3,200.0
	DRR community outreach initiatives through co and extra-curricular activities.				
DC-22	ESIA Recommendations				
	Allow a provisional sum to address recommendations made under the ESIA as it	sum	1		5,000.0
	particularly relates to physical improvements at the school				
	To Collection				14,259.9
	Collection				
		Page 1			870,401.5
		Page 2			167,633.70
	Base Cost	Page 3			14,259.9
	Base Cost				1,052,295.24
	Allowance for Demolition of works to be repaired - 3% of Base Cost				31,568.8
	Allowance for preliminaries - 7.5% of Base Cost				78,922.1
	Sub-total				1,162,786.2
	Allow 20% contingencies due to the nature of repairs and retrofit works				232,557.2
	Total Value Added Tax - 12.5% of Total				1,395,343.4 174,417.9
	Total Construction cost of repairs and retrofit works -Desruisseaux Combined				,
					1,569,761.4

 $\langle\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

VFP-01 Condition of the building - ap per Enjmer's drawlogs and specifications aut aut <th>isk No.</th> <th>rt Primary Interventions/Improvements</th> <th>Unit</th> <th>Quantity</th> <th>Unit Rate (USD)</th> <th>Total (USD)</th>	isk No.	rt Primary Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
VIP-03 Subserve with adequate handloga access sum 1 2,500.00 VIP-03 Subserve sall out doors to match the requirements of the OECS Building Code sum 1 15,570.00 VIP-03 Subserve sall out doors to match the requirements of the OECS Building Code sum 1 15,570.00 VIP-03 Subserve sall out doors to match the requirements of the OECS Building Code sum 1 15,570.00 VIP-04 Staterio Doors, bits and Entrances nr 6.3 100.00 Install thresholds on external doors as required. nr 6.3 100.00 Nasall parts bar local frames into concrete surround holds or screws nr 6.3 160.00 Nasall parts bar locals in the library, compater room and music room which are alible to have occupants while the doors are closed nr 6.3 160.00 Nirsall parts bar occupants while the doors are closed nr 460 000.00 Nirsall parts and only one scores surround having minimum cube strength of 21 MPa install hurricane shutters which are able to resist the impact of flying objects nr 6.00 600.00 VIP-04 Safety of roofing nr 1.337 16.00 1.00 NISB Gotter Elements of the		Allow for scaling off the rust on the structural beams and columns, applying	sum	1		7,500.0
Image: Space	FP-02	Disability Accessibility				
VIP-03 Structural Integrity of Roofs Replacement of metal purlins and nooling nm 1 15,750.00 VIP-03 Structural Integrity of Roofs Replacement of metal purlins and nooling nm ³ 1,537 68.00 VIP-03 Structural Integrity of Roofs Replacement of metal purlins and nooling nm ³ 1,537 68.00 VIP-04 Structural Integrity of Roofs Replace and third hings at mid-height of all the doors - minimum 100 mm hings rob to used. nm 63 100.00 Install Thresholds on external moder result the doors - minimum 100 mm hings rob to used. nm 63 60.00 Install provide thare coupsant which doors subtable for use in MHV2 result have occupants while the doors are used robed and result by max provide the theore coupsant which are likely to have occupants while the doors are could nm 1 490.00 VIP-05 Install and onlows to ensure adequate anchorage. Install modows to result when are able to resist the impact of flying objects where standard windows are used nm 1 450 000.00 VIP-04 Safety of roofing Allow for replacing deteriorsted sections or all of the fascia boards Install aditional fasteners are every trough at the every kite, friggs and end first kite system 1 3.537 16.00 VIP-04 Meternate water supply on re			sum			2,500.0
VFP-03 Structural integrity of Roofs m ³ 1,537 66.00 VFP-04 Exterior Doors, Exits and Extrances nr 63 100.00 Install in the indige at individuality of all the doors - minimum 100 mm hinges nr 63 52.00 NPP-04 Exterior Doors, Exits and Extrances nr 63 100.00 Install in the indige at individuality of all the doors - minimum 100 mm hinges nr 63 60.00 NPP-04 Exterior Doors, Exits and Extrances nr 63 50.00 Install into hing at mich-bays compater room and music room which the library, compater norm and music room which are it library, compater norm and music room which are it library to have occupants while the doors are doord nr 63 60.00 VFP-05 Window and butter nr 4 650.00 VFP-06 Other Elements of the Building finiting minitum cube strength of 21 MPa at 1,460 m ² 460 20.00 mr2 Astery of roofing histill instances are used with are able to resist the impact of flying objects m ² 460 20.00 VFP-05 Alternate water souther at every trough at the eaves, hip, ridges and edges of gable roofs for the resistance of hurricane force whick. m ³ 1,537 16.00 VFP-08 Alternate water souphy to regular water supply for regular water supply and installation of aniwater harvestin	ľ	All ground floor class rooms to be made wheel-chair accessible	sum	1	13,500.00	13,500.0
Replacement of metal purlins and noofing m ² 1,537 68.00 VFP-04 Cherrier Doors, Lists and Entrances install threadsdis on estrange doors as regured. Install archiecholds on estrange doors as regured. Install archiecholds on estrange on suitable for use in HVHZ replace exterior doors with impact resistant doors suitable for use in HVHZ replace exterior doors with impact resistant doors suitable for use in HVHZ replace exterior doors with impact resistant doors suitable for use in HVHZ replace exterior doors with impact resistant doors suitable for use in HVHZ replace exterior doors with impact resistant doors suitable for use in HVHZ replace exterior doors with impact resistant doors suitable for use in HVHZ replace and suitates replace in the suitable for use in HVHZ replace and suitates replace of a list of the Budding Envelope arm 63 6000 VFP-05 Windows and shutter install instruce shutters which are able to resist the impact of flying objects where standard windows are used m ² 460 600.00 VFP-06 Other Elements of the Budding Envelope replace and fasteners at every trough at the eaves, hips, ridges and edges of gale roofs for the resistance of hurring for winds. Replace all fasteners and comply with DECS-BC 7th Edition m ³ 1.00 1.00 VFP-00 Allow for rooling Removes and replace all fasteners tace users uspot and first flush system in 1 7,690.00 VFP-00 Neare Distribution System Replace water closets with wadal-groof low-flush systems ref 2.8 600.00 VFP-01 Water Distribution System Marvesting 1 </td <td>ŀ</td> <td>Increase all exit doors to match the requirements of the OECS Building Code</td> <td>sum</td> <td>1</td> <td>15,750.00</td> <td>15,750.0</td>	ŀ	Increase all exit doors to match the requirements of the OECS Building Code	sum	1	15,750.00	15,750.0
VFP-04 Enterior Doors, Exits and Entrances Install interbiolds on external doors are required. Install in the hings at mid-height of all the doors - minimum 100 mm hingss Install interbiolds on external doors are required. Install interbines at mid-height of all the doors - minimum 100 mm hingss Install interbines at mid-height of all the doors - minimum 100 mm hingss Install interbines at mid-height of all the doors - minimum 100 mm hingss Install interbines and the hings of the doors - minimum 100 mm hingss Install interval. Each cost in the library, computer room and music room which are likely to have occupants while the doors are closed nr 6.3 25.00 VIP-05 Windows and shutteri Install install hourics sureau heaving minimum cube strength of 21 MPa at 28 day to all windows to ensure adequate anchorage. Install install hourican est atters while the resist the impact of thying objects where standard windows are used m ² 460 600.00 VIP-05 Other Elements of the Building Envelope m ² 460 600.00 VIP-06 Inter Elements of the Building Envelope m ² 1.537 16.00 VIP-06 Alternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump and first flush system m ² 1.537 16.00 VIP-04 Meternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump and first flush system m ² 2.500.00 VIP-10 Water Distribution System Replace water closets with walal-groof low-flush systems m ² 2.600.00 <td>FP-03</td> <td>Structural Integrity of Roofs</td> <td></td> <td></td> <td></td> <td></td>	FP-03	Structural Integrity of Roofs				
VIP-00 Mindbuild in Statement and expression or all of the fascial boards where supply to regular water supply to fail the dual water use - potable and rain water free subscience for the subscience of the subscince of the subscience of the subscience of the subscience o	1	Replacement of metal purlins and roofing	m²	1,537	68.00	104,516.0
Install a third hing at mid-height of all the doors - minimum 100 mm hinges to be used. nr 6.3 25.00 Install a third hing at mid-height of all the doors - minimum 100 mm hinges have need. nr 6.3 60.00 Replace action door with impact resistant door suitable for use in HVH2 are likely to have occupants while the doors are closed nr 6.3 1,000.00 VIFP-05 Windows and shutter install insect screens install insect screens insecreen inspace insect screens install insect screens instal	FP-04	Exterior Doors, Exits and Entrances				
NPP-05 Number of regulation of the surgery of the second			nr	63	100.00	6,300.0
VFP-00 Material statement of the Building Envelope m 63 60.00 VFP-05 Vencounce statement of the intervence structure str			nr	63	25.00	1,575.0
VIFP-00 VIFP-			nr	63	60.00	3,780.0
are likely to have occupants while the doors are closed nr 4 690.00 VIP-05 Windows and shutterin Install hourdows to ensure adequate anchorage. Install hourdows to ensure adequate anchorage. Install hourdows to ensure adequate anchorage. sum 1 490.00 VIP-06 Other Elements of the Building Envelope m² 460 600.00 VIP-07 Safety of roofing Install additional fasteners at every trough at the eaves, hips, ridges and edges of gable roofs for the resistance of hurricane force winds. Replace and listanesm ad comply with DECS-EDS-EDIM Im 199 8.50 VIP-08 Alternate water supply to regular water supply and first listanesm ad comply with DECS-EDS-EDIM m² 1.537 16.00 VIP-09 Water Distribution System Resplace and replace all factors in the lavatory sinks low volume water Income and first turk system m 1 7.690.00 VIP-10 Starter closets with vandal-groof low-flush systems nr 2.8 800.00 VIP-10 Starter closets with vandal-groof low-flush systems nr 2.8 800.00 VIP-10 Storm Ornigage System - site Improve and instructer davatage of the school compound Allow for routine maintenance and cloaning of the school compound Resplace water closets with vandal-groof low-flush systems nr 2.0 10.00 VIP-10 Storm Ornigage System - site Improve and instructer davatage of the school compound Allow for routine maintenance and cl		Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr	63	1,000.00	63,000.0
VIP-00 States of model and states of the subscription of 21 MPa and 28 diverges of 28 diverges of 28 diverges of 28 diverges diverg			nr	4	650.00	2,600.0
VFP-00 Allow of rooting and fastering and constrained quarket anchorage. sum m ² 1 490.00 VFP-00 Other Elements of the Building Envelope m ² 460 600.00 VFP-00 Other Elements of the Building Envelope m 1 490.00 VFP-00 Other Elements of the Building Envelope m 1 490.00 VFP-00 Allow for rooting edges of gable roots for the resistance of humicuse force webs. m 199 8.50 Neglace and Bastemers and every trough at the eavers, hips, ridges and edges of gable roots for the resistance of humicuse force webs. m 1.00 VFP-00 Allow for rooting mail additional fastemers and every trough at the eavers, hips, ridges and install additional fastemers and complex resistance of humicuse force webs. m 1.537 16.00 VFP-00 Allow for supply and installeration of rainwater harvesting system with pump and first flush system m 1 7,690.00 Resplace and regulace all fascets in the lavatory sinks low volume water Resplace water closets with vandal-groof low-flush systems m 1 2,000.00 VFP-10 Mastewater System Clean septic tank and inspect condition. Repair as necessary. sum 1.00.00 110.00 VFP-11 Morrow and insplace condition. Repair as necessary. sum 1.00.00.00 110.00 VFP-12 Sterm Drainage System - roof and gutters	ED OF	Windows and shutters				
NFP-00 Mercer supply to regular water supply Install inversion of facilitate dual water use - potable and rain water and install stores and installation of facilitate dual water use - potable and rain water Replace water closets with vanal-proof low-flush systems Im 199 8.50 VFP-00 Safety of roofing Install additional fastemest at every trough at the eaves, hips, ridges and edges of gable roofs for the resistance of hurricane force winds. Replace all fastemest and comply with 0CES-CF-CF helicition Im 199 8.50 VFP-00 Alternate water supply to regular water supply and fast hush system Replace water supply to facilitate dual water use - potable and rain water Replace water closets with vanal-proof low-flush systems mr 1 7,690.00 VFP-10 Water Mathibuing of huidings to facilitate dual water use - potable and rain water Replace water closets with vanal-proof low-flush systems mr 2.8 800.00 VFP-10 Usterwater System - istem control and installation of rainwater is specific and installation of faurues in and installation of sing of the flush systems mr 2.8 800.00 VFP-10 Water Mathibuing of buildings to facilitate dual water use - potable and rain water Replace water closets with vanal-proof low-flush systems mr 2.8 800.00 VFP-10 Water Mathibuing of buildings to facilitate dual water use - potable and rain water Replace water closets with vanal-proof low-flush systems mr 2.8 800.00 VFP-10 Water Mathibuing to facilitate dual water use potable					400.00	490.0
Install hurricane shutters which are able to resist the impact of flying objects Im 460 600.00 VFP-05 Other Elements of the Building Envelope Im 199 8.50 VFP-06 Other Elements of the Building Envelope Im 199 8.50 Nation for replacing deteriorated sections or all of the fascia boards register of able roofs of the resistance of hurricane force winds. Im 199 8.50 Nitrail additional fastemers at every trough at the eaves, hips, ridges and register of able roofs of the resistance of hurricane force winds. Im 1.99 8.50 NIP-08 Allerow for replacing deteriorated sections or all of the fascia boards Replace all fastemers and comply with OEC5-BC 7th Edition m ²¹ 1.537 16.00 VFP-09 Allerow for supply and installation of rainwater harvesting system with pump and first fluids system Iltress 60,750 0.75 VFP-00 Water Othribution System Replace water closets with vandal-proof low-flush systems nr 22 500.00 VFP-10 Wastewater System Clean septic tank and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-10 Wastewater System Clean septic tank and inspect condition, Repair as necessary. sum 1 5,000.00 VFP-10 Wastewater System out introduce drainage of the school compound Allow for routine maintenance and cleanig of sit storm water s						
where standard windows are used m ^{**} 460 600.00 VFP-05 Other Elements of the Building Envelope m 199 8.50 VFP-07 Allow for rooling edges of gable roots for the resistance of humicase force winds. Install additional fasteners at every trough at the eavers, hips, ridges and edges of gable roots for the resistance of humicase force winds. Replace all fasteners and comply with OCES OF th Edition m 199 8.50 VFP-08 Allow for rooling Allow for supply and installization of rainwater harvesting system with pump and first flush system m ^{**} 1.537 16.00 VFP-08 Replace and fast flush system Replace and replace all faucets in the lavatory sinks low volume water Replace water closets with vandal-groof low-flush systems nr 22 500.00 VFP-10 Water Water Water System Replace water closets with vandal-groof low-flush systems nr 28 800.00 VFP-10 Water Water displace condition. Repair as necessary. Improve and introduce chanage of the school compound Improve and introduce			m²	460	20.00	9,203.2
VFP-07 Safety of roofing Allow for replacing deteriorated sections or all of the fascia boards install additional flatmens at every trough at the eaves, hip, ridges and edges of gable roofs of the resistance of hurricane force winds. Im 199 8.50 NILIOW for replacing deteriorated sections or all of the fascia boards Replace all fastemers and comply with OEC5-RC 7ht Edition m ² 5.00 1.00 VFP-08 Allow for replacing of pairing for fastificate dual water supply and first fluids system Iteraste water supply to regular water supply and first fluids system Iteraste water supply to regular water supply and first fluids system 60,750 0.75 VFP-08 Water Ostribution System m 1 7,690.00 Replace water closets with vandal-proof low-flush systems nr 28 800.00 VFP-10 Wasterwater System nr 28 800.00 VFP-10 Wasterwater Goods with vandal-proof low-flush systems nr 28 800.00 VFP-10 Wasterwater System (Clean septic tank and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-11 Wasterwater System - roof and gutters sum 1 5,000.00			m²	460	600.00	276,096.0
Allow for replacing deteriorated sections or all of the fascia boards install additional flatterers at every trough at the eaves, hip, ridges and ledges of gable roofs for the resistance of Nutricene force winds. Im 199 8.50 VFP-00 Allow for replacing deteriorated sections of all of the fascia boards Replace all fasteners and comply with OECS-BC 7th Edition m² 500 1.00 VFP-00 Allow for replace of the resistance of Nutricene force winds. m² 1,537 16.00 VFP-00 Mater supply to regular water supply and first fluids system Iltress 60,750 0,75 VFP-01 Water Oltribution System m² 2 500.00 Replace all facters with vandal-proof low-flush systems m? 28 800.00 VFP-10 Wasterwater System Clean septic tank and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-10 Wasterwater System Allow for routine maintenance and cleaning of sits storm water management system - toof and gutters sum 1 5,000.00	FP-06	Other Elements of the Building Envelope				
VIP-00 Alternative water space determinated section of and or the racio bards m 2.0 0.00 VIP-0. Alternative very rough at the eaves, hips, highes and eaves, hips, highes and edges of gable roofs for the resistance of hurricane force winds. m ² 500 1.00 VIP-0. Alternative very rough at the eaves, hips, highes and edges of gable roofs for the resistance of hurricane force winds. m ³ 1.537 16.00 VIP-0. Alternative very rough at the eaves, hips, highes and edges of gable roofs for the resistance of hurricane force winds. m ⁴ 1.537 16.00 VIP-0. Alternative very rough at the resistance of hurricane force winds. m ⁴ 1.537 16.00 VIP-0. Alternative very rough at the resistance of hurricane force winds. m ⁴ 60,750 0.75 VIP-0. Mater Distribution System m 1 7,690.00 Replace water closets with vandal-gorof four-flush systems nr 2.2 500.00 VIP-10 Water Water Ministry static ondition. Repair as necessary. sum 1 2,000.00 VIP-10 Water water closets with vandal-gorof four-flush system sum 1 2,000.00 VIP-10 Water Ministry statise and logistic storm water sum 1 5,000.00 VIP-10 Ketewater System sum 1 5,000.00	FP-07	Safety of roofing				
edges of gable roofs for the resistance of hurricane force winds. nr 0.00 1.00 Replace all fasteners and comply with DECS-BC 7th Edition m ³ 1,537 16.00 VFP-08 Alternate water supply to regular water supply and first fulls system Iteres 60,750 0.75 VFP-09 Water Distribution System Revolutions of buildings to facilitate dual water use - potable and rain water harvesting sum 1 7,690.00 VFP-09 Water Distribution System Remove and replace all faucets in the lavatory sinks low volume water flatures nr 22 500.00 VFP-10 Water Distribution System Replace water closets with vandal-proof low-flush systems nr 28 800.00 VFP-10 User and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-10 User and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-11 Improve an introduce drainage of the school compound Allow for routine maintenance and cleaning of site storm water sum 1 5,000.00 VFP-12 Storm Drainage System - roof and gutters sum 1 5,000.00			Im	199	8.50	1,693.2
Replace all fasteners and comply with OECS-BC 7h Edition m ^a 1,537 16.00 VFP-08 Allow for supply and installation of rainwater supply and first flush system Inres 60,750 0,75 VFP-09 Water Distribution System Replace and replace all fascets in the lavatory sinks. Iow volume water Replace water closets with vandal-groof low-flush systems nr 1 7,690.00 VFP-10 Water Water Tolsets with vandal-groof low-flush systems nr 2.8 8000.00 VFP-10 Waterwater System Clean septic tank and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-10 Waterwater Gastage System - side Improve and introduce drainage of the school compound Molew for routine maintenance and cleaning of site storm water management system Im 50 110.00 VFP-12 Sterm Drainage System - roof and gutters sum 1 5,000.00			nr	500	1.00	500.0
Allow for supply and installation of rainwater harvesting system with pump and first flush system Bitres 60,750 0.75 VEP-00 Water Distribution System Remove and replace all faucets in the lavatory sinks low volume water harversting nr 22 500.00 Remove and replace all faucets in the lavatory sinks low volume water Replace water closets with vandal-proof low-flush systems nr 28 800.00 VFP-10 Wastewater System Clean septic tank and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-11 Stom Drainage System - site management system sum 1 5,000.00 VFP-12 Storm Drainage System - roof and gutters sum 1 5,000.00			m²	1,537	16.00	24,592.0
VFP-12 Storm Drainage System - roof and gutters sum 1 7,690.00 VFP-12 Storm Drainage System - roof and gutters sum 1 7,690.00	/	Allow for supply and installation of rainwater harvesting system with pump	litres	60,750	0.75	45,562.5
NFP-10 Mastewater System Disclose and inspect condition. Repair as necessary. sum sum representation of the system sum representation of the system sum rep	ER 00	Water Distribution Sustam				
Intures Inf 2.2 300.00 Replace water closets with vandal-proof low-flush systems nr 2.8 800.00 VFP-10 Watewater System sum 1 2,000.00 VFP-11 Storm Drainage System - site Improve and introduce drainage of the school compound Im 50 110.00 Allow for routine maintenance and cleaning of site storm water sum 1 5,000.00 VFP-12 Storm Drainage System - roof and gutters sum 1 5,000.00		Re-plumbing of buildings to facilitate dual water use - potable and rain water	sum	1	7,690.00	7,690.0
Intures Intures Intures Intures Intures Intures Intures Intures 800.00 Intures Intures <thintures< th=""> <thintures< th=""> <thinture< td=""><td></td><td></td><td>nr</td><td>22</td><td>500.00</td><td>11.000.0</td></thinture<></thintures<></thintures<>			nr	22	500.00	11.000.0
Clean septic tank and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-11 Storm Drainage System - site Improve and introduce drainage of the school compound Allow for routine mainteenance and cleaning of site storm water Im 50 110.00 VFP-12 Storm Drainage System - roof and gutters sum 1 5,000.00						22,400.0
Clean septic tank and inspect condition. Repair as necessary. sum 1 2,000.00 VFP-11 Storm Drainage System - site improve and introduce drainage of the school compound Allow for routine maintenance and cleaning of site storm water Im 50 110.00 VFP-12 Storm Drainage System - roof and gutters Sum 1 5,000.00	ER 10	Worksunker Furkers				
Improve and introduce drainage of the school compound Im 50 110.00 Allow for routine maintenance and cleaning of site storm water sum 1 5,000.00 VFP-12 Storm Drainage System - roof and gutters			sum	1	2,000.00	2,000.0
Allow for routine maintenance and cleaning of site storm water sum 1 \$,000.00 VFP-12 Storm Drainage System - roof and gutters						
management system sum 1 5,000.00 VFP-12 Storm Drainage System - roof and gutters			Im	50	110.00	5,500.0
			sum	1	5,000.00	5,000.0
	FP-12	Storm Drainage System - roof and gutters				
Allow for supply and replacement of damaged sections of roof gutters; 100% Im 398 60.00		Allow for supply and replacement of damaged sections of roof gutters; 100%	Im	398	60.00	23,904.0
To Collection		To Pollastion				656,651.9

Desruisseaux Combined School

Vieux-Fort Primary School

 \bigotimes

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Vieux Fo	ort Primary				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
VFP-13	Alternate Sources of Electricity				
411-12	Allow for supply and installation of a 15 KVA solar photovoltaic system as				
	alternative power supply	sum	1	36,000.00	36,000.00
	Allow for supply and installation of a 15 KVA generator with accessories	sum	1	15,000.00	15,000.00
	Fuel Reserve - Procure and develop stores of fuel	sum	1	6,000.00	6,000.00
VFP-14	Safety of Electrical Equipment				
	Re-inspection and re-certification of building as required	sum	1	5,379.50	5,379.50
	Improve electrical systems; undertake up to 50% rewiring of the building as	m²	769	35.00	26,915.00
	required Replace corroded outlets and switches	sum	1	80.16	80.16
	Replace the outdated main switch with Main Panel	sum	1	1.000.00	1.000.00
	Perform routine repairs and maintenance - Energy supply	sum	1	3,000.00	3,000.00
	Perform routine repairs and maintenance - energy supply	sum	· ·	3,000.00	3,000.00
VFP-15	Lighting System				
	Improve the lighting in all areas based on the international standard for light	m ²	769	5.00	3,842.50
	levels.				
	Replace/Repair all broken 2ft. LED Single Fixture	nr	1.00	25.93	25.93
	Replace/Repair all broken 4ft. LED Single Fixture	nr	3.00	49.57	148.71
	Replace all broken 4ft. LED Double Fixture	nr	21.00	56.91	1,195.11
	Change all necessary bulbs (4ft. LED Bulbs) Install emergency lighting with battery power packs	nr	20.00 8.00	27.78 100.00	555.60 800.00
	Make provision for protection of emergency lighting	sum	1 1	500.00	500.00
	wake provision for protection of emergency lighting	Sum	1 ¹	500.00	500.00
VFP-16	Safety of HVAC Components				
411-20	Perform major repairs and maintenance - Pipes and Insulation	sum	1	200.00	200.00
			- 1	200.00	
VFP-17	Information Technology				
	Install an intercom system for the school	sum	1	1,400.00	1,400.00
VFP-18	Fire Protection				
	Procure and install smoke detectors	nr	8	120.00	960.00
	Procure and install fire alarm system; includes Manual Call Points (4), Wall				
	mounted ringers (4), fire alarm control panels to suit 240V/1Ph/50Hz power supply and accessories.	sum	1	3,520.00	3,520.00
	Procure and install one 5lbs.(Carbon Dioxide Type) near the exit of the				
	canteen, Principal's Office, Staffroom and Library	nr	4	216.30	865.20
	Fire proof steel beams and columns	sum	1		
	Install illuminated exit signs at strategic locations	nr	â	200.00	1,600.00
	Redesign the layout of the the stoves and gas tanks in the cramped area in		-		-,
	the canteen or properly store the LPG Gas tanks to an acceptable distance	sum	1	150.00	150.00
	away from the stoves				
	Make provision for an emergency plan to be developed and approved by the	sum	1	500.00	500.00
	Fire Service.	sum	1	500.00	500.00
VFP-19	Including DRR Education in the School Curriculum				
	The inclusion of DRR Education at the school level through the integration of				
	DRR topics and themes in regular classroom teaching and engaging students			3 300 00	3 303 00
	in DRR community outreach initiatives through co and extra-curricular	sum	1	3,200.00	3,200.00
	activities.				
	To Collection				112,837.71
	10 collection				112,037.71

\bigotimes

30

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Vieux Fo	ort Primary
Task No.	Interventions/Impro

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
VFP-20	ESIA Recommendations				
	Allow a provisional sum to address recommendations made under the ESIA				5.000.0
	as it particularly relates to physical improvements at the school				5,000.0
	To Collection				5,000.0
	Collection				
	Collection	Page 1			656,651.9
		Page 2			112,837.7
		Page 3			5.000.0
	Base Cost	rage 3			774,489.6
	Allowance for Demolition of works to be repaired - 3% of Base Cost				23,234.6
	Allowance for preliminaries - 7.5% of Base Cost				58,086.7
	Sub-total				855,811.0
	Allow 20% contingencies due to the nature of repairs and retrofit works				171,162.2
	Total				1,026,973.2
	Value Added Tax - 12.5% of Total				128,371.6
	Total Construction cost of repairs and retrofit works - Vieux-Fort Primary School				1,155,344.8

Vieux-Fort Primary School

Vieux-Fort Primary School

 $\langle\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Vieux Fo	rt Infant				
Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
VFI-01	Condition of the building - as per Engineer's drawings and specifications Demolish and reconstruct entire school Block; Blocks B and C	m²	119	1,720.00	204,267.20
VFI-02	Safety of Foundations - as per Engineer's details and specifications Retrofit the severely damaged foundation walls / strip and spread footings.	sum	1	9,400.00	9,400.00
VFI-03	Disability Accessibility Equip washrooms with adequate handicap access All ground floor class rooms to be made wheel-chair accessible lincrease all exit doors to match the requirements of the OECS Building Code	sum sum sum	1 1 1	2,500.00 6,500.00 2,250.00	2,500.00 6,500.00 2,250.00
VFI-04	Exterior Doors, Exits and Entrances Install thresholds on external doors as required. Fasten door frames into concrete surrounds with bolts or screws Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr nr nr	9 9 9	100.00 60.00 1,000.00	900.00 540.00 9,000.00
VFI-05	Windows and shutters Install ISO mm concrete surround having minimum cube strength of 21 MPa at 28 day to all windows to ensure adequate anchorage. Install insect screens Install hurricane shutters which are able to resist the impact of flying objects where standard windows are used	sum m² m²	1 60 60	1,680.00 20.00 600.00	1,680.00 1,204.00 36,120.00
VFI-06	Safety of roofing Install additional fasteners at every trough at the eaves, hips, ridges and edges of gable roofs for the resistance of hurricane force winds. Replace all fasteners and comply with DECS-BC 7th Edition	nr m²	200 632	1.00 16.00	200.00 10,118.72
VFI-07	Internal walls - concrete masonry units finishd with mortar plastering Repainting of building internal and external walls after completion of works	m²	984	10.00	9,838.00
VFI-08	Alternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump and first flush system	litres	13,500	0.75	10,125.00
VFI-09	Water Distribution System Re-plumbing of buildings to facilitate dual water use - potable and rain water harvesting Remove and replace all faucets in the lavatory sinks low volume water fastures Replace water closets with vandal-proof low-flush systems	sum nr nr	1 12 16	6,003.70 500.00 800.00	6,003.70 6,000.00 12,800.00
VFI-10	Wastewater System Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,000.00	2,000.00
VFI-11	Storm Drainage System - roof and gutters Allow for supply and replacement of damaged sections of roof gutters	Im	109	60.00	6,561.60
	To Collection				338,008.22

\langle

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD
VFI-12	Alternate Sources of Electricity				
VFI-12	Allow for supply and installation of a 15 KVA solar photovoltaic system as				
	alternative power supply	sum	1	36,000.00	36,000.0
	Allow for supply and installation of a 15 KVA generator with accessories	sum	1	15,000.00	15,000.0
	Fuel Reserve - Procure and develop stores of fuel	sum	1	6,000.00	6,000.0
VFI-13	Safety of Electrical Equipment				
	Re-inspection and re-certification of building as required	sum	1	3,795.40	3,795.4
	Improve electrical systems; undertake up to 50% rewiring of the building	m ²	542	35.00	10.070
	as required	m*	542	35.00	18,970.0
	Replace all damaged outlets and switches	sum	1	49.36	49.3
	Perform routine repairs and maintenance - Energy supply	sum	1	3,000.00	3,000.0
VFI-14	Lighting System				
	Improve the lighting in all areas based on the international standard for	m²	542	5.00	2,711.0
	light levels.	m-	342	5.00	2,711.0
	Change all necessary bulbs	nr	21	27.78	583.3
	Install emergency lighting with battery power packs	nr	10	100.00	1,000.0
	Make provision for protection of emergency lighting	sum	1	500.00	500.0
VFI-15	Safety of HVAC Components				
	Perform routine servicing of all split units	nr	3	80.00	240.
VFI-16	Information Technology				
	Install an intercom system for the school	sum	1	1,400.00	1,400.0
VFI-17	Fire Protection				
	Service Fire Alarm System to ensure early detection	sum	1	500.00	500.0
	Procure and install one 5lbs. (Carbon Dioxide Type) fire extinguisher in the kitchen	nr	1	216.30	216.
	Procure and install one 5lbs. (Dry Chemical Type) fire extinguisher in the electrical room	nr	1	113.70	113.
	Procure and install one 10lbs. (Dry Chemical Type) fire extinguisher at the top of the staircase landing on the eastern side	nr	1	162.22	162.3
	Procure and install one 10lbs. (Carbon Dioxide Type) fire extinguisher in the IT Room	nr	1	253.70	253.7
	Service the 10lb. (Dry Chemical Type) extinguisher that was discharged				
	and relocate the 10lbs. (Dry Chemical Type) fire extinguisher in the	sum	1	66.44	66.4
	staffroom to the alternative exit in that room. Fire proof steel beams and columns	sum	1		
	Make provision for an emergency plan to be developed and approved by	sum	1		
	the Fire Service.	sum	1	500.00	500.
VFI-18	Including DRR Education in the School Curriculum				
	The inclusion of DRR Education at the school level through the integration				
	of DRR topics and themes in regular classroom teaching and engaging				
	students in DRR community outreach initiatives through co and extra- curricular activities.	sum	1	3,200.00	3,200.
	cumular activities.				
	To Collection				94,261.

Vieux - Fort Infant School

32

Vieux - Fort Infant School

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Vieux Fort Infant

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
VFI-19	ESIA Recommendations				
	Allow a provisional sum to address recommendations made under the				
	ESIA as it particularly relates to physical improvements at the school				5,000.0
	To Collection				5,000.0
]			
	Collection				
		Page 1			338,008.2
		Page 2			94,261.5
		Page 3			5,000.0
	Base Cost				437,269.7
	Allowance for Demolition of works to be repaired - 3% of Base Cost				13,118.0
	Allowance for preliminaries - 7.5% of Base Cost				32,795.2
	Sub-total				483,183.0
	Allow 20% contingencies due to the nature of repairs and retrofit works				96,636.6
	Total				579,819.6
	Value Added Tax - 12.5% of Total				72,477.4
	Total Construction cost of repairs and retrofit works - Vieux Fort Infant				
	School				652,297.1

 \diamondsuit

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Saltibu	s Combined				
Task No.	Interventions/improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
SC-01	Exterior Doors, Exits and Entrances				
30.01	Install thresholds on external doors as required.	nr	44	100.00	4,400.00
	Install a third hinge at mid-height of all the doors - minimum 100 mm hinges		31	25.00	
	to be used.	nr			775.00
	Fasten door frames into concrete surrounds with bolts or screws Replace exterior doors with impact resistant doors suitable for use in HVHZ	nr	44	60.00	2,640.00
	Replace exterior doors with impact resistant doors suitable for use in HVH2.	nr	44	1,000.00	44,000.00
SC-02	Windows and shutters				
	Install 150 mm concrete surround having minimum cube strength of 21 MPa	sum	1	1,610.00	1,610.00
	at 28 day to all windows to ensure adequate anchorage. Install insect screens				
	Install hurricane shutters which are able to resist the impact of flying objects	m ²	229	20.00	4,570.00
	where standard windows are used	m²	116	600.00	69,300.00
	Remove & replace the welded wire mesh openings with operable windows	nr	8	1,200.00	9,600.00
SC-3	Safety of roofing Securing roof deck and replace roof covering gauge 24 sheets as a minimum	m ²	167	68.00	11.383.20
	Securing root deck and replace root covering gauge 24 sheets as a minimum	m-	167	68.00	11,383.20
SC-04	Parapets and other outside Elements (railings, ornaments)				
	Improve access to school entrance - roadway and gate	sum	1	5,000.00	5,000.00
SC-05	Internal walls - concrete masonry units finishd with mortar plastering				
30-05	Repainting of building internal and external walls after completion of works	m ²	1.125	10.00	11,251.00
	Replace all termite infested timber	sum	1	10.00	
	Undertake termite treatment of buildings and compound	sum	1	1,200.00	1,200.00
SC-06	Webs Deserves				
SC-06	Water Reserves Procurement and installation of additional potable water storage tanks	litres	37,773	0.75	28,329.71
	Removal of tanks from the roof could be considered. Construct ground slab				
	and install a solar powered water pump.	sum	1	2,500.00	2,500.00
SC-07	Alternate water supply to regular water supply Allow for supply and installation of rainwater harvesting system with pump				
	and first flush system with capacity equivalent to 30% of building	litres	11,332	0.75	8.498.91
	consumption				-,
SC-08	Water Distribution System Re-plumbing of buildings to facilitate dual water use - potable and rain water				
	harvesting	sum	1	3,250.00	3,250.00
	Remove and replace all faucets in the lavatory sinks low volume water	nr	10	500.00	5,000.00
	fixtures				-,
	Replace water closets with vandal-proof low-flush systems	nr	15	800.00	12,000.00
SC-09	Wastewater System				
	Clean septic tank and inspect condition. Repair as necessary.	sum	1	2,000.00	2,000.00
SC-10	Alternate Sources of Electricity				
	Allow for supply and installation of a 15 KVA solar photovoltaic system as alternative power supply	sum	1	36,000.00	36,000.00
	Allow for supply and installation of a 15 KVA generator with accessories	sum	1	15,000.00	15,000.00
	Fuel Reserve - Procure and develop stores of fuel	sum	1	6,000.00	6,000.00
	To Collection				284,307.82
			-		

Vieux - Fort Infant School

34

Saltibus Combined School

 \bigotimes

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Task No.	Interventions/Improvements	Unit	Quantity	Unit Rate (USD)	Total (USD)
SC-11	Safety of Electrical Equipment				
30-11	Re-inspection and re-certification of building as required	sum	1	2,271.50	2,271.5
	Improve electrical systems; undertake up to 50% rewiring of the building as				2,271.3
	required	m²	325	35.00	11,357.5
	Replace broken 4ft LED Single Fixtures and change bulbs	nr	4	77.35	309.4
	Perform routine repairs and maintenance - Energy supply	sum	1	3,000.00	3,000.0
SC-12	Lighting System				
	Improve the lighting in all areas based on the international standard for light		6.40	5.00	
	levels.	m ²	649	5.00	3,245.0
	Install emergency lighting with battery power packs; Includes 6 exit signs and	sum	1	1,100.00	1,100.0
	5 lights	sum	1	1,100.00	1,100.0
	Make provision for protection of emergency lighting	sum	1	500.00	500.0
SC-13	Safety of HVAC Components				
	Perform routine servicing of all split units	nr	5	80.00	400.0
SC-14	Information Technology				
	Install an intercom system for the school	sum	1	1,400.00	1,400.0
SC-15	Fire Protection				
	Procure and install smoke detectors	nr	10	120.00	1,200.0
	Procure and install fire alarm system; includes Manual Call Points (5), Wall				
	mounted ringers (5), fire alarm control panels to suit 240V/1Ph/50Hz power	sum	1	3,700.00	3,700.0
	supply and accessories.				
	Procure and install one 5lbs. (Dry Chemical Type) fire extinguisher near the	nr	3	113.70	341.1
	exit of the kitchen, library and staffroom.		Ĵ	115.70	541.1
	Procure and install one 10lbs. (Dry Chemical Type) fire extinguisher near the				
	top and bottom of the staircase landing of each block and at each end of the infant block.	nr	7	216.30	1,514.1
	Install permanent exit signage around the compound including indications of				
	stairways, exists and muster points	sum	1	200.00	200.0
	Make provision for an emergency plan to be developed and approved by the				
	Fire Service.	sum	1	500.00	500.0
SC-16	Disability Accessibility				
10	Equip washrooms with adequate handicap access	sum	1	2,500.00	2,500.0
	All ground floor class rooms to be made wheel-chair accessible	sum	1	7,500.00	7.500.0
	Increase all exit doors to match the requirements of the OECS Building Code	sum	1	11,000.00	11,000.0
SC-17	Including DRR Education in the School Curriculum				
	The inclusion of DRR Education at the school level through the integration of				
	DRR topics and themes in regular classroom teaching and engaging students				
	in DRR community outreach initiatives through co and extra-curricular	sum	1	3,200.00	3,200.0
	activities.				
	To Collection				55,238.6
	To conection				55,250.0

$\langle\!\!\!\rangle$

INCREASING RESILIENCE OF THE EDUCATION SYSTEM TO CLIMATE CHANGE IN SAINT LUCIA

Task No.	Interventions/improvements	Unit	Quantity	Unit Rate (USD)	Total (USD
SC-18	ESIA Recommendations				
5010	Allow a provisional sum to address recommendations made under the ESIA as it particularly relates to physical improvements at the school				5,000.0
	To Collection				5,000.0
	Collection				
		Page 1			284,307.
		Page 2			55,238.
		Page 3			5,000
	Base Cost				344,546.
	Allowance for Demolition of works to be repaired - 3% of Base Cost				10.336
	Allowance for preliminaries - 7.5% of Base Cost				25,840
	Sub-total				380,723.
	Allow 20% contingencies due to the nature of repairs and retrofit works				76,144.
	Total				456,868.
	Value Added Tax - 12.5% of Total				57,108
	Total Construction cost of repairs and retrofit works - Saltibus Combined				513,977.
	Total Construction cost of repairs and retrofit works - Saltibus Combined School				

Saltibus Combined School

36

Saltibus Combined School

Annex 6. Rapid Climate Vulnerability Assessment for Twelve Schools – Saint Lucia.

- Written by: ECMC St. Lucia.
- **Exact title of report**: Rapid Climate Vulnerability Assessment for Twelve Schools.
- Date of report: July 22, 2021.

Executive Summary

The vulnerability of Saint Lucia and Antigua and Barbuda to climate-related shocks is likely to increase unless their education sectors improve their capacity to anticipate, prepare, adapt and become more resilient to such events. Some of the public schools designated as emergency shelters in these two Small Island Development States (SIDS) are considered insufficient in terms of structural capacity to withstand a Category 5 Hurricane as well as ensuring minimum disruption to the populations' education system. Therefore, it is necessary to implement a new approach to increase the resilience of those schools, particularly as they are often designated as emergency shelters for the communities in which they are located.

As part of this project – Increasing Resilience of the Education System to Climate Change in Saint Lucia and Antigua and Barbuda, ECMC was required to perform a Rapid Climate Vulnerability Assessment of 12 schools and associated areas in Saint Lucia. The report provides a geospatial hazard assessment for each of the identified schools. The geographic coordinates of each school are provided together with a general description of the school plant, site plans and relative locations.

The twelve schools are located throughout Saint Lucia. Based on their geographic coordinates, the northernmost school is Corinth Secondary and Southernmost, Vieux Fort Primary. Ave Maria Infant and Primary schools are at the lowest elevation of 5.0 meters while Saltibus Combined is at the highest estimated to be at 278.0 meters.

ECMC team of experts visited the selected schools and conducted in-depth site reconnaissance to obtain a clearer appreciation of the locations as well as the environmental and topographic conditions likely to contribute to the climate change impacts. To facilitate submission of the early Deliverables, a rapid condition assessment of the school plants was performed by the engineers on the reconnaissance team. At these visits, and as a means of stakeholder engagement, the schools' principals or their representatives were consulted to obtain information on priority issues and their assessment of adaptive capacities at a school, community, Ministry and national level.

Officials of the National Designated Entity of Saint Lucia – the Ministry of Education, Innovation, Gender Relations and Sustainable Development revealed that there are no mandated design standards for schools in the country. However, as part of the consultancy, the document "Guidelines for Locating and Designing of Disaster Resilient Schools for the Organization of Eastern Caribbean States" (OECS Schools Guidelines) was reviewed and a separate report prepared with reviewed criteria, cross-referenced with OECS Schools Guidelines. However, it was agreed with the Client that this report (Deliverable 2.2) be combined with this Rapid Climate Vulnerability Assessment (CVA) Report. Whereas, the document suggests that schools are "specialized multi-functional facilities" which often operate as emergency shelters, and as such, must be designed to "accommodate a wide

range of occupants", it was brief on the necessary guidelines.

On the issue of landslides, the OECS Schools Guidelines recommend the use of landslide hazard maps during the preliminary design phase of structures and that the exposure to landslides be considered in the design of roads and civil infrastructure used to access schools. On the issue of floods, which is one of the critical climatic hazards, the OECS Guidelines provide a list of reference documents, loads and return periods to be considered in the drainage design. Both fluvial and coastal flooding are discussed. As it specifically relates to designing for high winds, the OECS Schools Guidelines indicate that considerations should be given to designing schools in the OECS to resist high-speed wind loads due to the frequency and occurrence of intense hurricanes in the Islands. The document does not make any specific reference to design criteria and loads which need to be used.

Based on the review of the suggested OECS Schools Guidelines document, it is our view that, regarding the primary building code, designers should be referencing the OECS Building Code 7th Edition and that the ASCE/SEI 7-16 standard be used to guide the analysis and design of the structures at a minimum. ASCE 7-16 Chapter C1 notes that risk categories are used to relate the criteria for maximum environmental loads or distortions specified in the standard to the consequence of the loads being exceeded for the structure and its occupants. It is recommended that schools in Saint Lucia be classified as Risk Category III buildings and that schools that will be designated as emergency shelters should be classified as essential facilities.

The relative vulnerability of the twelve schools was established using the five stipulated hazards, namely; Landslides; Fluvial flooding; Coastal flooding and sea level rise; Droughts; and Wind speed/Hurricanes. Hazard mapping was obtained from the Caribbean Handbook on Risk and Information Management (CHARIM) GeoNode¹ in the case of landslides and fluvial flooding. Hazard mapping for high winds and coastal flooding was obtained from the Department of Physical Planning. However, in the case of the drought hazard, there was a paucity of data that was further exacerbated by less than timely responses from the sole producer of water in Saint Lucia. In that regard, the consulting team decided to undertake a qualitative assessment based on information from senior officers of the Water and Sewerage Company Inc and the knowledge of the Senior Advisor on the team. The following hazard maps were produced:

• National overview hazard maps for Wind, Drought, Flood, Landslide and general overview:

- Landslide hazard maps for each school (Appendix B);
- Flood hazard maps for each school (Appendix C);
- Wind hazard maps for north and south Saint Lucia (Appendix D).

Hazard risk scores were derived for each school and a summary table developed providing an overview of the hazard sensitivity associated with each school. The combined relative climate change vulnerability of each of the schools, resulted in an average score, giving rise to the eventual ranking of the schools.

The results indicate that Vieux Fort Primary School ranked number one as being the most susceptible to climate change impacts while Desruisseaux Combined and Corinth Secondary Schools ranked the least - number 11. Saltibus ranked as the second most susceptible followed by the Ave Maria and Balata Combined schools which jointly ranked the third most susceptible.

School	Landslide	Fluvial Flooding	Wind Speed	Drought	Sea Level Rise	Average Score	School Average Hazard Rank	Comments (provided by ECMC based on local knowledge)
Ave Maria Infant	1	5	3	1	3	2.6	3	In centre of Castries which is known to flood. Located in fairly open country
Ave Maria Primary	1	5	3	1	3	2.6	3	In centre of Castries which is known to flood, located in a fairly open area
Balata Combined	3	3	2	2	1	2.6	3	Very inland and near a river
Bexon Primary	3	3	1	1	1	2.2	7	Known to be in a flood plain. The hill to the east can be a concern
Corinth Secondary	1	5	3	1	1	1.8	11	In a low-lying area, near a river, and is known to have drainage issues. Located in open country
Desruisseaux Combined	1	1	4	2	1	1.8	11	In the South, elevated and exposed. Water shortage is a known concern
Fond Assau Combined	1	1	4	3	1	2	9	Within an agricultural zone and on the upper slopes of a narrow valley
Micoud Primary	3	1	4	2	1	2.2	7	In the southeast and elevated topography. Supply of water is known to be an issue
Patience Combined	3	1	4	3	1	2.4	6	In the southeast and elevated topography. Supply of water is known to be an issue
Saltibus Combined	5	1	4	4	1	3	2	At a high elevation, with the Saltibus River being a water source
Vieux-Fort Infant	1	1	4	1	1	2	9	In the south of the island which is extremely flat and known to have water problems
/ieux-Fort Primary	1	1	4	3	5	3.6	1	In the south of the Island which is extremely flat and known to have water supply problems

Table 6: Summary of Hazard Sensitivity Associated with Each School

Adaptive Capacity Assessment

There are varying definitions of adaptive capacity. One is the ability of a system to evolve to accommodate climate change or to cope with an expanded range of vulnerabilities. Another is the degree to which a system can currently cope and accommodate change caused by exposure to a climate hazard within existing resources and constraints. Low adaptive capacity enhances vulnerability and reduces resilience to climate change. Adaptive capacity of SIDS is generally low due to their physical size, limited access to capital and technology, shortage of human resource skills and limited access to resources for construction. SIDS adaptation costs are high relative to GDP. Saint Lucia, like most SIDS, is reliant on the international community to obtain the financial and technological resources necessary to achieve a resilient and sustainable low-carbon economy. Notably, too, a high adaptive capacity may not translate into effective adaptation if there is no commitment to sustained action.

The quality of the physical plant is quite variable from school to school. Generally, the more aged the structure, the greater the sensitivity to high wind speeds and other hazards. Wind speeds used for design have increased over time, making the older schools under-designed for cyclonic events unless they have been retrofitted to respond to updated design criteria. Similarly, drainage capacities may have been designed for peak flows that are now too low due to increased development of surroundings combined with higher rainfall intensities attributed to climate change. The materials in place in older schools are more likely to have reached or exceeded their design lives and therefore to be of significantly lower strength now than at the time of their installation.

Hazard vulnerability of some schools may be increased in locations where access/egress options available are limited, increasing the risk of isolation during or after an extreme event. Opportunities to develop additional access/egress routes may be limited in some locations due to terrain or constraints imposed by adjacent existing development. Some schools have water storage on site, some of which are harvested rainwater storage. Some have limited water storage capacity overall, while others do not have any rainwater storage.

Some schools do not have roof guttering, which makes it relatively more expensive to invest in rainwater harvesting. Current applications of harvested rainwater vary from irrigation of the school's market garden only to those that also include flushing of toilets. In most instances, storage capacity of harvested rainwater could be increased and optimized to better use this resource, particularly in schools with chronic public water supply issues. Schools, like most (if not all) public buildings, are not insured.

During the reconnaissance site visits and subsequent stakeholder discussions, the consulting team structured their interviews to deliberately gather information on the existing adaptive management capabilities within the school and the immediate community to reduce the impact of climate-induced hazards. The discussions also allowed the schools' principals to advance opinions and suggestions for improving adaptive capacity.

Measures to increase the adaptive capacity of schools will require closer examination of features at the Ministry and school levels, such as infrastructure, technology, resources for emergency management, capability/skills of staff and students, knowledge and information dissemination, evacuation plans, and leadership. Features at the household level include parents' participation in school disaster preparedness and response protocols; sharing of responsibilities among adults in the household; provision of shelter and protection and meeting basic needs. Features at the community/district level include socio-economic and environmental conditions (poverty, level of educational attainment, functional literacy); infrastructure (mass transit, roads and bridges, utilities); voluntary support (school-based groups) and institutional support (community-based groups, private sector, public sector agencies, corporate partners). These features need to be examined in the context of the school's specific hazard exposures to identify the gaps and most effective approaches to enhance adaptive capacity. A gender sensitive and responsive approach is fundamental to guarantee gender equity as an outcome of enhanced adaptive capacity.

The Ministry of Education manages and maintains all public-school plants in Saint Lucia. Some conclusions based on a review of available information and stakeholder feedback are that:

• The annual budget made available to schools for a day-to-day routine maintenance is too low, with a fixed amount of \$6,000.00 per year provided to every school. There is no consideration of school age, vulnerabilities, size, population, community shelter requirements, etc. in determining this amount. Most schools are forced to seek out sponsorship from the corporate sector and support from parents and the community to supplement these funds and undertake basic maintenance activities.

• The schools report maintenance requirements classified as significant to the Ministry; however, these issues may not be attended to for extended periods. Reasons for the delay or lack of attention to maintenance requests likely include one or more of the following:

- a. perceived priority and importance levels;
- b. funding constraints;
- c. human resource availability.
- Maintenance of current school emergency management plans and routine engagement

of the school population in emergency drills do not appear to be a strict requirement of the Ministry. Some schools engaged indicated one or more of the following: a. their emergency management committee within the school was not operational; b. their emergency management plans were not up to date; c. they had not conducted emergency drills with the school population in the recent past.

In relation to the schools functioning as emergency shelters:

• Some school personnel consulted were not aware if the school was designated as an emergency shelter. This has implications for preparedness of the broader community pre-and post-hazard events.

 Most schools, even if designated as emergency shelters, do not have any shelter supplies on compound.

• Despite being designated emergency shelters; many schools do not have a direct relationship with the National Emergency Management Organization (NEMO) or the District Disaster Committees (DDC) in their area.

The extent of community-level support across schools is highly variable. Some schools reported having highly engaged and active parent-teacher associations (PTA) and/or neighbors, while others reported very little community and/or PTA support. This spirit of volunteerism and ownership has implications for a school's recovery capacity in the aftermath of a disaster. Level of support may be influenced by factors such as:

- limited means or interest of a parent body derived mainly from depressed neighborhood(s);
- distant relationship between school senior management and adjacent community; and
 an inactive PTA.

To facilitate an evaluation of adaptive capacity at each of the schools, qualitative definitions have been developed:

• Low Adaptive Capacity – The school and/or community do not possess the ability to influence the impact of hazards with current resources available.

• Medium Adaptive Capacity – The school's operations can be adjusted to reduce impact with current resources, but the facility will still adversely be affected.

• High Adaptive Capacity – The school has the resources and redundancy to continue operating without being adversely affected by hazards.

The analysis assumes that the adaptive capacity of the Ministry is constant and does not vary from school to school. Closer examination of the quality of Ministry resources available at a district level could warrant a review of this assumption. The following indicators are considered in the assessment of adaptive capacity in Table 7 below:

• Quality of physical plant - a function of school age and sufficiency of available maintenance budget among other things.

• Adequacy of surrounding infrastructure (roads, drainage, redundancy of access, proximity of emergency services).

• Availability of community support (PTA, corporate entities).

• Ability to continue operations in drought conditions for relatively longer periods (based on availability of public supply, on site potable water storage capacity, and capacity to harvest and store rainwater).

• Emergency response capacity (currency and adequacy of the emergency response plan for relevant hazards; drills, engagement with national/community disaster managers; proximity of emergency services).

Significant improvements can be made to adaptive capacities at both the national - Ministry of Education and National Emergency Management Office (NEMO) - and school levels, thereby further reducing vulnerability of the education system. At the national level, the support for maintenance required at schools should be improved in terms of level of resources made available, management of maintenance works and response time. Communication between schools' management and the Ministry of Education should be improved. This may require strengthening or restructuring of the Building Unit within the Ministry. For example:

• Standards for typical maintenance works should be developed and used both to specify requisite works and to verify that works completed are compliant with the requisite standards.

• Contractors should be pre-qualified to ensure that they have the capacity to properly undertake the contracted works.

• Managers of the schools should be more involved in scoping the required maintenance works to better ensure that the planned works will resolve the issues faced.

• Third-party service providers require better supervision. Managers of the schools should be aware of what third-party service providers have been contracted to do and should be consulted before final payments are made, to ensure that the issues have been satisfactorily addressed.

School	Quality of Physical Plant	Adequacy of surrounding Infrastructure	Community Support	Ability to continue operations in drought conditions	Emergency Response Capacity	Overall Ranking	Overall Adaptive Capacity
Ave Maria Infant	Medium	High	Medium	High	High	4	High
Ave Maria Primary	Medium	High	Medium	High	High	4	High
Balata Combined	Low	Low	Low	Medium	Medium	2	Low
Bexon Primary	Low	Low	Low	High	Medium	2	Low
Corinth Secondary	High	High	High	High	High	5	High
Desruisseaux Combined	Low	Medium	Medium	Medium	Medium	3	Medium
Fond Assau Combined	High	Medium	Low	Medium	High	3	Medium
Micoud Primary	Medium	Low	Low	Medium	High	3	Medium
Patience Combined	Medium	Medium	Low	Medium	Medium	3	Medium
Saltibus Combined	Medium	Low	Medium	Low	Low	2	Low
Vieux-Fort Infant	Low	Medium	Medium	Low	High	3	Medium
Vieux-Fort Primary	Low	Medium	Medium	Low	High	3	Medium

Table 7: Schools Adaptive Capacity

Quantifying the ranking: - High =5, Medium = 3, Low = 1

Overall Adaptive Capacity – Average of all five parameters: - High = 4.0 to 5.0; Medium = < 4.0 and ≥ 2.5 and Low: < 2.5

The capacity to harvest, store and optimally use rainwater should be enhanced in most schools, to facilitate continued school (or emergency shelter) operation through drought conditions or service interruptions that may be triggered by adverse weather or other events. A formula to

determine requirements based on school population/shelter capacity and other relevant factors could be derived.

Caretakers employed at the schools should be trained and assessed by the Ministry in job requirements that are designed to increase school resilience, such as proper maintenance of drains and guttering, identification of signs of early deterioration of school plant to be dealt with before they escalate, management of water storage, management of vegetation to reduce erosion and landslide risk, etc. Some of these requirements will apply to all schools, while others will be site specific.

Requirements for maintenance of emergency response plans and emergency drills should be more structured. This will likely require a higher level of training, monitoring, engagement, and support by the Ministry. Performance appraisals of Principals and other responsible staff could include consideration of the extent to which these requirements have been met.

There should be greater collaboration with and support from NEMO at a national level and DDCs at a district level, to ensure schools are adequately prepared to meet community emergency shelter responsibilities. All programmes developed to improve resilience through building adaptive capacity need to be sustained, in recognition of the fact that staff changes, people need to be continuously motivated and informed, and the guidance itself is likely to be amended over time as knowledge grows.

Vulnerability Assessment

For Saint Lucia's schools to become more resilient to climate change, an appreciation of the potential impacts and associated implications in the short, medium, and long term is required, both within the individual schools and at the policy making levels of government. Physical improvements planned through this, and similar programmes can go a long way toward reducing vulnerability of schools by lowering their sensitivity to the various hazards.

Vulnerability of all schools should be assessed in a structured way, and measures to upgrade to requisite standards for increased resilience identified and prioritized. A detailed risk assessment of vulnerable assets will guide development of appropriate adaptations and of an implementation plan that prioritizes recommended interventions based on asset importance and vulnerability. It is also important to increase adaptive capacity within each school and of the education system as recommended in the foregoing section, to further reduce hazard vulnerability.

The table below presents an assessment of the vulnerability of each school to the hazards under consideration. This combines information on sensitivity to these hazards at each location with knowledge of the adaptive capacities of the schools and the Ministry of Education.

Schools	Landslide	Fluvial Flooding	Wind Speed	Drought	Sea Level Rise/Coastal Hazards
Ave Maria Infant	NA	High	Medium	High	High
Ave Maria Primary		High	Medium	High	High
Balata Combined			High		
Bexon Primary		High	High		
Corinth Secondary			High	High	NA
Desruisseaux Combined				High	NA
Fond Assau Combined					
Micoud Primary					
Patience Combined					
Saltibus Combined	High			High	NA
Vieux-Fort Infant	NA	High	High	High	High
Vieux-Fort Primary		High	High	High	High

Table 8: Summary of Vulnerability Assessment

Conclusions of Hazard Vulnerability Assessment

This study presents a rapid assessment of natural hazard vulnerability for 12 schools in Saint Lucia for landslides, fluvial flooding, drought, wind speed and sea level rise. Maps at national and school levels have been prepared which provide information on the specific hazard exposures at, and in the vicinity of the schools. A summary table synthesizing the hazard exposure for each school has been prepared. It is anticipated that this information will support planners in the identification and prioritization of measures to reduce the exposure of these schools to natural hazards to an acceptable level. The acceptable level of exposure should be determined by planners (for example linking flood zones to adaptation measures).

The results show that the hazard profile of each school is distinct, based on its location and provide a basis for prioritizing those schools for which further detailed investigation of hazard exposure and development of mitigation measures where appropriate. An average hazard score for each school has been used to rank the schools from most to least exposed across all the hazards considered in this study. Whilst this aggregate ranking is useful as an overview it is important to note that each school is unique in terms of hazard impacts and mitigation measures required.

Annex 7. Gender Assessment and Action Plan Report – Antigua and Barbuda.

- Written by: ECMC St. Lucia.
- Exact title of report: Environmental and Social Impact Assessment and Management Plan.
- Date of report: August 20, 2021.
- Chapters: 3-4

3. GENDER ASSESSMENT AND ANALYSIS

- 3.1. BASELINE GENDER CONDITIONS IN ANTIGUA AND BARBUDA
- 3.1.1. Gender policy development and implementation in Antigua and Barbuda is led by the Directorate of Gender Affairs in the Ministry of Social Transformation, Human Resource Development, Youth and Gender Affairs. The Department of the Environment's (DOE) gender approach is focused specifically on issues related to the impact of climate change and environmental policy on gender and the specific policy and project design that can be used to respond to these gender differences. This approach is believed to improve project quality, reduce risk and increase changes of support from the most beneficiaries.
- 3.1.2. In order to design a gender-responsive project, the following section assesses the available data disaggregated by gender, where possible, to understand how men and women may be differently affected by the project, with the aim of promoting gender equality.
- 3.1.3. The Gender Assessment and Action Plan was completed with the ESIA and ESMP for the project and as such, utilises the approach and methodology undertaken for the ESIA and ESMP. This is found in **SECTION 3 of the ESIA and ESMP**.
- 3.1.4. The Gender Assessment and Action Plan follows the Adaptation Fund's Guidance Document for Implementing Entities on Compliance with the Adaptation Fund Gender Policy by assessing:
 - the differentiated climate change impacts on men and women
 - differentiated capabilities to address the climate change impacts
 - access to resources for men and women
 - the gendered division of labour and the gender-based power structure

3.2. COMPARATIVE SUMMARY OF KEY GENDER EQUALITY INDICATORS

TABLE 1: KEY GENDER EQUALITY INDICATORS FOR ANTIGUA AND BARBUDA ARE DESCRIBED BELOW

Country	Total pop.	Population 0-14 years old	Population 15- 24 years old	Population 64 years and	Life Expectancy at Birth	%/Number of male or female-headed	Maternal Mortality Rate	Infant Mortality Rate	Labour Force Participation	Unemployment Rate	Enrolment in Primary Schools	Enrolment in Secondary	Enrolment in Tertiary Education	No. of males/ females in Parliament	Gender-based Violence (GBV)
Antigua &	M- 40,007	M-11,333	M-7,465	M-2,771	M-73.9	M-56.5%	0.81	10.9	M- 18,602	T-12%	M-100%	M-78.9%	M- 689	H.O.R/ Lower	T-216 victi
∝ Barbuda	(48%)	(51%)	(49.5%)	(43%)	years	(2001)	(CARICOM,	(Health	(47%)	(estim ate)	F-88.1%	F-82.1%	(34.	House	ms
	F-	F-10,979	F-7,622	F-3,659	F-78.1 years	F-43.5% (2001)	2010)	Informa tion	F-	GOAB, 2012	T-94.0%	T-80.5%	8%)	M-16	(DOG
	43,271 (52%)	(49%)	(50.5%)	(57%)	T-75.9	(GOAB		Division ,	21,341 (53%)		(GOAB,	(CEPAL,	F- 129	(89.9%)	A, 2011)
	T- 83,278	T-22,312 or	T-15,087 or	T-6,430 or	years	Census, 2001)		Ministr y of Health	T- 39,943		Ministry of Education,	2011)	1 (65. 2%)	F-2 (11.1%) T-18 (100%)	
	(100%)	24% of total	16.7% of total	7.1% of total				Antigua	(Kairi,		2009- 2010)		T-		
	(GOAB Census,	pop.	populatio	populati				Barbud a)	CPA 2005/2				198 0	Senate/Upp er	
	2011)	(CIA,	n	on					006)				(10 0%)	House	
		2013)	(CIA, 2013)	(CIA, 2013)									(OE	M-10	
													CS, 201	(58.8%)	
													0- 201 1)	F-7 (41.2%) T-17 (100%) (IPU 2014)	

12

3.3. GENDER RELATED POLICY AND LEGAL FRAMEWORK

3.3.1. The following laws, policies and international conventions encapsulated in the table below are applicable to the DOE's commitment to gender equality and transformation and this project in particular.

TABLE 2: LAWS AND POLICIES OF THE GOVERNMENT OF ANTIGUA AND BARBUDA

LEGISLATION	DESCRIPTION AND RELEVANCE TO THE PROJECT
NATIONAL LEGISLATIO	N
Constitution of Antigua and Barbuda, 1981	The Antigua and Barbuda Constitution prohibits discrimination on the grounds of sex, which refers specifically to the biological differences that determines an individual as male or female. Article 14 (3) states, "In this section, the expression "discriminatory" means affording different treatment to different persons attributable wholly or mainly to their respective descriptions by race, place of origin, political opinions or affiliations, colour, creed, or sex whereby persons of one such description are subjected to disabilities or restrictions to which persons of another such description are not made subject or are accorded privileges or advantages that are not accorded to persons of another such description".
Physical Planning Act (2003)	This Act sets the standards for construction in Antigua and Barbuda. The current Building Code regulates the construction of buildings to withstand a Category 3 – 4 hurricanes.
Environmental Protection and Management Act (2019)	The EPMA serves as the principal guiding policy for the Department of the Environment. It establishes and consolidates the implementation of the Multilateral Environmental Agreements in one legal regime and provides the financial framework for implementation. It governs sustainable environmental protection and management to establish effective allocation of administrative responsibilities for environment management, coordination of environmental management, and the incorporation of international treaty obligations with respect to the environment into national and law related matters.
Childcare and Protection Act, 2004	The CPA establishes a Child Protection Agency in Antigua and Barbuda and provides safety, care and protection for all children. It also provides standards for child-care facilities including reporting abuse or neglect of children and requirements of children's homes. It also ensures that child labour is not allowed.
Disabilities and Equal Opportunities Bill, 2017	An Act to make provision for the protection of the rights of persons with disabilities and for connected matters. The objectives of this Act are as follows— a) to improve the general standard of living for persons with disabilities b) to provide a clear and comprehensive national mandate to facilitate the elimination of existing cases of discrimination against persons with disabilities, and to put safeguards in place to prohibit further discrimination against such persons; () to promote on a national level, the principle that a person with a disability is entitled to the same fundamental rights as a person who does not have a disability; and d) to ensure full and effective participation in all aspects of society for a person with a disability on an equal basis with a person who does not have a disability. The project should assess access for persons with disabilities in the schools
Disaster Management Act, 2002	This Act provides for the effective organization of the preparedness, management, mitigation of, response to and recovery from emergencies and disasters natural and man-made in Antigua and Barbuda.
Antigua and Barbuda Labour Code	The Act stipulates that no employer shall discriminate with respect to any person's hire, tenure, wages, hours, or any other condition of work, by reason of race, colour, creed, sex, age or political beliefs.

13


NATIONAL POLICIES	
Antigua and Barbuda Interconnection Policy, 2015	Antigua and Barbuda Interconnection Policy was updated in 2015 provides for Net Billing for systems between 0 – 5 kW for resident and commercial facilities. For systems between 5 – 50 kW, the Policy mandates a Feed-in Tariff (buy-all, sell- all) at the avoided cost of fuel (XCD 0.45).
National Poverty Strategy 2011-2015	The National Poverty Strategy 2011- 2015 has as one of its strategies, "Building Resilience through Environmental Sustainability – by making disaster risk reduction a feature of the planning process in the light of the high environmental risks that the country faces from hurricanes, earthquakes, and now sea rise, as a result of global warming."
National Youth Policy, 2007	The National Youth Policy identifies factors that are critical to youth empowerment and identifies eight key focus areas; including strengthening social environments, education and training, employment and sustainable livelihoods, health, participation and empowerment, care and protection, crime, violence and rehabilitation and gender equality and gender relations.
INTERNAL POLICIES	
Department of Environment Gender Policy	The Department of Environment Gender Policy formalizes the DDE's commitment to mainstreaming gender into its work programme and project portfolio. Gender is defined as 'the social attributes and opportunities associated with being male and female and the relationships between women and mains and girls and boys, as well as the relations between women and those between men. These attributes, opportunities and relationships are socially constructed and are learned through socialization processes. They are context/ time-specific and changeable. Gender is part of the broader socio-cultural context and intersects with other important criteria for socio-cultural analysis including class, race, powerty level, ethnic group and age. As such, the DDE's Gender policy sets out the principles on which the approach to environmental social safeguards and
	As such, the UVE's Gender policy sets out the principles on which the approach to environmental social sareguards and gender review and management by the DOE is based and the and requirements that are applicable to each project.
Department of Environment Environmental Social Safeguard Policy	The DOE operates within three modalities, namely legislative, institutional, and departmental operational. Within the context of these modalities, the Environmental and Social Safeguards Policy formalizes the DOE's commitment to promote environmental and socially sustainable projects. As such, its Environmental and Social Safeguards Policy ("ESS Policy") sets out the principles on which the approach to environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and management by the DOE is based and the environmental and social safeguard review and by the DOE is based and the
MULTILATERAL AGREEME	NTS, TREATIES AND CONVENTIONS
Sustainable Development Goals	In September 2015, the General Assembly adopted the 2030 Agenda for Sustainable Development that includes 17 Sustainable Development Goals (SDGs). The project will contribute to the implementation of the following SDGs: GOAL 3: Good Health and Well-being
	 SDG 4 – Quality education; SDG 5 – Gender equality; SDG 6 – Clean water and sanitation; SDG 7 – Affordable and clean energy; SDG 5 – Industry, innovation and infrastructure; GOAL 11: Sustainable Cities and Communities GOAL 13: Climate Action
Convention on the Rights of the Child	A United Nations Treaty outlining the rights of children in the following areas: civil, political, economic, social, cultural, health. Adopted by RES/44/25 at the 44 th Session of the United Nations General Assembly in 1989
United Nations Framework Convention on Climate Change (UNFCCC), 1992	The UNFCCC, which entered into force in 1994, provides a framework for intergovernmental efforts addressing climate change and its effects. Member States of the UN meet and share data on greenhouse gas emissions, national policies and best practices, with the goal of developing and implementing strategies for tackling emissions and providing financial and technical assistance for developing countries. The UNFCCC aims for gender balance in bodies established pursuant to the Convention and the Kyoto Protocol, to improve women's participation and inform more effective climate change policy that addresses the needs of women and men equally. The UNFCCC called for the national

	adaptation plan (NAP) process to be gender-sensitive and calls on the Green Climate Fund (GCF) to promote environmental, social, economic, and development co-benefits and take a gender-sensitive approach.
	Each country formulates its Nationally Determined Contributions (INDC) to the UNFCCC. By 2030, one of Antigua and Barbuda's climate action target includes preparing buildings for extreme climate events, including drought, flooding and hurricanes, which is aligned to targets for this project.
Convention on the Elimination of all Forms of Discrimination Against Women (CEDAW)	CEDAW is the principal instrument utilized by the UN to protect the rights of women and eliminate all forms of discrimination against them. Adopted by the United Nations General Assembly (UNKA) in 1979, CEDAW was ratified by the Government of Antigua and Barbuda in 1989 and its Optional Protocol signed in 1996. This convention mandates states to ensure that women equally represented their governments and international organizations; have equal rights to bank loans, mortgages and other forms of financial credit; (i) participate in and benefit from rural development; (iii) participate in development planning at all levels; (iii) obtain training, education, and extension services; (iv) have access to agricultural credit and loans, marketing facilities and appropriate technology; and (v) are treated equally in land, agrarian reform, and land resettlement schemes.
Beijing Declaration and Platform for Action from the Fourth World Conference on Women	This landmark declaration and Platform for Action (PoA) called for actively involving women in environmental decision making at all levels, integrating gender concerns and perspectives in policies and programs for sustainable development, and strengthening or establishing mechanisms at the national, regional and international levels to assess the impact of development and environmental policies on women.
Commission on the Status of Women (CSW)	The 52 ^{md} session of the Commission on the Status of Women (2008) identified gender perspectives on climate change as its key emerging issue. The CSW, which is convened annually at United Nations Headquarters in New York, urged Member States to integrate gender into the design, implementation, monitoring and evaluation and reporting of national environmental policies; as well as to strengthen mechanisms and provide adequate resources to ensure women's full and equal participation in decision making at all levels on environmental issues, with particular emphasis on strategies related to climate change and the lives of women and girls.
UN Convention on the Rights of Persons with Disabilities (CRPD)	The Convention is intended as a human rights instrument with an explicit, social development dimension. It adopts a broad categorization of persons with disabilities and reaffirms that all persons with all types of disabilities insust enjoy all human rights and fundamental freedoms. It clarifies and qualifies how all categories of rights apply to persons with disabilities and identifies areas where adaptations have to be made for persons with disabilities to effectively exercise their rights and areas where their rights have been violated, and where protection of rights must be reinforced.
United Nations Conference on Sustainable Development (Rio+20) outcome document	Rio+20 affirms that green economy policies in the context of sustainable development and poverty eradication should enhance the welfare of women, mobilize their full potential and ensure the equal contribution of both women and men. "The Future We Want" was adopted in Rio de Janeiro in June 2012. It resolves to unlock the potential of women as drivers of sustainable development, including through the repeal of discriminatory laws and the removal of formal barriers. It also commits to actively promote the collection, analysis and use of gender sensitive indicators and sex- disaggregated data.
UNFCCC Gender Action Plan	The UNFCCC Gender Action Plan aims to increase the participation of women in all UNFCCC processes. It also seeks to increase awareness of and support for the development and effective implementation of gender-responsive climate policy at the regional, national and local levels.
	The purpose of this gender assessment is to provide the context of gender in Antigua and Barbuda.

3.4. GENDER ISSUES RELEVANT TO THE PROPOSED PROJECT

This project forms part of the DOE project pipeline which includes projects focused on increasing the resilience of public infrastructure as well as the use of renewable energy in the educational and healthcare sector among other essential services.

FIGURE 3: SUMMARY OF DOE COMPLIMENTARY CLIMATE CHANGE PROGRAMME



16

TABLE 3: GENDER ANALSIS FOR	PROJECT PREPARATON STAGE

	Row Number	Questions	Data/Information Collected	References
What is the Context? Context of Antigua and Barbuda	One	Demographic and socioeconomic data, disaggregated by sex and income	 See TABLE 6 Socio-demographic groups in Antigua and Barbuda that are vulnerable to poverly and unemployment include: youth, adolescent mothers, working class men, the homeless, the disabled, older men and women. 	Rawwida Baksh and Associates 2014. Country Gender Assessmen (CGA) Antigua and Barbuda Report (Health Information Division Ministry of Health Antigua, and Barbuda)
	Two	% of households that are headed by women/men	On a national level, an equal percentage of men and women considered themselves had of their respective households with men noted in higher percentages as head of household for nuclear families while women were noted as head of household in higher percentages for single-percent families. This however was not replicated when surveying local urban and rural communities where wom overall were noted in higher percentages as head of household. While the National Gender Assessment Survey does not specify the rationale for the differential electrator of head of household is not and are also and a structure of the tart differential electration of head of household at busy owner men may be attributed to the country dantication of head of nousehold attribute by women and men may be attributed to the country dantication conservative interpretations of religious texts found commonly in Christian societies.	 Project Management Unit. Reg Mational Gender Assessmen Survey: The Economic Impact of Climate Change on Men an Women in Antigua and Barbuda S. John's: Department of Environment 2021. Rawvida Bakth and Associates 2014. Country Gender Assessmen (CGA) Antigua and Barbuda Report
	Three	What are the main sources of income for households (disaggregated by sex)?	The largest occupational category continues to be the service and sales sector followed by clarical support vortice. Elementary occupations are the largest followed by professional and technical and associate professionals. Min typically dominate the following sectors: construction, agriculture, forestry and fating; transportation. Women typically dominate the following sectors: services (accommodation, tourism), education, social work, financia and insurance activities In the 2018 report. The Antigua and Barbuda Labour survey noted a higher unemployment rate for women, particularly young women, compared to men. The higher unemployment rate for women indicates that a larger proportion of women in the labour fore were without a job and seeking employment.	Rawvida Bakh and Associate 2014 Courty Gender Assessmer (CGA) Antigua and Barbuda Report Government of Antigua an Barbuda Labour Force Surve Force
	Four	What are the uses/needs of women and men when it comes to critical services in Antigua and Barbuda i.e. health, education,	 Within the educational sector, public institutions account for 50% in the primary level and 55% in the secondary level. Delays to the commonement of the school year caused by hurricane/other damages to the infrastructure or the use of schools are shefters previously affected women as women are noted as counting for the compileing childcare within the home at a higher percentage than men in both the national and community level. This thus impacts the ability of women to return to 	 Project Management Unit. Rep National Gender Assessmer Survey: The Economic Impact Climate Change on Men an Women in Antigua and Barbuda. S John's: Department of Environmen 2021.
		disaster response, emergency and security?	work/livelihood or contribute to rebuilding after a storm, particularly if the child is primary-school aged or younger Education have noted that the docum of educational services, while aftering tooth both the school of the store of the school and the school of the	Kairi Consultants Ltd in Associatio with the National Assessment Team of Antigua and Barbuda, 2007 Using Carl Andrewski, 2007 Using Carl Constraints, 2007 Barborg, 2007 Consultation with beenfolatise of facilities (14 – 18 August 2017, 8- January 2018, 6-16 August 2019, 1 – 16 August 2019, March 2022 June/Luty 2021 and Septemb 2021 and October 2021) Government of Antigua an Barbuda, 2015. Antigua an Barbuda, 2015. Antigua an Barbuda, 2015. Antigua Orsci-Barbuda 2012 – 2017 (Table B2: Number of Primary Secondary and Barbuda 2012 – 2017)
	Five	How do the current climate risks affect men and women?	Women, particularly single-parent female headed households will have their problems compounded with additional duties for childcare. This will limit their ability to return to revenue making activities or contribute to rebuilding efforts after a hurricane or extreme weather event 1. Boys, who reportedly struggle within the school system, are noted as particularly affected by school dosumes as they did not have access to rigorous educational monitoring. Dir portugit can cause schools to close if there is not adequate water to the facilities. While ever divolph control school schools to close if there is not adequate water to the facilities. While ever divolph controlinos, where a water reserve or caperty, during severe drought conditions, where a water reserve act num out, schools have had to reply on purchasing water in addition to paying their monthy utility bill, thus increasing costs of operations. The clinicational sector has readimenting the attractional sector has readimented workers. Who are an affected by severe heal with mit the clastroom, along with children.	 Kairi Consultants Ltd in Associatio with the National Assessment Tea- of Antigua and Barbuda, 2001. Living Conditions in Antigua and Barbuda: Poverty in a Service Economy in Transition Project Management Unit. Reg National Gender Assessmen Survey: The Economic Impact Climate Change on Men and Women in Antigua and Barbuda S. John's: Department of Environmen 2021.
	Six	Are there any legal barriers to women in the project-relevant sector?	No legal barriers have been identified at this stage	 (Laws, policies, and ratifie international conventions in (Se SECTION 3.3 of Gende Assessment and Action Plan)

	Seven	Describe any community beliefs about the specific roles of women and men.	Community beliefs tend to assign heavy labour tasks and leadership roles to men and tasks associated with childcare and domestic duties to women. This is further evidenced by 2021 research where a higher percentages of men vere noted as man breadwinners and completing outdoor chores while women were noted in higher percentages as completing outdoor chores. This is also further evidenced by the different roles of men and women in the labour force where me are more involved in construction, energy, heavy dui plabour elds and women in education and service jobs. The roles of women and men have evolved. However, some community beliefs on the role of women have been broken in recent years. For example, while traditional community beliefs identify men in teadership roles, women were noted in a higher percentage for persons who managed basit young men in addomain. The young heavies they have the abour the polyholog with a "bight representage to persons who managed to particular the polyholog out to be young heavier table." The research were table as the part percentage to persons who managed to particular the polyholog polyholog polyholog to the male managers represented 8.2% of the male employed population.	 Project Management Unit. Rep. National Gender Assessment Survey: The Economic Impact of Climate Change on Man and Viener in Artigue and Batrudo. St. Johni: Department of Environment, 2021. Consultation with beneficiaries of fracilities (41–18 August 2017, 8-9 January 2016, 8-16 August 2017, 8-9 Batrudos 2018, Antigua and Batrudos Labour. Force Survey Force
Services and Infrastructure: Access and Benefits:	Eight	Who owns the land and other project assets?	 Assets belonging to the public schools belong to the Government of Antigua and Barbuda while assets belonging to the private schools are the property of the private school owners. All private schools assessed by the DOE are operated by churches who serve as major community leaders 	 Funding Proposal, Increasing the Resilience of the Education System to Climate Change Impacts in the Eastern Caribbean, 2022
	Nine	Describe household energy access and sources.	 Electricity Generation is an essential service provided through a utility company with a moropoly in Antigue and Barbuda. Artigue and Barbuda is reported to have achieved universal access to electricity Around 30% of households in Antigua were reported to have back-up energy supply 	Antigua and Barbuda The Public Utilities Act Draft Department of Environment Gender Chapter for Antigua and Barbuda's 4 th National Communications Report
	Ten	How much do households spend on services under this project?	 48% of children attend public primary school and 54% public secondary school education. Majority of children attend private daycare and preschools with private daycare and preschools accounting for the vast majority of daycare and preschools the private daycare and preschools business. The everage household is finally and Bathouls protected on spiral, and the protection of the private daycare and preschools the protection of the private daycare and preschools and private daycare and preschools and private daycare day and private daycare of children. The everage household in Anguia and Bathouls exported to spiral 7-01% of their household income one the providing greater benefits for richer households man for poorer households. Around 10% of households reported to spiral 7-01% of their households income one texticity of the household income one texticity. While government institutions do not face the immediate repercussion of high busing the private and the private and the private day of the household for the household income one texticity and the unwered wide with Further, for both right or the private day of the household income one texticity. While government institutions do not face the immediate repercussion of high busing private antidox model with private antidox busing the delivery of quality education during power outages energy. Bus compromising the delivery of quality education during power outages 	 Project Management Unit. Rep. National Gender Assessment Survey: The Economic Impact of Climate Change on Men and Women in Antigua and Batzutda. St. Johnis: Department of Environment, 2021. Global Green Growth Institute. Rep. Acceptability and Affordability of Renewable Energy Household Survey Report St. Johnis, Antigua and Batzuda. Department of Environment, 2020
				Department of Environment, 2021. Environmental Social Impact Assessment and Management of the Education System to Climate Change Impacts in the Eastern Cambbean Government of Antigua and Bartbuda Education in Antigua and Bartuda 2012 – 2015 (Table B3: Kumber of Primay, Secondary and Post-Secondary Institutions as a 2014-19
	Eleven	Do men and women have bank accounts, and can they access finance to scale up this project to their homes?	 Man and swomen, especially low-income households, save money through an informal savings club (box hand) and have accounts at credit unions where there are less rigid eligibly criteria as opcoard to other banking institutions bank. The oreclit union also provides low interest bans compared to other banking institutions. On average women save more than men. 	Department of Environment, 2017. Environmental and Social Management System (EMS) and project risk management approach to physical adaptation and community realismonia in Antigua and Bathuda's northwest McKinnon's watersheet (Summary of Environmental, Social and Gender Impacts)
	Twelve	Do men and women benefit from construction sector, energy and educations services (or other project-relevant services)?	 Women are underrepresented in the construction and energy sector, which composes of 80% of male workers compared to women. Women however are overrepresented in the educational sector as employees as well as supervisors 	Government of Antigue and Barbuda, 2018. Antigue and Barbuda 2015 Labour Force Survey Force
	Thirteen	How do men and women access information? Do they have access to different technologies?	Men are reported to learn through mainly visual teaching tools. Women can seam equally from visual and written methods Both men and women have access to information, but traditional education and communication system may not be gender responsive. A high proportion of Antigaans and Badoudan have a cell phone, but older persons all use radia and TV as their main source of getting information rather than social media. Low-income households and vulnerable groups may continue to struggle with internet access.	 Department of Environment, 2017, Environmental and Social Management Plan (ESMP) and Gender and Social Inclusion Action Plan (GAP) for the Enhancing Direct Access pilot in the Eastern Caribbean

		What are the levels of	- A 2021 survey completed through the Department of Environment found near parity	Project Management Unit. Rep.
	Fourteen	training / education?	In university training for both men and women. However, a labour force survey found that Women in the labour force are on average better educated than their male counterparts. 58.1% of all labour force participants with a university degree were women.	National Gender Assessment Survey: The Economic Impact of Climate Change on Men and Women in Antigua and Batruda. St. John's: Department of Environment, 2021. Government of Antigua and Batruda. 2018. Antigua and Batruda. 2019. Antigua a
Who does what? Roles and responsibilities	Fifteen	How are men and women connected to markets ' how do they participate in the economy?	 As producers, both men and women sell and market their products. Women are often at the market and roadsides selling their products. 	Department of Environment, 2017. Environment Pan (ESMP) and Grender and Social Inclusion Action Pan (GAP) for the Enhancing Direct Access pilot in the Eastern Consultation with beneficiaries of facilities (14 – 18 August 2017, 54 January 2018, 6-16 August 2019, 12 – 16 August 2019, March 2020, June/Luly 2021 and September 2021 and October 2021)
	Sixteen	Who is responsible for child/elderly care and household tasks?	 Higher percentage of women than men are reported to take responsibility of child/eldery are and indoor household takis. Men were noted in higher percentages for completed outdoor household chores 	Project Management Unit. Rep. National Gender Assessment Survey: The Economic Impact of Climate Change on Men and Women in Antigua and Barbuda. St. John's: Department of Environment, 2021. Consultation with beneficiaries of facilities (14 – 18 August 2019, 8-9 January 2018, 6-16 August 2019,
				12 – 16 August 2019, March 2020, June/July 2021 and September 2021 and October 2021)
	Seventeen	 (a) What would be the best times to hold trainings for women and men on the new systems/technologies or skills to be delivered through the project? (b) how do men learn compared to women; (c) how do women tearn compared to men; 	 For community members, after normal working hours, and on Sundays after church The time of day is taken into consideration when planning to host consultations or training workshops. The most appropriate lime is around 5PM and lasts no later than 1PM during week days. This advocs consultations and training to erach a larger population who will be unable to attend earlier due to working hours. The consultations are regularly hold in well-lit and central areas to ensure women/men feel safe traveling to and from the consultations. 	Department of Environment, 2017. Environmental and Social Management Plan (ESMP) and Gender and Social Inclusion Action Plan (GAP) for the Enhancing Direct Access pilot in the Eastern Cartobean Consultation with beneficiaries of facilities (14 – 18 August 2017. 8– January 2018. 6–16 August 2019. 12 – 16 August 2019. March 2020. June/L/JU 2021 and September 2021 and October 2021)
Who decides? Participation in decision-making	Eighteen	Who are the community leaders? Are there any women leaders?	 Antigua and Barbuda do not have community leader structures as other countries. Community leaders are normally church and political leaders. Women leaders are normally wises of the church pastors, nurses and teachers assigned to work in particular areas. 	 Consultation with beneficiaries of facilities (14 – 18 August 2017, 8-9 January 2018, 6-16 August 2019, 12 – 16 August 2019, March 2020, June/July 2021 and September 2021 and October 2021)
	Nineteen	Are there women's organizations that are active in the targeted project area or who the project can partner with?	There are not a lot of functional women or men's organisations. However, the Department has consulted with the few women's and men's organisations which do exist. Within the context of the project, the main body that supports both men and women are the labour unions, which negate for salary as well as good working conditions. These are very powerful bodies. Other projects representing vulnerable communities including persons with sabilities are also consulted.	Consultation with beneficiaries of facilities (14 – 18 August 2017, 8-9 January 2018, 6-16 August 2019, 12 – 16 August 2019, March 2020, June/July 2021 and September 2021 and October 2021)
	Twenty	Do women and men participate (equally) in associations, management relevant to the project sector, and any other producer/user groups? Which ones?	 Women and men do not generally participate equally in community meetings. In past community consultations, the Department has noted higher participation of women in consultation in comparison to men 	 Consultation with beneficiaries of facilities (14 – 18 August 2017, 8-9 January 2018, 6-16 August 2019, 12 – 16 August 2019, March 2020, June/July 2021 and September 2021 and October 2021)
	Twenty One	Who manages / makes decisions in the household, notably	 Women are noted in higher percentages for persons who manage household finances and presumedly other matters within the home 	 Project Management Unit. Rep. National Gender Assessment Survey: The Economic Impact of Climate Change on Men and

		around how money and time are spent?		Women in Antigua and Barbuda. St. John's: Department of Environment, 2021.
	Twenty Two	Will both women and men be able to equally participate in using and learning about the new interventions in the proposed project as well as the training?	 Both men and vomen will have equal access to participate in using and learning about the exinterventions in the project as well as the training - To ensure that both men and vomen benefit equally based on different learning habits, the project will seek to design and implement gender responsive training for men and women 	Consultation with beneficiaries of facilities (14 – 18 August 2017, 8-9 January 2018, 6-16 August 2019, 12 – 16 August 2019, March 2020, June/July 2021 and September 2021 and October 2021)
	Twenty Three	Will the services from the project interventions be freely available to men freely available to men and women? Are there any riskAirestrictions on movement (security or cultural)? Are there any discriminations/risks to certain community members in terms of accessing the project benefits?	 Meetings held late at night are a risk; there must be adequate lighting for women and men to attend meetings The services will be freely available to both men and women. As stated above, it is mandated by live that NGGs, othics localizy organizations, governments, private sector whether women/men must be involved in decision making as it relates to environmental projects. It is mandated by Law and is also stated within the Department of Environment environmental and social safeguards that the Stromment environment environment environment environment environment been generated must confirm and adhere to ESS and reduce the impacts of risks. Thus, no significant risks/restrictions as it relates to gender involvement have been identified 	Department of Environment, 2018. Environmental Social Safeguard Policy Department of Environment, 2018. Gender Policy
Who benefits? Impacts	Twenty Four	How will mee and women benefit from the project interventions?	 Identified benefits for men and women include the following Women, who account for most worker, as well as persons in supervisory positions within educational institutions are expected to directly benefit from the increased realisince of the ducational institutions as persons talkinord in the schools Women who are not employed within the sectors will also benefit from the project intervention. The increased realisince of the ducational institutions as persons talkinoda in the schools Women who are not employed within the sectors will also benefit from the project intervention. The increased realisince of educational facilities allow children to return to soch all a taket pace and thus, families, patiolarily women, to return to work and reacovery. Over 80% of the institutions selected are primary schools and pre-achools. Bo prime distuid provide increased constitution and Renewable Energy jobs for construction and RE companies. The project allowing and through the project Both men and women will be provided with access to participate in taining and consultation programs. The ICC has committed to designing and intervention and the source of the society of the society and the companies of the society for the society and the companies of the society of the society and the society of the society and the designing and intervention and women. 	Project Management vint. Rep. National Gender Assessment Survey: The Economic Impact of Climate Change on Men and Women in Antigua and Batruda. 81. John's: Department of Environment, 2021. Draft Department of Environment Gender Chapter for Antigua and Batbuda se' National Communications Repair Genommunications Repair Communications Repair Communicati
	Twenty Five	3. What will be the impact of the project interventions on women's workload and income?	 Early assessments do not indicate any workload changes for men and women because of the interventions. Construction and RE installations at the school sites will be scheduled in conjunction with the schools Increased economic opportunities are expected workers in the construction and energy sector, which is male dominated; schools are expected to experience savings caused by reduced energy costs 	Department of Environment, 2020 "Environmental and Social Management Review: Grid Interactive Solar PV Systems for Schools and Clinics in Antigua*
	Twenty Six	4. Are there specific project impacts or benefits for women?	 As part of the Department of Environment project programme pipeline, the project will contribute to the training of women in construction and energy sectors through its established training programme. 	 Consultation with beneficiaries of facilities (14 – 18 August 2017, 8-9 January 2018, 6-16 August 2019, 12 – 16 August 2019, March 2020, June/July 2021 and September 2021 and October 2021)
	Twenty Nine	 Will the project contribute to strengthening women's participation in decision- making? How? 	 Women in Antigua and Barbuda generally participate in decision making process. In the educational sector, for which the project interventions are gared, women generally hold isdership positions in this sector. At the DOE, women pantipate in the Project Management Committee, Technical Advisory Committee, Technical Evaluation Committee, Project Management Unit, community consultations and ad hoc consultation events. 	 Consultation with beneficiaries of facilities (14 – 18 August 2017, 8-9 January 2018, 8-16 August 2019, 12 – 16 August 2019, March 2020, June/July 2021 and September 2021 and October 2021)

4. GENDER ACTION PLAN



Project Title: Increased the Resilience of the Education System to Climate Change Impacts in the Eastern Caribbean

A project/program-specific Gender and Social Inclusion Action Plan (GAP) is a tool used to ensure gender mainstreaming is clearly visible in project/program design and implementation²⁰. This GAP will serve as a key guiding tool throughout the delivery of the project titled, "Increased the Resilience of the Education System to Climate Change Impacts in the Eastern Caribbean

The Gender Action Plan presented below identifies key project activities and indicative outputs through which gender specific strategies, actions and outcomes will be progressed and monitored. The Plan will be reviewed and refined during the inception phase, which will also ensure that all project stakeholders have the opportunity to identify issues and are aware of responsibilities for delivering and monitoring the Gender Action Plan. Implementation arrangements of the project include an ESS and Gender Expert as part of the Technical Evaluation Committee that will provide technical advice in the decision-making process of the project's sub-activities.

³⁰ GCF Gender Analysis/Assessment and Gender and Social Inclusion Action Plan Templates http://www.greenclimate.fund/documents/20182/574712/Form_09__Gender_Assessment_and_Action_Plan_Template.pdf/3f4b8173-fbb2bdr-7bbfr92f82dad5c0

25

TABLE 4: GENDER ACTION AND SOCIAL INCLUSION PLAN

ACTIVITIES	INDICATORS AND TARGETS	BUDGET	TIMELINE	RESPONSIBILITIES
	e climate resilience of educational systems in the East	ern Caribbean in the	face of intensifying	g and increasing
extreme weather impacts is a necessa				
	he enabling environment for adaptation planning wi			
	sons learned strengthened in alignment with the			me
Conduct consultations to include the equal participation of men and women as well as vulnerable groups into the updated toolkit and action plan	Equal participation of men and women in consultation 30% of participants represent vulnerable groups (persons with disabilities, single-parent female headed households, the youth Needs)	\$5,000	During project implementatio n	ESS and Gender Expert PETI Unit
Output 2.1. Schools, communitie	s and households' capacity building to increas	e resilience to clir	nate change	
Contribute to the participation of the youth (persons aged 16 – 24 years) and women in the Department of Environment Apprenticeship Program for infrastructure and energy	Equal opportunities are provided for men and women to participate in the DOE Apprenticeship Program: Infrastructure and Energy	\$10,000	During project implementatio n	ESS and Gender Expert
Design gender responsive communication tools to target men and women differently for the educational campaigns and environmental management plans	70% of persons in the educational sector in the sector that benefit from information on resilience in the educational sector as well as environmental management plan	\$2,000 PETI Unit	During project implementatio n	ESS and Gender Expert PETI Unit
Develop gender responsive information products that include the promotion of women in infrastructure and energy	50% of men and women have increased knowledge and access to appropriate tools to address climate change impacts in construction of critical infrastructure and energy (regardless of their literacy levels)	\$2,000 PETI Unit	During project implementatio n	ESS and Gender Expert PETI Unit
	of priority buildings through adaptation interve			
Conduct consultations to include the equal participation of men and women as well as vulnerable groups on the design of weather	Equal participation of men and women in consultation 30% of participants represent vulnerable groups	\$5,000	During project implementatio n	ESS and Gender Expert
stations at select schools	(persons with disabilities, single-parent female headed households, the youth Needs)			PETI Unit

Annex 8. Draft Gender Assessment and Action Plan Report – Saint Lucia.

• Written by: Ministry of Education, Innovation, Gender Relations and Sustainable Development of St. Lucia.

• **Exact title of report**: Links Between Gender and Climate Change In The Education Sector - A Gender Assessment.

• Date of report: July 16, 2021.

Chapters: 3-4.

3.0 PRACTICAL CONSIDERATIONS FOR PRIORITIZING, IMPLEMENTING, MONITORING AND EVALUATING GENDER RESPONSIVE CLIMATE ACTIONS IN THE EDUCATION SECTOR

In developing a gender-responsive, Sectoral Adaptation Strategy and Action Plan (SASAP) the education sector is expected to take account of the following. (NAP Global Network, 2019.⁷)

- Gender differences in adaptation needs and capacities;
- The extent of gender equitable participation and influence in decision-making processes for the development and implementation of adaptation plans and strategies; and
- Gender equitable access (of males and females) to financial resources and other benefits of investments in climate change adaptation.

This technical analysis examines the status of resources and capacity within and/or available to the Ministry of Education, Innovation and Gender Relations to ascertain the above and to factor the findings into priorities for climate change adaptation in education, in planning the strategic actions and their implementation and in developing appropriate indicators and mechanisms for monitoring and evaluation.

3.1 AVAILABILITY OF KEY DATA INCLUDING GENDER EQUALITY / GENDER DISAGGREGATED DATA

Gender and other demographic factors such as age, race, ethnicity, disability and class influence people's vulnerability to climate change and influence people's access to resources, information, opportunities and their adaptation needs and capacities. Awareness of the differences in the situation with respect to the socio-economic position, roles and responsibilities of different groups and how these shape how people experience the impacts of climate change, the types of adaptation measures that are appropriate to their needs and their ability/availability to participate in adaptation measures is necessary for responsive adaptation planning and implementation.

Gender disaggregated or gender specific data are a key tool in determining and assessing gender differences in adaptation needs and capacities. Data is therefore a necessary input for evidence-based, gender responsive planning.

3.1.1 GENDER AND SEX DISAGGREGATED DATA

Sex Disaggregated Data has been understood as the statistics and data gathered and broken down by sex in order to aid male-female comparison. This has generally been taken as a quantitative analysis. Gender statistics however, are more than data disaggregated by sex. Having data by sex

⁷ Toolkit for a Gender Responsive Process to Formulate and Implement National Adaptation Plans; NAP Global Network 2019; page 11- <u>Toolkit</u> for a Gender-Responsive Process to Formulate and Implement National Adaptation Plans; (NAPs) I NAP Global Network 17

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

does not guarantee, for example, that concepts, definitions and methods used in data production factor in such issues as gender roles, relations and inequalities in society.

Gender Disaggregation promotes a broader understanding of the types of data that can allow for deeper understanding of what is occurring with different groups in order to better inform what appropriate responses and supports might be required. Gender disaggregation implies going beyond who and how many to investigate 'why' - to assess the existence and the extent of differences in experiences, for example, in women's and men's time use, income differences, role differences etc. Such data allow for an examination of the qualitative and experiential issues that give rise to the numerical representation of males and females in any given scenario.

Looking at the number of people impacted by a disaster event based on sex tells one level of story. Looking at the different ways they are impacted and why, adds another level of analysis. In gathering such data a variety of tools and methods are important, including use of interviews, focus groups etc.

3.1.2 STATUS OF GENDER DATA

In a 2019 report⁸ on its assessment of the production and management of gender disaggregated data in St. Lucia, the Economic Commission for Latin America and the Caribbean (ECLAC) noted that there is a lack of data disaggregated by gender, age, disability, race, and other criteria in the Caribbean, including in Saint Lucia (ECLAC 2019, page 7). The report states that the unavailability and under-utilisation of gender data undermines ability to adequately address gender inequalities and hinders the assessment of the impact and effectiveness of public policies and programmes. (Page 7). It points out that gaps in the collection and management of gender and other demographically disaggregated data are due to such factors as structural challenges, such as the low reflection of gender considerations in evidence-based decision-making, poor inter-agency coordinating mechanisms, and insufficient and inefficient use of human, physical, and financial resources. (Page 5)

In preparing this technical analysis, the consultants found that while the Ministry does collect some sex and gender disaggregated data at both the Ministry and School level (i.e. attendance data, enrolment data, dropouts and performance data) is gender disaggregated and housed both within the Ministry and via the Central Statistical Office, it was confirmed through a stakeholder consultation with the Education sector that gender desegrated data was often hard to produce. An OECS request for education data in the tertiary sector was given as an example of the Ministry's ability to source adequate segregated data in a timely fashion for contributions to regional data collection. (*must confirm with Ministry that this segregated TVET data was or was not available easily for OECS request)

8 Gender Data Assessment in St. Lucia: Challenges and Recommendations; Samantha John-Aloye et al; United Nations ECLAC; 2019

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

183

Despite the systemic limitations and gaps, the desk review undertaken was able to unearth a range of relevant data sets of a general nature related to the education sector, labour market, poverty, environmental vulnerabilities etc. and for the situation with males, females and children based on multiple indicators, noting that in addition to gender and sex disegregated data it is also important to note that "while availability and presence of equity dimensions is the first step towards an understanding of disparities in education" that "even when such data are available, they are often left outside the main focus of analysis." Gender is "regularly included as explanatory, or "control" variables that help reduce variation and increase precision in analyses of impact of policies or interventions, but rarely [is] used to examine differences in impact effects". Source: Mainstreaming Equity in Education Funders Group September 2017 Carina Omoeva FHI 360 Education Policy and Data Center / Education Equity Research Initiative (needs citation)

The table below sets out some of the sources and types of data available for reference to inform the education sector's SASAP planning process.

Source	Type of data	Key information
GoSL Open Data web portal Saint Lucia Open Data (govt.le)	13 data sets – Mapping, urban planning, economy, public safety, environment, finance and budgeting, transportation, government, health care, agriculture, tourism, demography, education	Mapping – <u>Search Saint Lucia</u> <u>Open Data (govt.lc)</u> Meteorology stations island wide St. Lucia communities – shape files
	Data sets from 16 GoSL Ministries, Departments and Agencies including: Central	St. Lucia Districts – census dat St. Lucia Primary, Secondary and Tertiary education institutions Geodata.

Statistical Office, Dept. of

Education, Innovation and

Gender Relations; Dept. of

Finance; Dept. of Health &

Wellness; Dept. of Physical Planning; Meteorological Services; National Emergency

Management Organisation;

Sustainable Development &

Environment Division

Table 2: Available Data Sets by Source, Type and Key Information

19

Urban Planning - Emergency

Shelters | Saint Lucia Open Data

Economy - Search | Saint Lucia

Sex and age disaggregated

Environment – historical weather observations <u>Search</u> <u>Saint Lucia Open Data (govt.lc</u>)

Open Data (govt.lc)

labour Force data

shelters (2018) Emergency

(govt.lc)

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

		Finance & Budgeting Search Saint Lucia Open Data (govt.lc) Economic & Social Review 2009-2014 including consumer price indices and mid-year population estimates by sex, age and districts; debt; government expenditure etc Demography – Population census 2010 – by district, sex and 5 year age group Census population Saint Lucia Open Data (govt.lc) Educational Digest an annual publication of the Corporate Planning Unit of the Ministry of Education, Human Resource Development and Labour. highlights data on student enrolment, Dropouts, Repeaters and Graduates. Also included are data on teachers, local and regional examinations, education financing and student welfare programmes. Educational Digest Saint Lucia Open Data (govt.lc)
GoSL – Central Statistical Office	Various by subjects including Education, Labour force, population, Vital statistics, Environment <u>Subjects - The Central Statistical</u> <u>Office of Saint Lucia</u> (stats.gov.lc)	Education Early Childhood Education, Primary Education, Secondary Education, Tertiary Education, Special Education, Government Spending on Education Labour Force Unemployment rate, composition of labour force etc. <u>Population</u> Population estimate, poverty rate, etc. <u>Vital Statistics</u>

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

		Births, deaths, etc <u>Environment</u> Human settlements, land use, energy, solid waste etc.
	St. Lucia National Report of Living Conditions 2016 Saint-Lucia-National-Report-of- Living-Conditions-2016- Final_December-2018.pdf (stats.gov.lc) Summary report - https://www.stats.gov.lc/wp- content/uploads/2019/01/Summ ary-Report-Saint-Lucia-2016- National-Report-of-Living- Conditions_December-	Comprehensive, sex, age and other demographically disaggregated data Summary data and recommendations for action
GoSL Department of Finance	Estimates of expenditure, description/reports of national programmes; procurement Acts/guidelines etc Department of Finance: Search Annual Economic and Social Review Project procurement documents e.g. for education Department of Finance: Search Economic Recovery and Resilience Plan components and their status. a. Disaster risk and elimate change <u>SLUERRP</u> <u>Pillar 6 Strategy 32</u>	Current education programmes; frameworks
Ministry of Education, Innovation, Gender Relations and Sustainable Development	Publications <u>Ministry of</u> Education (govt.lc)	Relevant project documents for education or with education components
UNICEF/GoSl- Ministry of Social Transformation, Local Government and Community	^s Saint Lucia Multiple Indicator Cluster Survey 2012: Final Report 2014.	Situation of women and children including gender parity index primary and secondary education; literacy rates women

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

Empowerment and Central Statistics Office	Saint Lucia 2012 <u>MICS_English.pdf (mics-</u> <u>surveys-</u> <u>prod.s3.amazonaws.com)</u> (Next scheduled MICS for St. Lucia is 2022, current status is survey design. Source: <u>Surveys -</u> <u>UNICEF MICS</u>	15-24; domestic violence – attitudes of women, men; access to mass media and information and communication technology – women 15-24 and 15-45; persons collecting drinking water by sex, age and urban/rural
GoSL Dep. Of Education, Innovation & Gender Relations	Beijing +25 National report 2019 Beijing +25 Report, Saint Lucia (cepal.org)	Status of implementation and achievement of the Beijing Programme of Action
UNDP LAC	Caribbean Human Development Report 2016 Caribbean Human Development Report (undp.org)	The 2016 report entitled Multidimensional Progress: Human Resilience Beyond Income provides information and gender and other demographically disaggregated data in such chapters as a. A new paradigm for assessing vulnerability: embracing human development b.Human vulnerability in the Caribbean: who are the most vulnerable and why An important chapter is on multidimensional policy solutions for multidimensional problems
UN Women - Caribbean	Caribbean Gender Profile web page on St. Lucia. Saint Lucia UN Women – Multi-Country Office – Caribbean	Regional and international human rights Conventions signed and St. Lucia National reports; gender disaggregated data
UN ECLAC	Various publications Search Economic Commission for Latin America and the Caribbean (cepal.org)	Gender data, climate change, sectoral reports, etc.
Map Access (an NGO)	Geo-spatial data on disaster impacts	31 data sets mapping various types of impacts from hurricane Tomas 2010 by district in St. Lucia

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

	Hurricane Tomas, St Lucia, November 2010 - MapAction	
CDB	Country Gender Assessment-St. Lucia; 2016 - Country Gender Assessment - Saint Lucia 2016 Caribbean Development Bank (caribank.org)	Gender data for employment, poverty, climate change and disasters, education, health, agriculture, tourism, decision- making, etc.

3.2 EXTENT OF GENDER EQUITABLE PARTICIPATION AND INFLUENCE IN DECISION-MAKING PROCESSES FOR THE DEVELOPMENT AND IMPLEMENTATION OF ADAPTATION PLANS AND STRATEGIES

Women's representation in Parliamentary decision-making in St. Lucia was at 12% in 1997, rising to 16% since 2010 through to 2018 (World Bank data⁹). For comparison, the proportion in Barbados was approximately 11% in 1997 and improved to 20% in 2018, for Dominica, the data shows women occupying approximately 18% of Parliamentary seats in 2001 and 34% in 2020.

Data reported on by the Commonwealth Local Government Forum (CLGF), UK¹⁰, indicates that there has been a small increase in the number of appointed women councillors from 60 of 136 (44.1%) in 2015/16 to 62 of 137 (45.3%) in 2016/17. The number of women mayors was reported to be two of four (50%); and a decrease was indicated in the number of female chairpersons from 5 of 11 (45.5%) in 2015/16 to 4 of 11 (36.4%) in 2016/17.

CLGF Table: Women Councillors and Mayors/Chairpersons 2014-2017

(clgf.org.uk)

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

 ⁹ World Bank Data, Proportion of Seats Held by Women in National Parliaments (%) – St. Lucia; <u>Proportion of seats held by women in national parliaments (%)</u> – St. Lucia | <u>Data (worldbank.org)</u>
 ¹⁰ The Local Government System in St. Lucia – Country Profile 2017/18; Commonwealth Local Government Forum, UK <u>Saint Lucia.pdf</u>

²³

Election	20	14/15	2015/16		20	16/17
Councillors	#	96	#	96	#	96
Female councillors	61	44.5	60	44.1	62	45.3
Male councillors	76	55.5	76	55.9	75	54.7
Total councillors	137	100.0	136	100.0	137	100.0
Mayors	#	96	#	96	#	96
Female mayors	na	na	2	50.0	2	50.0
Male mayors	na	na	2	50.0	2	50.0
Total mayors	na	100.0	4	100.0	4	100.0
Chairpersons	#	%	#	96	#	96
Female chairpersons	na	na	5	45.5	4	36.4
Male chairpersons	na	na	6	54.5	7	63.3
Total chairpersons	na	100.0	n	100.0	n	100.0

Source: Department for Local Government correspondence with CLGF

Equitable representation of women and demographically diverse groups in decision-making strengthens the range and quality of information that is taken into consideration. Inclusion of gender focal points from ministries and agencies/departments of the GoSL; non-government, gender actors and demographically representative community members in consultations is an important component of a robust planning process. Such inclusion in the SASAP process, demonstrates recognition of the need to understand and factor in gender and other demographic differences in climate change adaptation needs and capacities. Planning and decision-making processes can benefit significantly from gender equitable participation.

The GoSL has demonstrated commitment to inclusive decision-making. The NAP (2018, page 47) speaks to promoting gender equality in decision-making and there is a firm foundation to build on with St. Lucia's track record with participatory and inclusive climate change and disaster planning processes and mechanisms. These mechanisms include the National Climate Change Committee (NCCC), which is recognized under the Climate Change Adaptation Policy (CCAP) as the body in charge of coordinating and facilitating the implementation of climate change adaptation measures across sectors and agencies and at all levels of society. The NCCC comprises representatives of public, statutory, academic and private sector bodies and may appoint other members on an ad hoc basis.

24

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

Inclusive and equitable decision making is also supported by a National Mechanism for Gender Equality-named the Department of Gender, housed within the Ministry of Education, Innovation, and Gender Relations. The Department of Gender has the responsibility for other cross-cutting processes, including SDG coordination and Climate Change. The structure of the mechanism includes the Permanent Secretary as "the administrative head of the Department with the Director of Gender as the Chief Executive Officer. The Department comprises two units: a Gender Relations Unit (GRU) with responsibility for Communication and Gender-based Violence Prevention and Intervention; and a Gender Policy and Mainstreaming Unit (GPMU) with responsibility for intersectional gender analyses, gender mainstreaming, monitoring gender-Equality Policy Statement Draft January 2021)

The Division of Gender Relations within the Ministry of Education, Innovation, Gender Relations is the lead agency with responsibility for the process of the development of a national

gender policy and corresponding implementation. In alignment with the timing of the UNDP EnGenDER initiative, the Department of Gender developed a draft National Gender Equality Policy Statement and Strategy which occurred "at a time of immense environmental, social, health and economic challenges, from global threats such as Climate Change and the Global Pandemic caused by the Novel Coronavirus COVID-19" which "are particularly devastating to Small Island Developing States (SIDS) like Saint Lucia, given their fragile economies, high debt to GDP ratio and almost exclusive reliance on tourism". (Saint Lucia National Gender Equality Policy Statement Draft January 2021).

Currently before Parliament, the Gender Policy Statement included national consultation with a wide range of stakeholders as well as the creation of task force groups for data gathering to inform the planning process. The National Gender Equality Policy Statement will be implemented through a 5-year Strategic Plan aligned to the key results areas of the Medium Term Development Strategy (2020 - 2023) and the priority sectors for adaptation identified in Saint Lucia's National Adaptation Plan (2018 - 2028).

In addition to defining four key priority areas of 1) Eliminating gender-based violence 2) Governance (coordination of the national gender machinery and gender mainstreaming) 3) Health and 4) Economic empowerment of women and environmental sustainability; the Gender Equality Policy (2021), prioritizes equitable civic participation. It states at Paragraph 2.4 a GoSL objective to:

Create institutional mechanisms and systems that mandate and facilitate effective dialectic and inclusive participation, collaboration and consultation with various stakeholders (including civil society organizations, youth, private sector, academia, vulnerable groups and the media).

25

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

Further, the mechanism will work towards "the advancement, empowerment and autonomy of women as well as setbacks created by the COVID-19 pandemic in this regard; and the commitment to build back better, the GoSL will

- make use of temporary special measures to ensure improved gender distribution in political leadership, citizen security and environmental sustainability and create the policy framework and institutional mechanisms to enable its use;
- strengthen institutional mechanisms for and take concrete actions to institute and sustain
 effective communication and education to effect widespread attitudinal and behavioural
 change in public and private domains;
- strengthen institutional mechanisms to identify and assess vulnerability to ensure that no
 one is left behind" St. Lucia's Draft National Gender Equality Policy Statement (2021).

Specifically, as it relates to Education: The Gender Policy acknowledges how access to education affects employment outcomes, and will support the GoSL to:

- increase institutional mechanisms to provide quality education and training and life-long learning opportunities for women and girls and
- strengthen educational planning and gender-sensitive curriculum development to remove gender stereotypes in education and increase boys' access to post-secondary and technical/vocational education.

And finally, intersecting health, education and human rights (inclusive of reproductive health and reproductive rights) the GoSL will:

- make institutional arrangements to ensure the provision of psycho-social support services to victims of sexual and gender-based violence, for women and men living with AIDS and for families living with other non-communicable diseases;
- introduce a comprehensive, age-appropriate sexual and reproductive health education curriculum accessible to all students within the formal education setting;
- make policy provisions to ensure the protection of the right of all school age girls who become pregnant to continued access to formal education.

In addition to the National Gender Mechanism, a National Coordinating Committee for Human Rights (NCCHR)¹¹ was established via Cabinet Conclusion No. 120 of April 2, 2019, to foster dialogue among national stakeholders on human rights matters. The Committee is coordinated by the Department of Foreign Affairs and includes senior level representation from several ministries, departments and agencies. These include the Division of Gender Relations represented by the Director. Importantly too, the Committee has membership from the Coalition of Civil Society

26

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

¹¹Details of the Committee obtained online at Human_rights | Saint Lucia Department of External Affairs

Organisations¹², represented by its Chairman, the National Youth Council, represented by a First Vice-President and the National Council of and for Persons with Disabilities, represented by its President.

These mechanisms represent institutional resources that the Education sector may draw upon to assist in establishing an inclusive and consultative process as part of its internal planning mechanism for the development of its SASAP. In doing so, the intent to increase participation of women and men from communities and civil society organizations should be both strengthened and equitable through appropriate evidence and data to validate gender responsive policy development, planning and decision-making.

3.3 EXTENT OF ACCESS TO FINANCIAL RESOURCES AND OTHER BENEFITS RESULTING FROM INVESTMENTS IN ADAPTATION BETWEEN WOMEN AND MEN

No data was found by which to assess the extent of gender equity in access to financial resources and other benefits of investments in climate change adaptation. This is a function of the absence of gender mainstreaming in adaptation planning.

ECLAC (2019, page 16) states that:

a failure to acknowledge gender-specific risks and vulnerabilities in policy design and implementation implies that the economic, social, political, and health realities of males and females in Saint Lucia are the same and that males and females would be affected in the same

manner by decisions in those areas. This results in ineffective policies, and poor programming and service delivery.

A key aspect of policy design and implementation is the budget/resource allocation - the macro, national budget/allocation; sectoral budgets and those for specific projects and programmes. Differentiated planning based on information about and consideration of the economic, social, political, health and other realities of the different demographic groups, is a path that most readily ensures that there is equitable access to financial resources and other benefits resulting from development financing in general and investments in adaptation strategies in the context of SASAPs.

27

192

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

¹² This coalition is a network of Civil Society Organisations (CSO) involved in diverse areas of interest throughout Saint Lucia. The coalition of well set and the public and private sectors in the sustainable development of Saint Lucia. See: <u>ICSO Directory – The Coalition of Civil Society Porganisations (saintluciaescoalition org.</u>). The Coalition of Civil Society Porganisations (saintluciaescoalition org.)

3.3.1 GENDER RESPONSIVE BUDGETING

Gender responsive budgeting is designed to mainstream gender analysis into all stages of the budget planning cycle. It is not about whether an equal amount is spent on women and men, but rather whether the spending is targeted to and will be adequate to meet women's a d men's needs, taking into account other factors such as age, location (urban, rural), disability, social roles and responsibilities, socio-economic status etc. It involves analysis of the impact of any form of public expenditure or resource allocation on women and girls as compared to men and boys. (Manual for Training on Gender Responsive Budgeting, 2006, Page 36)¹³

The ECLAC report (2019, page 8) indicates that the strengthening of capacity for such analysis and planning is being pursued under a GoSL partnership with the Caribbean Development Bank (CDB). The initiative, ECLAC notes, provides technical assistance in gender planning and Gender responsive budgeting and will support government bodies to integrate a gender Perspective into policies, programmes and projects through the training of civil servants and training of trainers.

28

193

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

¹³ Manual for Training in Gender Responsive Budgeting, Katrin Schneider, GTZ, German Federal Ministry for Economic Cooperation and Development; 2006; <u>Microsoft Word - Deckblatt.doc (ndi.org)</u>

4.0 INDICATORS AND MECHANISMS FOR MONITORING AND EVALUATION OF GENDER-RESPONSIVE CLIMATE CHANGE ADAPTATION PLANS

The St. Lucia National Climate Change Policy and Action Plan (2015) indicates that its monitoring is carried out by National Climate Change Committee or its successor body, which reports on a semi-annual basis to the Cabinet through the Minister of Planning, Development, Environment and Housing. After five years of the Policy and Action Plan being adopted the Committee is mandated to carry out a public review of the policy to determine its effectiveness in achieving its goals and objectives. (Page 19)/

A Monitoring and Evaluation Plan¹⁴ exists for the NAP 2018-2023. It sets out a comprehensive list of indicators including for SASAPs. There is reference to gender/'vulnerable group' specific indicators these include Vulnerable groups specifically targeted in the sectoral and cross-sectoral plans (Page 11) Total number of gender-specific sectoral and cross-sectoral measures completed during the requisite calendar year (Page 12) and Of the measures that were completed during the requisite calendar year, which, if any, specifically targeted men or specifically targeted women? List initiative(s) and gender targeted.

It is outlined in the M&E Plan that, resources allowing, it is expected that aside from the annual monitoring and evaluation of NAP progress, the NAP and SASAPs will be reviewed overall at least once during the 2018-2028 period. Ideally, two reviews should occur: in 2021 (end of the period prescribed for initiating the implementation of short-term activities); and in 2024 (end for medium term activities). (Page 8).

Below, a representative education outcome from the NAP that relates to education infrastructure has been isolated to provide an illustrative example of the need to provide evidence and measurable data that a gendered analysis has occurred that looks to 1) the recognition of gender differences in adaptation needs, opportunities and capacities 2) gender-equitable participation & influence in decision-making processes and 3) gender-equitable access to financial resources and other benefits resulting from investments in adaptation.

In developing gender-responsive SASAP priorities, education planners must methodically validate that gender responsive planning (inclusive of data, budgeting and monitoring and evaluation) is taken into consideration in order to both improve education sector adaptive planning and also to meet external green climate funding criteria. Subsequent gender-related indicators that could be considered within the SASAP process as it relates to equitable decision-making process indicators in Disaster Preparedness and Response are also included as an illustrative example of global best practice.

29

A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

¹⁴ Government of Saint Lucia. (2018). Monitoring and Evaluation Plan of Saint Lucia's National Adaptation Planning Process. Department of Sustainable Development, Ministry of Education, Innovation, Gender Relations and Sustainable Development., <u>Saint Lucia Monitoring and</u> Evaluation for NAP. pdf (unfeccent)

TECHNICAL ANALYS			I GENDER ANI	D CLIMATE CHANGE B	ased on
OUTCOME 4. STRENG	GTHENED PREPARE	DNESS TO CLIN	IATE VARIABIL	TY AND EXTREMES	
Strategic Objective 1 CHANGING CLIMATE		ASTRUCTURE FO	OR EDUCATION	CONTINUITY UNDER A	
Adaptation measures	Indicative outputs	Gender-r	esponsive NAP pro	cess considerations	Gender-
		Recognition of gender differences in adaptation needs, opportunities and capacities	Gender- equitable participation & influence in decision- making processes	Gender-equitable access to financial resources and other benefits resulting from investments in adaptation	Related Indicators
233 Ensure school infrastructure is climate resilient, particularly schools that double as emergency shelters	Plan for retrofitting and climate proofing education infrastructure elaborated, approved and implementation initiated.				

Table Reference: Tool Kit on Gender Equality Results and Indicators. Asian Development Bank, Australian Aid, 2013. P 49.

30 A Gender Assessment - LINKS BETWEEN GENDER AND CLIMATE CHANGE IN THE EDUCATION SECTOR

Saint Lucia's Gender Action Plan

PROJECT COMPONENTS	OUTPUT	ACTIVITY	INDICATOR	RESPONSIBLE PARTY
Component 1: Strengthen the enabling environment for adaptation planning within the education sector at the national and	Output 1.1: Policies, plans and lessons learned strengthened in alignment with the CDEMA Model Safe School Programme	Activity 1.1.1 Annual regional meetings with CDEMA, OECS, SL and A&B and other key stakeholders.	Consultations report with disaggregated participation list that reflect an equal # of males and females from Saint Lucia participating in the regional meetings	UN-Habitat, PM, PC
regional level.		Activity 1.1.2 Biannual (2x per year) national review meetings in each country	Equal # of males and females from Saint Lucia participating in the national meetings- report showing disaggregated meeting attendance	PM, UN- Habitat, Consultant, PC
		Activity 1.1.3 Conduct Gap Analysis and stakeholder engagements to determine areas in need of improvement of the Model Safe School Policy for each country (both)	Females and vulnerable groups are provided equal opportunity as males to give feedback during the conduct of the GAP Analysis- GAP Analysis report with disaggregated data on males and females consulted	Consultant, PM, PC
		Activity 1.1.5 Develop and validate an updated Model Safe School Policy and Toolkit for each country	Validation sessions undertaken that reflect equal opportunities provided to males and females and vulnerable groups in validation of updated Model Safe School Policy & Toolkit for Saint Lucia	Consultant, PM, PC

1 P a g e GENDER ACTION PLAN- SAINT LUCIA

PROJECT COMPONENTS	OUTPUT	ACTIVITY	INDICATOR	RESPONSIBLE PARTY
COMPONENT 2: Strengthen the capacity of schools, businesses, communities and households to understand climate	Output 2.1: Schools, communities and households' capacity building to increase resilience to climate change	Activity 2.1.4. Sensitize the public on resilience, recovery and adaptation efforts through awareness campaigns	Sensitization strategies developed and implemented which provide equal opportunities to male and female teachers for capacity building in climate risks and adaptation options	Consultant, PM, PC
risks and adaptation options, and cope with socio-emotional			Training & capacity building in DRR undertaken within the communities targeted at female headed households	Consultant, PM, PC
impacts			Sensitization strategies developed and implemented that provide all students (males, females, vulnerable) an equal opportunity for training & awareness and access to knowledge products in DRR & adaptation options	
COMPONENT 3: Climate proofing interventions implemented for select school buildings to improve climate	Output 3.1: Conduct Safe School assessments with adaptation needs and maintenance plans costed	Activity 3.1.2. Develop site specific operational procedures for long-term maintenance, and a monitoring framework, of climate- proofing measures for each priority building (both)	Site specific operational procedures that reflect the differentiated needs of males and females (both students & teachers and the vulnerable)	Contractors, PM, UN-Habitat
resilience.	Output 3.2: Improve the resilience of priority buildings through adaptation intervention	Activity 3.2.2 Implement climate- proofing measures to improve priority buildings climate resilience including engineering design & supervision	Climate proof measures implemented that consider the needs of both males and females(including teachers & students) as well as needs of vulnerable beneficiaries	Contractors, PM, UN-Habitat

2 | Page GENDER ACTION PLAN- SAINT LUCIA

Annex 9. Grant Process Checklist – Antigua & Barbuda.



All the steps of this checklist must be completed by the Grant Officer. This checklist must be attached to the DOE's copy of the contractual agreement, for the DOE's records.

NAME OF PROJECT: [INSERT PROJECT NAME)] GRANT APPLICATION NUMBER: [INSERT GRANT APPLICATION NUMBER]

DATE: [INSERT DATE)]

STEP NUMBER	TASK	REQUIRED DOCU- MENTATION	STATUS (Please Tick Once Completed)	RESPON- SIBLE PERSON
	1. GRANT PROCESS IN	ITIATION		
1	Review project document	Project implementation document		Grant Team (GT), Project Coordinator (PC)
2	Kick-off Meeting	Kick-off Meeting Minutes		(GT), (PC)
3	Requisition 1: Requisition funds from the funding agency	Board decision approving the Term Sheet, Signed Term Sheet, Identification of a bank account and or ledger		(GT), (PC), Accounts, SIRF Fund Representative
4	Create an implementation plan.	Implementation plan		(GT), (PC)
5	Consult with potential stakeholders to inform them of pending projects	Minutes of consultation		(GT)
6	Submit implementation plan to DOE staff for internal review	Implementation plan		(GT)
7	Prepare list of potential stakeholders	List of potential stakeholders		(GT), (PC)
8	Execute public awareness campaign to promote the project.	Promotion links/advertise ment		(GT), (PC), (PETI)

GRANT APPLICATION NUMBER: [INSERT GRANT APPLICATION NUMBER]

9	Assemble a list of potential Technical Evaluation	List of potential	(GT), (PC)
	Committee (TEC) members	Technical	
		Evaluation	
		Committee	
		(TEC) members	
10	Draft grant process documents.	Draft grant	(GT)
		process	
		documents.	
11	Submit grant process documents and list of potential	Draft grant	(GT)
	TEC members to the DOE staff for internal review	process	
		documents, List	
		of potential	
		Technical	
		Evaluation	
		Committee	
10		(TEC) members	(070)
12	Submit revised grant process documents and list of	Draft grant	(GT)
	potential TEC members to the Technical Advisory	process	
	Committee (TAC) for review	documents, List	
		of potential Technical	
		Evaluation	
		Committee	
		(TEC) members	
13	Modify grant process documents and TEC list, if	Draft grant	(GT)
15	modify grant process documents and TEC list, if necessary, based on results of consultation with TAC	process	(01)
	necessary, based on results of consultation with TAC	documents, List	
		of potential	
		Technical	
		Evaluation	
		Committee	
		(TEC) members	
14	Submit grant process documents and TEC list to	Draft grant	(GT)
. 4	Project Management Committee (PMC)/SIRFF for	process	(01)
	approval	documents, List	
	TT.	of potential	
		Technical	
		Evaluation	
		Committee	
		(TEC) members	
15	Assemble TEC team, after PMC/SIRFF approval is	PMC Approval	(GT), (PC)
	obtained, and plan for implementation of the grant		
	process.		
	2. CALL FOR PROP	OSALS	
16	Prepare draft call for proposals (CFP)	Draft call for	(GT)
		proposals	
17	Submit draft CFP to DOE staff for internal review	u	(GT)
		u	(GT)
18	Submit revised draft CFP to Technical Advisory Committee (TAC) for review	0.000	(01)

2

19	Review draft CFP based on results of consultation with TAC		(GT)
20	Submit CFP to PMC/SIRFF for approval		(GT)
21	Modify CFP, if necessary, based on PMC/SIRFF decision.		(GT)
22	Publish CFP and related grant materials.	Final Draft of CFP	(GT), (PETI)
B. SUI	MMARY PROPOSAL REVIEW PROCESS	1000	
23	Collect summary proposals	Summary	(GT)
23	Conect summary proposais	proposals submissions	
		record	
24	Acknowledge Receipt, in writing to the applicant, and provide an overview to the applicant of the next steps in the grant decision making process.	Letter of acknowledgeme nt	(GT)
25	Post the number of applications received, on the website.	Link of post	(GT), (PETI)
26	Proposals are reviewed internally by DOE staff and comments communicated to the applicant via a review sheet.	Evaluation report, review sheets	DOE Technica Officers
27	Applicant addresses the issues identified among the comments of the reviewer.	Review sheets, amended proposal	Applicant
28	Issues satisfactorily addressed by the applicant	Evaluation report, review sheets	Applicant
29	Submit proposals with review sheets for review by the Evaluation Committee (EC)	Evaluation report, review sheets	(GT)
30	Reviewed by EC	Report from the EC	EC
31	Receive and review evaluations from the (EC)	Report from the EC	GT
32	Prepare evaluation report, including preliminary decision on awarding of small grant.	Evaluation Report	(GT)
33	Submit revised evaluation report to TAC for review	Evaluation Report	(GT)
34	Evaluation report reviewed by TAC	TAC meeting minutes	(TAC)
35	Review evaluation report, based on advice of the TAC	Evaluation Report	(GT)
36	Submit evaluation report to the Director, including recommendations for awards.	Evaluation Report	(GT)
37	Director presents final recommendations to the PMC/SIRFF	Evaluation Report	Director
38	The PMC makes final recommendations to either i) approve, ii) rework, or iii) decline proposals	PMC decision	PMC
39	Chair of the PMC/SIRFF sends a final list of recommended projects, in order of priority, to the SIRF Fund Board.	List of recommended projects	PMC

GRANT PROCESS CHECKLIST GRANT APPLICATION NUMBER: [INSERT GRANT APPLICATION NUMBER]

200

GRANT APPLICATION NUMBER: [INSERT GRANT APPLICATION NUMBER]

40	Notify applicants of the decisions made by the PMC/SIRFF, including instructions to either, i) proceed to preparation of full proposal, or ii) make minor changes within a period of ten (10) days or resubmit at a subsequent Call for Proposals if project	Notification letters	(GT)
	has not been declined or placed in the pipeline.		
41	Publish award information	Link to publication	(GT), (PETI)
42	Sign Small Preparation/Technical Assistance Grant	Small Grant Agreement	Contract Manager
43	Award small preparation grant	Signed Small Grant Agreement, requisition documents	Accounts
	4. FULL PROJECT PR	OPOSAL	
44	Grantees complete full proposal form	Signed Full Proposal Form	Applicant
45	Grantees acquire supporting documentation, including permits, architectural drawings etc.	Supporting documents	Applicant
46	If necessary, a feasibility study should be conducted by an engineer and an architect	TEC report	Technical Evaluations Committee (TEC)
47	Grantees submit proposal package to DOE	Signed Full Proposal Form	Applicant
48	Collect full proposals	Signed Full Proposal Form	(GT)
49	Acknowledge Receipt, in writing to the applicant, and provide an overview to the applicant of the next steps in the grant decision making process.	Acknowledgem ent letters	(GT)
	5. PROJECT APPRA	AISAL	
50	Proposals are reviewed internally by DOE staff and comments communicated to the applicant via a review sheet.	Evaluation report, review sheets	DOE Technical Officers
51	Applicant addresses the issues identified among the comments of the reviewer.	Review sheets, amended proposal	Applicant
52	All issues have been addressed.	Evaluation report, review sheets	Applicant
53	Submit proposals with review sheets for review by the Evaluation Committee (EC)	Evaluation report, review sheets	(GT)
54	Review by EC	Report from the EC	EC
		EC	

4

GRANT APPLICATION NUMBER: [INSERT GRANT APPLICATION NUMBER]

GRANT PROCESS CHECKLIST

56	Prepare evaluation report, including preliminary decision on awarding of grant.	Evaluation Report	(GT)
57	Submit evaluation report to a Grant Evaluation	Evaluation	(GT)
21	Committee of the TAC for review	Report	(01)
58	Review of evaluation report by TAC	TAC meeting	TAC
50	Review of evaluation report by fire	minutes	Into
59	Review evaluation report, based on advice of the	Evaluation	(GT)
55	TAC	Report	(01)
60	Submit evaluation report to the Director, including	Evaluation	(GT)
00	recommendations for awards.	Report	
61	Director presents final recommendations to the	Evaluation	Director
01	PMC/SIRFF	Report	Director
62	The PMC/SIRFF makes final recommendations to	PMC decision	PMC
02	either i) approve, ii) rework, or iii) decline proposals	T IVIC decision	1 1/10
63	Chair of the PMC sends a final list of recommended	List of	PMC
05	projects, in order of priority, to the SIRF Fund Board.	recommended	FIVIC
	projects, in order of priority, to the SIXF Fund Board.	projects	
64	Notify applicants of the decisions made by the	Notification	(CT)
04	PMC/SIRFF.	letters	(GT)
65	Allow opportunity for reconsideration of funding	Request for	(GT)
05	decision, in event of an appeal by an applicant.	reconsideration	(01)
	decision, in event of an appeal by an applicant.	of funding	
		decision	
	DIVI L'A	Link to	(0)
66	Publish award information		(GT),
		publication	(PETI)
	6. CONTRACTI	NG	
67	Remove the 'DRAFT' watermark from the Grant	Grant	Contract
	Agreement and print four (4) copies of Grant	Agreement	
	Agreement and print four (4) copies of Grant Agreement for signature	Agreement Template	Manager
68	Agreement for signature	Agreement Template	
68		Template	Manager
	Agreement for signature Fill in Annex 1 'Disbursement Schedule'	Template	Manager Contract Manager
68 69	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the	Template	Contract Manager Contract
69	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement.	Template	Contract Manager Contract Manager
	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both	Template "	Contract Manager Contract Manager Contract Manager
69 70	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet).	Template "	Contract Manager Contract Manager Contract Manager
69	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a	Template "	Manager Contract Manager Contract Manager Contract Manager Contract
69 70	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement.	Template	Manager Contract Manager Contract Manager Contract Manager Contract Manager
69 70 71	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement. 7. PROJECT IMPLEMENTATION, MONI	Template	Manager Contract Manager Contract Manager Contract Manager Contract Manager
69 70	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement.	Template	Manager Contract Manager Contract Manager Contract Manager ORTING (GT),
69 70 71	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement. 7. PROJECT IMPLEMENTATION, MONI Review implementation plan	Template	Manager Contract Manager Contract Manager Contract Manager ORTING
69 70 71	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement. 7. PROJECT IMPLEMENTATION, MONI	Template	Manager Contract Manager Contract Manager Contract Manager ORTING (GT),
69 70 71 72	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement. 7. PROJECT IMPLEMENTATION, MONI Review implementation plan	Template	Manager Contract Manager Contract Manager Contract Manager DRTING (GT), (M&E) (GT),
69 70 71 72	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement. 7. PROJECT IMPLEMENTATION, MONI Review implementation plan Requisitions 2: Requisition the second set of funds	Template Template Torking AND REPO Implementation Plan 70% of funds	Manager Contract Manager Contract Manager Contract Manager ORTING (GT), (M&B) (GT), Accounts
69 70 71 72	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement. 7. PROJECT IMPLEMENTATION, MONI Review implementation plan Requisitions 2: Requisition the second set of funds	Template	Contract Manager Contract Manager Contract Manager Contract Manager ORTING (GT), (M&E)
69 70 71 72	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement. 7. PROJECT IMPLEMENTATION, MONI Review implementation plan Requisitions 2: Requisition the second set of funds	Template	Contract Manager Contract Manager Contract Manager Contract Manager ORTING (GT), (M&E) (GT), Accounts (PC), SIR
69 70 71 72	Agreement for signature Fill in Annex 1 'Disbursement Schedule' Encourage the Grantee to use blue ink to sign the Grant Agreement. Ensure that the Grantee initials each page (i.e. both sides of the sheet). Ensure that the Grantee and SIRF Fund have a witness each when signing the Grant Agreement. 7. PROJECT IMPLEMENTATION, MONI Review implementation plan Requisitions 2: Requisition the second set of funds	Template Template Torrest and the second sec	Manager Contract Manager Contract Manager Contract Manager ORTING (GT), (M&E) (GT), Accounts (PC), SIR Fund Rep

5

GRANT APPLICATION NUMBER: [INSERT GRANT APPLICATION NUMBER]

74	Ensure that the grantee receives disbursements according to schedule Requisitions 3: Requisition the third set of funds from the funding agency to support the present phase.	Inception Report, Verification of Receipt of Funds Requisition documents, sectional completion, certificate, verification of funds transfer 70% of funds allocated, Financial Expenditure Statement,	GT), Accounts, (GT) GT), Accounts, (PC), SIRF Fund Rep, Director
76	Technical Experts Committee conducts weekly site	On-granting Programme Progress Report, Verification of Receipt of Funds Signed site visit	(GT), (TEC)
	visits	reports	(M&E)
77	Arrange sectional completion evaluations, by Technical Experts Committee (TEC) members, according to disbursement schedule	Signed sectional completion evaluations	(TEC), (GT), (M&E)
78	Award sectional completion certificate after each successful sectional completion evaluation.	Signed sectional completion certificates	(GT), Director
79	Publish grant info to be posted on the DOE website	Link to publication	(GT), (PETI)
80	Conduct risk management assessments	Risk register	(GT), (M&E), (PC)
81	Maintain Lessons Learned register.	Lessons Learned Register	(GT), (M&E), (PC)
82	Collect and sign quarterly reports from Grant Recipient	Signed Progress reports	(GT), (M&E)
83	Conduct mid-term project review	Mid-term report	(GT), (M&E)
84	Implement workshops and other project-related training programmmes.	Workshop concept notes, attendance registers, signed workshop reports	(GT), (M&E), (PETI), (PC)

6

GRANT APPLICATION NUMBER: [INSERT GRANT APPLICATION NUMBER]

85	Collect M&E reports	Monitoring and Evaluation reports	(GT), (M&E), Knowledge Managemen
	8. PROJECT CLOSURE & LES	SONS LEARNED	
86	Conduct final evaluation	Final Evaluation Report	(GT), (M&E), (PC)
87	Conduct project post post-mortem	Signed grant process checklist, review report	(GT), (M&E), (PC)
88	Formal notification of project closure	Notification letter	(GT)
89	Release retention funds	Signed requisition documents, verification of funds transfer	Accounts
90	Close-out ceremony/formal handover of project	Closeout ceremony report	(GT), (PC)
91	Close the Lessons Learned register and prepare a Lessons Learned report.	Lessons learned report	(GT), (M&E)
92	Submit final financial and performance reports for Knowledge Management	Financial report, performance reports.	(GT), Knowledge Managemer

By signing below, the signatories certify that they have satisfactorily completed each step of this checklist and uploaded the required documentation to the relevant Smartsheet and OneDrive Folder:

Comments							
Connicatio							
Reviewed By Name & Title:	Signature	Date					
Approved By Name & Title:	Signature	Date					

7